

CHAPTER H

Systems diversity for warehouses, factories and workshops

GENERAL CATALOGUE

SSI SCHAEFER systems bring order and organisation to your workshops, factories, offices and stores

Efficient processes, organisation and flexibility form the basis of an efficient workshop, where quality and quantity are critical. SSI SCHAEFER has spent years developing a wealth of options in the workplace to support professional people in their daily work.

From materials cabinets to tool and machine cabinets, from small parts magazines to complete shelving systems, from workbenches to transport equipment and ladders, from equipping canteens to equipping social facilities, we have the solution that fits.






Workstation systems

H2

Modular workbenches	H4
"Hexa" team workstations	H30
Compact workbenches	H32
Modular workstation system	H34
Accessories	H25, H37



Drawer systems

H40

Drawer cabinets, depth 27T (572 mm)	H42
Drawer cabinets, depth 36T (725 mm)	H52
WSR drawer shelving	H66
NC storage	H72



Cabinet systems

H74


MSI series folding door cabinets	H74
Large capacity cabinets	H77
Special cabinets	H78
Tool cabinets	H79
Fix-shelf cabinets, semi-open front storage containers	H80
Sliding door cabinets	H82



Counter and cabinet combinations

H84

Bolt-free shelving system R 2000	H86
Counter cabinets 5000 series	H94
Counter cabinets 1100 series	H96



Equipment for changing rooms

H100

Clothes lockers	H102
Space-saving cabinets, compartment cabinets	H108
Fire-proof cabinets	H109
Locker columns	H112
Multi-purpose wardrobes	H114





Tailor-made modular workbenches and workstations

Increasingly flexible production processes demand a maximum degree of organisational variety in workstation design.

SSI SCHAEFER offers systems which enable you to react quickly and efficiently to changing requirements.

All workstation systems can be combined with one another to facilitate the variable equipping of the workbenches in line with the motto "For solutions that fit".





Modular workbenches H4

Ordering examples	H4
Work surfaces, plinths	H6
Workbench drawer cabinets	H10
Workbench drawer units	H13
Workbench roller cabinets	H14
Individual workbench cabinet components	H16
Dividers	H18
Test technology	H20
Power supply for workbenches	H22
Workbench back panels	H26

Pegboard systems H28



"Hexa" team workstations H30

Ordering examples	H30
Power supply, accessories	H31



Compact workbenches H32

Ordering examples	H32
-------------------	-----



Modular workstation systems H34

Modular 100, Modular 400	H34
Workbench back panels	H36

Accessories H25, H37

Table lamps, vices	H25
Rotating office chairs	H37
Transport trolleys	H38
Collection systems for recyclable materials	H39

Ordering examples for modular workbenches



RAL 7035 LIGHT GREY **RAL 6011 RESEDA GREEN** Housing

GENTIAN BLUE RAL 5010 **RESEDA GREEN RAL 6011** Fronts

Basic unit **Add-on unit**

70


Drawer units and base units can be assembled to the right or left.
All workbenches supplied without upstands and shelves

- **High-grade sheet steel**
powder-coated
- **Pedestal**
heavy duty
- **Drawers**
fully extendable
- **Work surface**
40/50 mm thick Multiplex

700/800
800
840/850
665

WB-S/-M series modular workbenches

	Item	Length (mm)	Surface thickness (mm)	Work surface	Drawer block	Order no.	
							
	WB1570G	1500	40	Multiplex	—	13811	13810
	WB1570A	Add-on unit	40	Multiplex	—	21311	21310
	WB-S1580GM	1500	50	Multiplex	—	108144	108140
	WB-S1580AM	Add-on unit	50	Multiplex	—	108145	108142
	WB2070G	2000	40	Multiplex	—	13821	13820
	WB2070A	Add-on unit	40	Multiplex	—	21361	21360
	WB-S2080GM	2000	50	Multiplex	—	108154	108150
	WB-S2080AM	Add-on unit	50	Multiplex	—	108155	108152
	WB15710G	1500	40	Multiplex	SB 5101	194831	194830
	WB15710A	Add-on unit	40	Multiplex	SB 5101	194841	194840
	WB-S15810G	1500	50	Multiplex	SB 5101	194871	194870
	WB-S15810A	Add-on unit	50	Multiplex	SB 5101	194881	194880
	WB20710G	2000	40	Multiplex	SB 5101	194851	194850
	WB20710A	Add-on unit	40	Multiplex	SB 5101	194861	194860
	WB-S20810G	2000	50	Multiplex	SB 5101	194891	194890
	WB-S20810A	Add-on unit	50	Multiplex	SB 5101	194901	194900
	WB1572G	1500	40	Multiplex	SB 5305	13851	13850
	WB1572A	Add-on unit	40	Multiplex	SB 5305	21331	21330
	WB-S1581GM	1500	50	Multiplex	SB 5305	108164	108160
	WB-S1581AM	Add-on unit	50	Multiplex	SB 5305	108165	108162
	WB2072G	2000	40	Multiplex	SB 5305	13861	13860
	WB2072A	Add-on unit	40	Multiplex	SB 5305	21201	21200
	WB-S2081GM	2000	50	Multiplex	SB 5305	108174	108170
	WB-S2081AM	Add-on unit	50	Multiplex	SB 5305	108175	108172
	WB1571G	1500	40	Multiplex	SB 5301	13831	13830
	WB1571A	Add-on unit	40	Multiplex	SB 5301	21321	21320
	WB-S1582GM	1500	50	Multiplex	SB 5301	108184	108180
	WB-S1582AM	Add-on unit	50	Multiplex	SB 5301	108185	108182
	WB2071G	2000	40	Multiplex	SB 5301	13841	13840
	WB2071A	Add-on unit	40	Multiplex	SB 5301	21371	21370
	WB-S2082GM	2000	50	Multiplex	SB 5301	108194	108190
	WB-S2082AM	Add-on unit	50	Multiplex	SB 5301	108195	108192



Work surfaces

Page H6-H7

Drawer cabinets/blocks,

Roller cabinets

Page H10-H15

Dividers for drawers

Page H18-H19

WB-S/-M series modular workbenches

Item	Length (mm)	Surface thickness (mm)	Work surface	Drawer block	Order no.	
WB1575G	1500	40	Multiplex	SB 5805	108501	108500
WB1575A	Add-on unit	40	Multiplex	SB 5805	108511	108510
WB-S1587GM	1500	50	Multiplex	SB 5805	108284	108280
WB-S1587AM	Add-on unit	50	Multiplex	SB 5805	108285	108282
WB2075G	2000	40	Multiplex	SB 5805	108521	108520
WB2075A	Add-on unit	40	Multiplex	SB 5805	108531	108530
WB-S2087GM	2000	50	Multiplex	SB 5805	108294	108290
WB-S2087AM	Add-on unit	50	Multiplex	SB 5805	108295	108292
WB1577G	1500	40	Multiplex	SB 5804	108541	108540
WB1577A	Add-on unit	40	Multiplex	SB 5804	108551	108550
WB-S1588GM	1500	50	Multiplex	SB 5804	108304	108300
WB-S1588AM	Add-on unit	50	Multiplex	SB 5804	108305	108302
WB2077G	2000	40	Multiplex	SB 5804	108561	108560
WB2077A	Add-on unit	40	Multiplex	SB 5804	108571	108570
WB-S2088GM	2000	50	Multiplex	SB 5804	108314	108310
WB-S2088AM	Add-on unit	50	Multiplex	SB 5804	108315	108312
WB1576G	1500	40	Multiplex	SB 5801	108581	108580
WB1576A	Add-on unit	40	Multiplex	SB 5801	108591	108590
WB-S1589GM	1500	50	Multiplex	SB 5801	108324	108320
WB-S1589AM	Add-on unit	50	Multiplex	SB 5801	108325	108322
WB2076G	2000	40	Multiplex	SB 5801	108601	108600
WB2076A	Add-on unit	40	Multiplex	SB 5801	108611	108610
WB-S20813M	2000	50	Multiplex	SB 5801	108334	108330
WB-S2089AM	Add-on unit	50	Multiplex	SB 5801	108335	108332
WB1578	1500	40	Multiplex	SB 5804, SB 5842T	108621	108620
WB-S15812M	1500	50	Multiplex	SB 5804, SB 5842T	108382	108380
WB2078	2000	40	Multiplex	SB 5804, SB 5842T	108631	108630
WB-S20813M	2000	50	Multiplex	SB 5804, SB 5842T	108392	108390
WB1579	1500	40	Multiplex	SB 5805, SB 5804	108641	108640
WB-S15813M	1500	50	Multiplex	SB 5805, SB 5804	108402	108400
WB2079	2000	40	Multiplex	SB 5805, SB 5804	108651	108650
WB-S20813M	2000	50	Multiplex	SB 5805, SB 5804	108412	108410
WB-S1584M	1500	50	Multiplex	—	108222	108220
WB-S2084M	2000	50	Multiplex	—	108232	108230




SB 5805



SB 5804




SB 5801




SB 5805

SB 5842T




SB 5805

SB 5804


Height adjustable
600 - 950 mm



Work surfaces for modular workbenches



Multiplex work surface

Quality grade I/II beech veneer, multi-layered, bonded and waterproof with polished edges. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis.


Item	L x D x H (mm)	Order no.
M1564	1500 x 600 x 40	21488
M1574	1500 x 700 x 40	21480
M1585	1500 x 800 x 50	21481
M1774	1750 x 700 x 40	21482
M1785	1750 x 800 x 50	21483
M2074	2000 x 700 x 40	21484
M2085	2000 x 800 x 50	21485
M2574	2500 x 700 x 40	21486
M2585	2500 x 800 x 50	21487



Multiplex work surface with steel edge

Finish the same as multiplex work surface, but with front edge protected by steel U-profile.

Item	L x D x H (mm)	Order no.
MPS1564	1500 x 600 x 40	108000
MPS1574	1500 x 700 x 40	108001
MPS1585	1500 x 800 x 50	108002
MPS1774	1750 x 700 x 40	108003
MPS1785	1750 x 800 x 50	108004
MPS2074	2000 x 700 x 40	108005
MPS2085	2000 x 800 x 50	108006
MPS2574	2500 x 700 x 40	108007
MPS2585	2500 x 800 x 50	108008




Work surface with steel cover

Double-glued wood core/chipboard composite with glued steel cover, edged on all 4 sides, galvanised. Edges open.

Item	L x D x H (mm)	Order no.
SPZ1564	1500 x 600 x 40	108010
SPZ1574	1500 x 700 x 40	108011
SPZ1585	1500 x 800 x 50	108012
SPZ1774	1750 x 700 x 40	108013
SPZ1785	1750 x 800 x 50	108014
SPZ2074	2000 x 700 x 40	108015
SPZ2085	2000 x 800 x 50	108016
SPZ2574	2500 x 700 x 40	108017
SPZ2585	2500 x 800 x 50	108018


i Multiplex surfaces with steel cover on request



Block-glued beech board

Extremely robust high quality work surface, with continuously glued longitudinal dovetail joints.


Item	L x D x H (mm)	Order no.
RBR1574	1500 x 700 x 40	107863
RBR1584	1500 x 800 x 40	107860
RBR2074	2000 x 700 x 40	107864
RBR2084	2000 x 800 x 40	107861
RBR2574	2500 x 700 x 40	107865
RBR2584	2500 x 800 x 40	107862



Plastic-coated work surface

Hard wearing finish, particularly resistant to oil and grease. 6 mm plastic coating. Chipboard core. Underside hardened pressboard. The edge of the work surfaces has beech trim on all sides.

Item	L x D x H (mm)	Order no.
UPC1575	1500 x 700 x 45	21669
UPC1585	1500 x 800 x 45	21666
UPC2075	2000 x 700 x 45	21670
UPC2085	2000 x 800 x 45	21667
UPC2575	2500 x 700 x 45	21671
UPC2585	2500 x 800 x 45	21668




Plastic-coated work surface with steel edge

Same as plastic-coated work surface, but with front edge protected by steel U-profile.

Item	L x D x H (mm)	Order no.
UPA1575	1500 x 700 x 45	21663
UPA1585	1500 x 800 x 45	21660
UPA2075	2000 x 700 x 45	21664
UPA2085	2000 x 800 x 45	21661
UPA2575	2500 x 700 x 45	21665
UPA2585	2500 x 800 x 45	21662


Work surfaces for modular workbenches



Linostat work surface

Double glued wood core plyboard with special 2.5 mm linoleum coating. Light grey marble effect. Permanently antistatic and high resistance to abrasion, medium-hard. With 3 mm plastic edging.


Item	L x D x H (mm)	Order no.
LPL1574	1500 x 700 x 40	194520
LPL1584	1500 x 800 x 40	194530
LPL1774	1750 x 700 x 40	194540
LPL1784	1750 x 800 x 40	194550
LPL2074	2000 x 700 x 40	194560
LPL2084	2000 x 800 x 40	194570



Synthetic resin-coated board

With 0.8 mm HPL coating, 3 mm edging strip. Easy to clean, good chemical resistance. A reinforcing cross-beam is required for use with pedestals.

Item	L x D x H (mm)	Order no.
KHB1574	1500 x 700 x 40	107873
KHB1584	1500 x 800 x 40	107870
KHB2074	2000 x 700 x 40	107874
KHB2084	2000 x 800 x 40	107871
KHB2574	2500 x 700 x 40	107875
KHB2584	2500 x 800 x 40	107872



Surface suitable for ESD

Conductive surface. Special laminate surface for safety dissipating electrostatic charges. Resistant to alkalis and weak acids. A reinforcing cross-beam is required for use with pedestals.

Item	L x D x H (mm)	Order no.
ESD1574	1500 x 700 x 40	107883
ESD1584	1500 x 800 x 40	107880
ESD2074	2000 x 700 x 40	107884
ESD2084	2000 x 800 x 40	107881
ESD2574	2500 x 700 x 40	107885
ESD2584	2500 x 800 x 40	107882



Multiplex support base

Beech multi-layer board, 20 mm thick. Milled edges, untreated surface.

Item	L x D (mm)	Order no.
ABM154	1500 x 460	107890
ABM155	1500 x 560	107891
ABM174	1750 x 460	107892
ABM175	1750 x 560	107893
ABM205	2000 x 560	107894



Fir board support base

Untreated glued board, 19 mm thick.

Item	L x D (mm)	Order no.
ZT15	1500 x 560	21690
ZT17	1750 x 560	21691
ZT20	2000 x 560	21692
ZT25	2500 x 560	21693



Chipboard support base

Bare chipboard, 19 mm thick, with PVC trim.

Item	L x D (mm)	Order no.
AB154	1500 x 460	21600
AB155	1500 x 560	21601
AB174	1750 x 460	21620
AB204	2000 x 460	21610
AB205	2000 x 560	21611



Upstand for single racking

Beech multi-layer board, 12 mm thick. Curved edges on both sides.

Item	L x H (mm)	Order no.
WRW15	1500 x 150	21490
WRW17	1750 x 150	21491
WRW20	2000 x 150	21492
WRW25	2500 x 150	21493



Upstand for row racking

MDF board, painted. Curved edge on one-side.

Item	L x H (mm)	Order no.
SBG15	1500 x 150	194580
SBG17	1750 x 150	194590
SBG20	2000 x 150	194600
SBG25	2500 x 150	194610



Upstand for row racking

MDF board, painted. No curved edges.

Item	L x H (mm)	Order no.
SBA15	1500 x 150	194581
SBA17	1750 x 150	194591
SBA20	2000 x 150	194601
SBA25	2500 x 150	194611



Technical data sheets



on request

Pedestals for modular workbenches



LIGHT GREY SILVER RESEDA GREEN


RAL 7035 RAL 6011



Heavy duty pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Can bear an evenly distributed, static 500 kg load.


Item	Type	D x H (mm)	Order no.
WF807	A1	665 x 800	107901 107902 107900
WF857	A1	665 x 850	107911 107912 107910
WF806	A2	565 x 800	107921 107922 107920
WF856	A2	565 x 850	107931 107932 107930



Height adjustable pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Adjustable height from 600 - 950 mm, pitch 25:25 mm.
Can bear an evenly distributed, static 400 kg load.

Item	Type	D x H (mm)	Order no.
WFH707	B1	665 x 600 - 950	107941 107942 107940
WFH706	B2	565 x 600 - 950	107951 107952 107950



Light-weight pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Can bear an evenly distributed, static 300 kg load.

Item	Type	D x H (mm)	Order no.
WFL807	C1	665 x 800	107961 107962 107960
WFL857	C1	665 x 850	107971 107972 107970
WFL806	C2	565 x 800	107981 107982 107980
WFL856	C2	565 x 850	107991 107992 107990



Mobile pedestals and crossbeams for module workbenches

Mobile pedestals with swivel or fixed castors

Pre-drilled for mounting work surfaces and shelves. Supplied with 2 swivel or fixed castors, $\varnothing = 160$ mm. Can bear an evenly distributed, static 200 kg load.

Item	Type	D x H (mm)	Order no.		
With fixed castors					
WFF807B	A1	665 x 800	194621	194622	194620
WFF857B	A1	665 x 850	194641	194642	194640
WFF806B	A2	565 x 800	194661	194662	194660
WFF856B	A2	565 x 850	194681	194682	194680
With swivel castors					
WFF807L	A1	665 x 800	194631	194632	194630
WFF857L	A1	665 x 850	194651	194652	194650
WFF806L	A2	565 x 800	194671	194672	194670
WFF856L	A2	565 x 850	194691	194692	194690



Mobile, adjustable-height pedestals

Pre-drilled for mounting work surfaces and shelves. Adjustable height from 600 - 850 mm, pitch 25:25 mm. Supplied with 2 swivel or fixed castors, $\varnothing = 160$ mm. Can bear an evenly distributed, static 200 kg load.

Item	Type	D x H (mm)	Order no.		
With fixed castors					
WFH707B	B1	665 x 600 - 850	194701	194702	194700
WFH706B	B2	565 x 600 - 850	194721	194722	194720
With swivel castors					
WFH707L	B1	665 x 600 - 850	194711	194712	194710
WFH706L	B2	565 x 600 - 850	194731	194732	194730



Reinforcement beam

For a pedestal. Primarily for configurations with mobile workbenches. Used as a strengthening crossbeam for increased safety. Bolted to the pedestal. Also suitable for heavy loads on stationary workbenches.

Item		Bench length (mm)	Order no.		
					
VT15	1500		194741	194742	194740
VT17	1750		194751	194752	194750
VT20	2000		194761	194762	194760
VT25	2500		194771	194772	194770

Table surface crossbeam

For additional support of the work surface. Only in combination with 2 pedestals. For bolting on underneath the work surface.

Item		Board length (mm)	Order no.		
					
VT15AP	1500		194781	194782	194780
VT17AP	1750		194791	194792	194790
VT20AP	2000		194801	194802	194800
VT25AP	2500		194811	194812	194810






Workbench drawer cabinets, 26T

Ordering examples



SB 58 series:
fully extendable drawers

- **High-grade sheet steel**
powder-coated
- **Cabinet housing**
central locking for drawers, doors with separate cylinder lock, height adjustable shelves in increments of 25 mm
- **Double drawer lock**
prevents several drawers being opened at once
- **Drawers**
with slots at 17 x 17 mm pitch
(17 mm = 1 partition = 1 T),
max. load 60 kg
Types SB 58, SB 53
and R 55, fully
extendable
W 442 x D 459 mm
= 26 x 27 T
Type SB 52,
semi-extendable
W 442 x D 408 mm
= 26 x 24 T



SB 58 workbench drawer cabinets, width 527 mm, fully extendable drawers, partitions: 26 x 27 T

Item	Order no.	Item	Order no.	Item	Order no.
					
With 4 drawers		With 5 drawers		With 5 drawers	
SB 5805	38396 38706	SB 5801	38356 38700	SB 5803	38376 38702
					
With 6 drawers		With 7 drawers			
SB 5804	38386 38703	SB 5802	38366 38701		

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY
			
SILVER	RUBY RED RAL 3003	RESEDA GREEN RAL 6011	LIGHT GREY RAL 7035





Additional
colour com-
binations
on request

Workbench drawer cabinets, 26T

Ordering examples



SB 58 workbench drawer cabinets, width 527 mm, fully extendable drawers, partitions: 26 x 27 T

Item	Order no.	Item	Order no.	Item	Order no.
	 38406 38710		 38416 38711		 38426 38712
With 2 drawers, 1 shelf and 1 door Door 400 mm high.		With 3 drawers, 1 shelf and 1 door Door 400 mm high.		With 2 drawers, 1 shelf and 1 door Door 550 mm high.	
SB 5842T		SB 5843T		SB 5850T	
	 38436 38713		 38446 38714		
With 1 drawer, 1 shelf and 1 door Door 550 mm high.		With 2 drawers, 1 shelf and 1 door Door 550 mm high.			
SB 5851T		SB 5852T			

Workbench drawer cabinets, 18T

Ordering examples



SB 38 workbench drawer cabinets, width 391 mm, fully extendable drawers, partitions: 18 x 27 T

Item	Order no.	Item	Order no.	Item	Order no.
	 		 		 
 Drawer height (mm) 100 200 200 200 With 4 drawers SB 3805 74043 74041		 Drawer height (mm) 100 100 150 150 200 With 5 drawers SB 3801 74003 74001		 Drawer height (mm) 100 100 100 200 200 With 5 drawers SB 3803 74023 74021	
 Drawer height (mm) 75 75 100 100 150 200 With 6 drawers SB 3804 74033 74031		 Drawer height (mm) 75 75 100 100 100 100 150 With 7 drawers SB 3802 74013 74011		 Drawer height (mm) 100 200 400 With 2 drawers, 1 shelf and 1 door Door 400 mm high. SB 3842T 74053 74051	
 Drawer height (mm) 75 75 150 400 With 3 drawers, 1 shelf and 1 door Door 400 mm high. SB 3843T 74063 74061		 Drawer height (mm) 75 75 550 With 2 drawers, 1 shelf and 1 door Door 550 mm high. SB 3850T 74073 74071		 Drawer height (mm) 150 550 With 1 drawers, 1 shelf and 1 door Door 550 mm high. SB 3851T 74083 74081	
 Drawer height (mm) 50 100 550 With 2 drawers, 1 shelf and 1 door Door 550 mm high. SB 3852T 74093 74091					

Colour combinations on request

Housing

RAL 7035 LIGHT GREY, RAL 6011 RESEDA GREEN, RAL 7035 LIGHT GREY, RAL 7035 LIGHT GREY, RAL 7035 LIGHT GREY

Fronts

GENTIAN BLUE RAL 5010, RESEDA GREEN RAL 6011, SILVER, RUBY RED RAL 3003, RESEDA GREEN RAL 6011, LIGHT GREY RAL 7035

Drawers

with slots at 17 x 17 mm pitch (17 mm = 1 partition = 1T), max. load 50 kg, ergonomic aluminium grip strip

High-grade sheet steel **Central locking**
powder-coated with keys

SB 52
SB 53/33

26T, 18T, 382, 527, 391, 500/630

17 mm, 17 mm

Type **W x H x D (mm)** **Us. W x us. D (mm)** **Clear H**

SB 52 527 x 382 x 500 442 x 408 300 mm

SB 53 527 x 382 x 630 442 x 459 300 mm

SB 33 391 x 382 x 630 442 x 459 300 mm

Workbench drawer units

Ordering examples



SB 52 drawer units, depth 500 mm, semi-extendable drawers, partition: 26 x 24 T

Item	Order no.	Item	Order no.	Item	Order no.
	108046 108020		108056 108021		108066 108022
With 2 drawers		With 3 drawers		With 3 drawers	
SB 5205 26T		SB 5201 26T		SB 5202 26T	
	108076 108023		108086 108024		108096 108025
With 3 drawers		With 4 drawers		With 4 drawers	
SB 5206 26T		SB 5203 26T		SB 5204 26T	

SB 53/SB 33 drawer units, depth 630 mm, fully extendable drawers, partitions: 26 x 27 T/18 x 27 T



	38486 38723		38456 38720		38466 38721
With 2 drawers		With 3 drawers		With 3 drawers	
SB 5305 26T		SB 5301 26T		SB 5302 26T	
SB 3305 18T	74133 74131	SB 3301 18T	74103 74101	SB 3302 18T	74113 74111
	38496 38724		38476 38722		38506 38726
With 3 drawers		With 4 drawers		With 4 drawers	
SB 5306 26T		SB 5303 26T		SB 5304 26T	
SB 3306 18T	74143 74141	SB 3303 18T	74123 74121	SB 3304 18T	74153 74151

Workbench roller cabinets, 26T/18T


Ordering examples



R 55 series:
fully extendable
drawers



- **High-grade sheet steel**
powder-coated
- **Cabinet housing**
top plate with edge on 4 sides incl. ribbed mat, black, 2 swivel castors with locking brake, 2 fixed castors, max. load capacity 300 kg, castors made from polypropylene, black, Ø 100 mm, 2 guide handles
- **Individual drawer interlocks**
which prevent automatic opening of the drawers when knocked, supplied as standard with all roller cabinets
- **Double drawer lock**
prevents several drawers being opened at once



R 55/R 35 workbench roller cabinet, in widths 527 and 391 mm, fully extendable drawers

Item	Order no.		Item	Order no.		Item	Order no.	
								
								
Drawer height (mm)			Drawer height (mm)			Drawer height (mm)		
100			50			50		
150			100			100		
250			150			100		
			200			100		
						150		
With 3 drawers			With 4 drawers			With 5 drawers		
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.		
R 5502	26T	12116 11001	R 5501	26T	12106 11000	R 5503	26T	12126 11002
R 3502	18T	74173 74171	R 3501	18T	74163 74161	R 3503	18T	74183 74181
								
Drawer height (mm)			Drawer height (mm)			Drawer height (mm)		
50			150			75		
75			150			75		
75						150		
100								
100								
100								
With 6 drawers			With 2 drawers			With 3 drawers		
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.		
R 5504	26T	12136 11003	R 5505	26T	12146 11004	R 5506	26T	12196 11005
R 3504	18T	74193 74191	R 3505	18T	101823 101821	R 3506	18T	101833 101831

RAL 7035
LIGHT GREY



SILVER

RAL 7035
LIGHT GREY



RUBY RED
RAL 3003

RAL 7035
LIGHT GREY




RESEDA GREEN
RAL 6011


RAL 7035
LIGHT GREY



LIGHT GREY
RAL 7035

Additional
colour combinations
on request





► **Drawers**
all drawers fully extendable and with individual drawer interlock, central locking.
With slots at 17 x 17 mm pitch
(17 mm = 1 partition = 1 T),
max. load 60 kg.
Dimensions: W 442 x D 459 mm = 26 x 27 T

Workbench roller cabinets, 26T Ordering examples



R 58 workbench roller cabinets, width 527 mm, fully extendable drawers

Item	Order no.		Item	Order no.		Item	Order no.	
								
		Drawer height (mm) 100 200 200 200			Drawer height (mm) 100 100 150 150 200			Drawer height (mm) 100 100 100 200 200
With 4 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5801	101843 101841	With 5 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5802	101853 101851	With 5 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5803	101863 101861
		Drawer height (mm) 100 200 400			Drawer height (mm) 75 75 150 400			Drawer height (mm) 150 550
With 2 drawers, 1 shelf and 1 door Door 400 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5842T	101873 101871	With 3 drawers, 1 shelf and 1 door Door 400 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5843T	101883 101881	With 1 drawer, 1 shelf and 1 door Door 550 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.	R 5851T	101893 101891

H15



Workbench drawer cabinets – empty housing and drawers




► **Empty housing with central locking**
incl. double drawer lock and cylinder lock

► **Drawers**

the **useable dimensions** are given by the cabinet code, e.g. WS 26-27: Width = (26 x 17 mm) = 442 mm
Depth = (27 x 17 mm) = 459 mm

Standard **dividing spacing of 17 mm (= 1 T)**.

Cabinet depth 500 mm with normal pull out drawers, load capacity **up to 50 kg**. Cabinet depth 630 mm with normal pull out drawers, load capacity **up to 60 kg**



Empty housing, SB 18-27 T series

Item	Height/ Clear height (mm)	Order no.
SBG 3002	225 / 150	19441*
SBG 3003	382 / 300	7393*
SBG 3006	600 / 500	7394*
SBG 3007	723 / 625	7395*
SBG 3008	800 / 700	7396*
—	—	—

Empty housing, SB 26-27 T series

Item	Height/ Clear height (mm)	Order no.
SBG 5002	225 / 150	19442*
SBG 5003	382 / 300	10391*
SBG 5006	600 / 500	10392*
SBG 5007	723 / 625	10393*
SBG 5008	800 / 700	10394*
SBG 5011	1105 / 1000	10395*

Empty housing, SB 26-24 T series

Item	Height/ Clear height (mm)	Order no.
SBLG 5002	225 / 150	7465*
SBLG 5003	382 / 300	10386*
SBLG 5006	600 / 500	10387*
SBLG 5007	723 / 625	10388*
SBLG 5008	800 / 700	10389*
SBLG 5011	1105 / 1000	10390*

*When ordering, please include the relevant order number with the relevant housing colour code:



0 = SILVER



1 = RESEDA GREEN, RAL 6011




2 = LIGHT GREY, RAL 7035

The total of the drawer fascia height must equal the clear height of the housing




Drawers for housing WS 18-27 T

Item	Fascia/useable height (mm)	Order no.
SB 3050	50 / 36	7385*
SB 3075	75 / 61	7386*
SB 3010	100 / 86	7387*
SB 3012	125 / 111	7388*
SB 3015	150 / 136	7389*
SB 3020	200 / 186	7390*
SB 3025	250 / 229	7391*
SB 3030	300 / 279	7392*



Drawers for housing WS 26-27 T

Item	Fascia/useable height (mm)	Order no.
SB 5050	50 / 36	10480*
SB 5075	75 / 61	10481*
SB 5010	100 / 86	10482*
SB 5012	125 / 111	10483*
SB 5015	150 / 136	10484*
SB 5020	200 / 186	10485*
SB 5025	250 / 229	10486*
SB 5030	300 / 279	10487*



Drawers for housing WS 26-24 T

Item	Fascia/useable height (mm)	Order no.
SBL 5050	50 / 36	10488*
SBL 5075	75 / 61	10489*
SBL 5010	100 / 86	10490*
SBL 5012	125 / 111	10491*
SBL 5015	150 / 136	10492*
SBL 5020	200 / 186	10493*
SBL 5025	250 / 229	10494*
SBL 5030	300 / 279	10495*

*When ordering, please include the relevant order number with the relevant drawer colour code:



0 = SILVER



1 = RESEDA GREEN, RAL 6011



2 = LIGHT GREY, RAL 7035



3 = GENTIAN BLUE, RAL 5010



5 = RUBY RED, RAL 3003

Accessories for workbench drawer cabinets



Pair guide handles for roller cabinets

Item	Order no.
STG-SB	107621




Wing doors

Sheet steel panel with cylinder lock. Doors can be hung on the left or right.

Item	H x W (mm)	Order no.	
		Right	Left
SBFT31	400 x 18 T	7472*	7475*
SBFT32	550 x 18 T	7473*	7476*
SBFT33	700 x 18 T	7474*	7477*
SBFT51	400 x 26 T	7466*	7469*
SBFT52	550 x 26 T	7467*	7470*
SBFT53	700 x 26 T	7468*	7471*


* Please quote the order no. with the relevant door colour code. The colours can be found at the bottom of page H16.



Adjustable shelves

For wing door bay. Adjustable height.

Item	For	Order no.
SBVT30	18 x 27 T	74821
SBVT50	26 x 27 T	74820



Extendable shelves

As an extension behind the wing door. Max. load 50 kg.

Item	For	Order no.
SBAT30	18 x 27 T	74780
SBAT50	26 x 24 T	74782
SBAT52	26 x 27 T	74781

Board connector

Insert clamping elements for the safe joining of two workboards. Including board cutouts.

Item	Order no.
PV-H	169870

Butt joint

Workboards are clamped together using 2 steel brackets.

Item	Order no.
PSV-E	169871

Tongue and groove joint

For the seamless connection of 2 workboards with steel tongue and groove.

Item	Order no.
NF-VS	169872

Individual drawer interlocks

For roller cabinets.


Item	Order no.
EVR	100340



Ribbed mats

Colour: black.


Item	For	Order no.
SBRM30	18 x 27 T	74801
SBRM50	26 x 24 T	74800
SBRM52	26 x 27 T	74802



Top plate

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
SBKT30	18 x 27 T	74790
SBKT50	26 x 27 T	74791
SBKT52	26 x 24 T	74792



Assembly console


With slots. The support board can be hung at a height pitch of 42 mm.

Item	Height (mm)	Order no.
HWK30	380	169880

Support board for assembly console

MDF board with three-sided beech edges. No brackets.

Item	Length (mm)	Required brackets	Order no.
MDF-15	1500	2	169896
MDF-17	1750	3	169891
MDF-20	2000	3	169892



Plinth

For levelling the height from 38 - 150 mm.

Item	W x D x H (mm)	Order no.
S037	527 x 630 x 38	38718
S0338	391 x 630 x 38	74810
S0350	391 x 630 x 50	74811
S058	527 x 630 x 50	38716
S03100	391 x 630 x 100	74812
S05810	527 x 630 x 100	38717
S03150	391 x 630 x 150	74813
S05815	527 x 630 x 150	38719



Castor set for roller cabinets


Ø 100 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 300 kg.

Item	Castor colour	Order no.
RS-SB	Black	107609

Dividers

for workbench drawer cabinets, 527 mm wide (26T)


Complete set for workbench drawer cabinets 26T, cabinet depth 500 mm



Complete set

2 cross bars 24 T, 4 dividers 9 T, 2 dividers 8 T.


Item	Width	For fascia height (mm)	Order no.
ZWK2451	26T	50	108120
ZWK2471	26T	75	108121
ZWK24101	26T	100	108122



Complete set

1 cross bar 24 T, 1 divider 18 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2452	26T	50	108123
ZWK2472	26T	75	108124
ZWK24102	26T	100	108125



Complete set

1 cross bar 24 T, 2 dividers 7 T, 4 insert boxes L 150 x W 75 mm, 12 insert boxes L 75 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK2453	26T	50	108130
ZWK2473	26T	75	108131




Complete set

1 cross bar 24 T, 2 dividers 7 T, 4 insert boxes L 150 x W 150 mm, 2 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK24103	26T	100	108132


Complete set for workbench drawer cabinets and workbench roller cabinet 26T, cabinet depth 630 mm



Complete set

2 cross bars 27 T, 4 dividers 9 T, 2 dividers 8 T.


Item	Width	For fascia height (mm)	Order no.
ZWK2751	26T	50	108100
ZWK2771	26T	75	108101
ZWK27101	26T	100	108102



Complete set

1 cross bar 27 T, 1 divider 18 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2752	26T	50	108103
ZWK2772	26T	75	108104
ZWK27102	26T	100	108105



Complete set

1 cross bar 27 T, 2 dividers 7 T, 2 insert boxes L 150 x W 150 mm, 4 insert boxes L 150 x W 75 mm, 8 insert boxes L 75 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK2753	26T	50	108110
ZWK2773	26T	75	108111



Complete set


1 cross bar 27 T, 2 dividers 7 T, 3 insert boxes L 150 x W 150 mm, 6 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK27103	26T	100	108112

Dividers for workbench drawer cabinets, 391 mm wide (18T)




Complete set for workbench drawer cabinets and workbench roller cabinet 18T, cabinet depth 630 mm



Complete set

1 cross bar 27 T, 4 dividers 9 T.


Item	Width	For fascia height (mm)	Order no.
ZWK 27151	18T	50	108883
ZWK 27171	18T	75	108884
ZWK 271101	18T	100	108885



Complete set

1 divider 18 T.


Item	Width	For fascia height (mm)	Order no.
ZWK 27152	18T	50	108886
ZWK 27172	18T	75	108887
ZWK 271102	18T	100	108888



Complete set

4 insert boxes L 150 x W 75 mm, 8 insert boxes L 75 x W 75 mm, 2 insert boxes L 150 x W 150 mm.

Item	Width	For fascia height (mm)	Order no.
EKS 27151	18T	50	108889
EKS 27171	18T	75	108890



Complete set

2 insert boxes L 150 x W 150 mm, 8 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
EKS 271101	18T	100	108891



RAL 7035

Modular test technology



The modular power supply and SMP test technology system can be used to create individual test stations in the fields of industry, service, trades, labour and training. From the variety of available

modules, the appropriate solutions can be combined to fit the requirements at hand. The modular design means that subsequent expansions and changes are also possible.

Test technology

SSI SCHAEFER test technology is constructed and tested according to the latest standards and regulations, and conforms to:

- **BGV A2 (previously VBG 4)**
accident prevention regulations from the German professional trade associations for electrical systems and equipment
- **VDE 0104**
setting up and operating electrical test systems
- **DIN VDE 0701 Part 1**
repair, modification and testing of electrical equipment (general requirements)
- **DIN VDE 0702 Part 1**
repetition tests on electrical equipment




Other accessories

Page H26-H27

On-line trolley

Stable steel construction available in three system widths and 2 heights. Can be fitted with the test technology modules and expanded with the add-on components on page H24. 2 swivel castors with locks and 2 fixed castors. Powder-coated, RAL 7035, light grey.

Item	W x H (mm)	Order no.
BW0611	695 x 1100	195002
BW0619	695 x 1900	195012
BW1011	1030 x 1100	195022
BW1019	1030 x 1900	195032
BW1211	1280 x 1100	195042
BW1219	1280 x 1900	195052



Modular test technology — example modules



32A/400V AC input module

E18, 32 A input fuse.
1 x FI automatic breaker 40/0.03 A.
Main switch with undervoltage trip.
EMERGENCY STOP remote control.
Internal and external voltage measurement up to 500 V AC.
Separately protected work socket, earthing contact 16A/230 V.
Visual and acoustic continuity check. Low voltage 24 V AC.


Item	W x H (mm)	Order no.
EM3200	400 x 300	168000



Function measurement module 32A/400 V AC

Test sample connections: safety lab sockets, earthing contact socket 16 A/230 V; CEE 16 A, 3p, 230 V; CEE 16 and 32 A, 5p, 230 V. Direction of rotation changeover switch for motorised 3-phase consumer.
Measurement of power intake on alternating current and 3-phase current up to max. 32 A via analogue built-in instruments.
Mains changeover test DIN VDE 0701/0702.
Connection sockets for external safety tester.

Item	W x H (mm)	Finish	Order no.
FM3200	600 x 300	Analogue	168010
FMD3200	600 x 300	Digital	168020



Small voltage module, controllable

Low voltage 0-48 V AC (100 VA) and 0-42 V DC, 4 A infinitely variable, unflattened.
Current consumption measurement (measurement range 0-6 A).
Voltage measurement (measurement range 0-10 V, 0-60 V).

Item	W x H (mm)	Order no.
KMR4804	400 x 300	168060



Safety tester module DIN VDE 0701/0702 analogue

Protective conductor resistance measurement.
Insulation resistance measurement.
Spare leakage current measurement.
Differential current measurement with automatic pole reversal of the test object on alternating current consumers (protective conductor and contact current measurement).

Item	W x H (mm)	Order no.
GE1100	200 x 300	168030



Controllable mains module 20V/4A DC

Stabilised, secondary clock-controlled switching mains part.
Adjustable current regulation.
Digital display for current and voltage.

Item	W x H (mm)	Order no.
NM2004	200 x 300	168070

Power supply for workbenches



- **Modular power supply system**
the concept allows the system to be customised to individual needs
- **Even more flexible workstation design**
- **Different cabinet widths**
cabinet width 527 mm (2 modules)
cabinet width 717 mm (3 modules)
- **All fitting options**
- **Power socket**
can be custom-fitted front and back with 6 modules each

Fitting options with modules

Page **H24**



Module insert for SB cabinets

Complete plug-in unit for SB series drawer cabinets. Division 26 x 27 T. Fits 2 modules. Insert can be locked using special key. For front height 150 mm.

Item	For cabinet dim. W x D (mm)	Order no.
EM-MK2	527 x 630	169850



Module insert for WS drawer cabinets

Complete plug-in unit for WS series drawer cabinets. Division 36 x 36 T. Fits 3 modules. Insert can be locked using special key. For front height 150 mm.

Item	For cabinet dim. W x D (mm)	Order no.
EM-MK3	717 x 725	169860

Supply socket

Modular services supply unit. Dimensions W 200 x D 700 x H 800 mm. Solid sheet steel construction, powder-coated, painted light grey RAL 7035, will accommodate 6 modules at the front and 6 at the back. Expandable at any time with M200 modules. Can be positioned anywhere underneath the workbench.



4 x 230 V earthed sockets

Item	Order no.
ES-V01	108930



2 x compressed air pipes DN 7.2
4 x 230 V earthed socket

Item	Order no.
ES-V02	108931



2 x compressed air pipes DN 7.2
2 x 230 V earthed socket
1 x CEE 16A 3-phase 400 V

Item	Order no.
ES-V03	108932

- **Modular power supply system**
the concept allows the system to be customised to individual needs
- **The system grows to meet your demands**
- **Flexible modular assembly**
all modules are interchangeable and extendable
- **Service ducts in 1500, 2000 and 2500 mm lengths**
other lengths available on request


Power supply for workbenches



Service ducts, empty

Mounted on the work surface.
Can be fitted with modules on page H24.

Item	Length (mm)	Order no.
EKW15	1500 (7 modules)	167601
EKW20	2000 (9 modules)	167611
EKW25	2500 (12 modules)	167621



Service ducts

Mounted on the work surface. Fully wired to a connection terminal with cable joints for connection on site. Sheet steel, powder-coated, painted light grey RAL 7035. Extremely solid construction. Expandable at any time with M200 modules.

4 x 220 V earthed sockets

Item	Length (mm)	Order no.
IKM 15-22	1500	167520
IKM 20-22	2000	167530



6 x 220 V earthed sockets

Item	Length (mm)	Order no.
IKM 15-622	1500	108928
IKM 20-622	2000	108929



4 x 220 V earthed socket 1 x CEE 16A 3-phase 400 V

Item	Length (mm)	Order no.
IKM 15-38	1500	167540
IKM 20-38	2000	167550



► **Modules**

for individual or additional fitting of service ducts, power sockets and services supply units

M200 modules

M200 modules for power supply units



2 x 230 V earthed sockets 16A

Item	Order no.
EM20-04	167681



3 x 230 V earthed sockets 16A

Item	Order no.
EM20-13	167771



2 x compressed air pipes DN 7.2
2 x 230 V earthed socket

Item	Order no.
EM20-03	167671



FI-safety switch (2-pol. 25A/0.03A)

Item	Order no.
EM20-12	167761



2 x 230 V earthed sockets 16A
1 x FI safety switch (2-pole 25A/0.03A)

Item	Order no.
EM20-15	167511



2 x compressed air pipes DN 7.2

Item	Order no.
EM20-05	167691



1 x CEE 3-phase 400 V

Item	Amperes	Order no.
EM20-06	16	167701
EM20-07	32	167711



1 x CEE 63A 3-phase 400 V

Item	Order no.
EM20-08	167721



FI-safety switch (4-pol. 40A/0.03A)
Fuse (3-pole 35A), fuse (1-pole 16A)

Item	Order no.
EM20-11	167751



Emergency stop button

Item	Order no.
EM20-10	167741



Emergency stop main switch

Item	Order no.
EM20-09	167731



I/O switch for external units

Item	Order no.
EM20-14	167781

Accessories – Lamps, workbench units, foot rests, vices



Universal lamp

Bright, even lighting. High output, low energy consumption thanks to 11 Watt compact fluorescent tube.

Item		Order no.
UVL 111	Universal lamp	168430
TK1/70	Bench clamp	168461



Magnifying lamp, 3 diopter

Bright, flat light. Excellent, distortion-free magnification (3 diopters). High output, low energy consumption thanks to 11 Watt compact fluorescent tube. Lightweight and precise setting.


Item		Order no.
TLL 111	Magnifying lamp	168440
TK1/70	Bench clamp	168461



Magnifying lamp, 4 diopter

Powerful, shadow-free light from ring-shaped 22 Watt fluorescent lamp. Distortion-free 4-diopter glass magnifier (Ø 120 mm). Very easy to adjust without annoying oscillation. Spring-balanced joint.

Item		Order no.
LL122T	Magnifying lamp	168450
TK1/65	Bench clamp	168460



Foot rest

Stable steel construction, adjustable height and incline. Colour: light grey, RAL 7035 powder-coated. With non-slip surface.

Item	W x D (mm)	Order no.
FSF50	500 x 350	21699



Parallel vice system "HEUER"

Item	Weight (kg)	Order no.
PS-100	4,5	108920
PS-120	9,0	108921
PS-140	16,0	108922
PS-160	27,0	108933



WFV
(no vice)

Workbench unit for retractable vice

Cabinet housing with lockable door (without vice and positioning unit). Can be positioned anywhere underneath the workbench. Colour: light grey, RAL 7035.

Item	D x H (mm)	Order no.
WFV	310 x 800 x 650	21694
VSW	Bolts	21698



Turntable for "HEUER" vice system

Item	For jaw thickness (mm)	Order no.
DT-PS100	100	108934
DT-PS120	120	108923



"HEUER-KLAPP" folding device

For fixing to the work surface.

Item	For jaw thickness (mm)	Order no.
KG-PS120	120	108924
KG-PS140	140	108925



"HEUER-KLAPP-LIFT" folding and lifting device


For vice cabinet.

Item	For jaw thickness (mm)	Order no.
KL-PS120	120	108926
KL-PS140	140	108927

Workbench back panels



- ▶ New modular system
- ▶ Three system widths
- ▶ Extendable at any time
- ▶ Can be retro-fitted to existing workbenches
- ▶ Can be combined with many SSI SCHAEFER components
- ▶ Extensive accessories
- ▶ High quality powder-coated or galvanised



Back panel upright

Enclosed special profile 60 x 31 mm with 53:53 mm lug pitch. Painted silver.

Item	Length (mm)	Order no.
AS3-84	845	169661
AS3-12	1216	169681



Running rails/tool trucks

For fixing to the cantilever arm.
C profile 32 x 32 mm, galvanised.

Item	L x W (mm)	Order no.
LS-TB	1250 x 32	108862
WZW		108861



Roller shutter unit

Enclosed metal panel unit with lockable roller shutter. Perforations to house the bench unit accessories. Light grey, RAL 7035. Depth 400 mm.

Item	Modules	Order no.
RA10	1 x 1000	on req.
RA12	1 x 1250	on req.
RA1016	1 x 1000, 1 x 625	on req.



Workstation lamps

2 x 36 W TC-L with light grille, silver and white reflector with assembled fixing set. Low-loss preselector unit, inductive.


Item	Assembly width (mm)	Order no.
AL3-99	994	169961
AL3-128	1283	169971
ALW30	Connecting cable	169980



Bracket

Galvanised sheet steel. For attaching to the back panel uprights. To fit shelves, lamps or running rails. Load bearing capacity 50 kg.

Item	Length (mm)	Order no.
KK 34050	340	145740
KK 35050	440	145760




Perforated back panels

Height 380 mm. For bolt-free attachment to the back panel uprights. With square holes. Painted silver. For matching accessories, see page H28-H29.

Item	Assembly width (mm)	Order no.
TA-LR75-7	750	169601
TA-LR10-7	994	169611
TA-LR13-7	1283	169621


Workbench back panels



Container slide rails

Edged sheet steel rails with cams. Slot into multi-rails or perforated back panel, for all containers with overhanging lip.


Item	Assembly width (mm)	Order no.
TA-BH75	750	169631
TA-BH10	994	169641
TA-BH13	1283	169651



Semi-open front storage containers made from plastic – LF series

Polypropylene, for attaching to the container rails.

Item	Interior dim. when stacked L x W x useable H (mm)	Capacity (litre)	Unit	Order no.
				   
LF 210 ZW PP	134 x 88 x 44	0,5	50	6991 6992 6993 6994
LF 211 ZW PP	133 x 88 x 67	0,9	50	92191 92192 92193 92194
LF 221 PP	190 x 125 x 110	2,7	50	92151 92152 92153 92154



Multi-rails

Height 105 mm. For attaching to the back panel uprights. With 3 rows of square holes. For attaching to the container rails or hooks. Painted silver.

Item	Assembly width (mm)	Order no.
TA-MS75	750	169571
TA-MS10	994	169581
TA-MS13	1283	169591

More information on workbench back panels

on request

Shelves, width 750 mm

Item	W x D (mm)	Order no.
AB7T1	780 x 105	169701
AB7T2	780 x 215	169711
AB7T3	780 x 320	169721
AB7T4	780 x 430	169731
AB7T5	780 x 535	169741

Shelves, width 995 mm

Item	W x D (mm)	Order no.
AB10T1	1024 x 105	169751
AB10T2	1024 x 215	169761
AB10T3	1024 x 320	169771
AB10T4	1024 x 430	169781
AB10T5	1024 x 535	169791

Shelves, width 1283 mm

Item	W x D (mm)	Order no.
AB13T1	1312 x 105	169801
AB13T2	1312 x 215	169811
AB13T3	1312 x 320	169821
AB13T4	1312 x 430	169831
AB13T5	1312 x 535	169841



Laminar shelves, can be fitted at 0°, 10°, -5° and -16°



Stop rails

Item	Length (mm)	Order no.
ASL 6	625	167170
ASL 10	1000	167180
ASL 12	1250	167190



Dividers


Item	Length (mm)	Order no.
TRST2	215	167200
TRST3	320	167210




Swivel arms with shelves

For fixing to the table pedestal. Axis dimensions 2 x 325 mm = 650 mm pivot range. Shelves with Euro dimensions 400 x 300 mm. Adapter for fixing to the back panel upright. Height adjustable in increments of 42 mm.

Item		Order no.
ATG-SA	Pivot arm	108992
ATG-SAB	Shelf	108993
SAA	Adapter	168400



Pegboard and divider systems



Pegboard systems

For wall fixing or can be expanded to the divider system. Can be universally combined. Square holes. Surface thickness 1.25 mm.

Pegboards

Item	W x H (mm)	Order no.			
RP5-45	450 x 500	167814	167834	167826	167830
RP10-45	450 x 1000	167815	167835	167827	167831
RP15-45	450 x 1500	167816	167836	167828	167832
RP20-45	450 x 2000	167817	167837	167829	167833

Slotted panel system

on request

Supports for divider system


Angle and corner combinations possible. Can be fitted either one or both sides. Overall height 2050 mm.

Item	Support	Order no.
TWES20	End support	194820
TWMS20	Centre support	194821
TWECS20	Corner support	194822

Cross beam connection for divider system

Two cross beam connections are always required for each bay.

Item	Length (mm)	Order no.
QVTW10	1000	194823
QVTW15	1500	194824
QVTW20	2000	194825



Hooks and holders

Tool holder

The hooks and holders are fixed in the perforations and fixed using a clamping screw.



Straight tool holder		
Item	Length (mm)	Order no.
WZHD 50	50	167862
WZHD 100	100	167863
WZHD 150	150	167864



Double tool holder		
Item	Length (mm)	Order no.
DWZHD 50	50	167865
DWZHD 100	100	167866
DWZHD 150	150	167867



Inclined hook		
Item	Length (mm)	Order no.
SH 14/40	14/40	167861



Inclined hook end		
Item	L x Ø (mm)	Order no.
WZH 50	50 x 6	167850
WZH 100	100 x 6	167851
WZH 150	150 x 6	167852
WZH 200	200 x 6	167853

Hooks and holders



Vertical hook end

Item	L x Ø (mm)	Order no.
WZH 35	35 x 6	167854
WZH 75	75 x 6	167855
WZH 125	125 x 6	167856




Double tool holder

Item	L x W (mm)	Order no.
DWZH 35	35 x 35	167857
DWZH 50	50 x 35	167858
DWZH 75	75 x 35	167859
DWZH 150	150 x 35	167860



Single tool clip

Item	Ø (mm)	Order no.
WZK 06	6	167871
WZK 10	10	167872
WZK 13	13	167873
WZK 16	16	167874
WZK 19	19	167875



Double tool clip

Item	Ø (mm)	Order no.
DWK 06	6	167876
DWK 10	10	167877
DWK 13	13	167878
DWK 16	16	167879
DWK 19	19	167880



Round holder

Item	L x Ø (mm)	Order no.
RH 65/25	65 x 25	167882



Cable holder

Item	L (mm)	Order no.
KAB 150	150	167891
KAB 200	200	167892




Machine tool holder

Item	Interior Ø (mm)	Order no.
MASH 40	40	167888
MASH 60	60	167889
MASH 80	80	167890




Pliers holder

Item	W x D (mm)	Order no.
ZH 35	35 x 20	167883
ZH 55	55 x 20	167884
ZH 75	75 x 20	167885



Drill holder

Item	For	Order no.
BIKH 14	14 parts	167901
BIKH 28	28 parts	167902



Bit holder

Item	For	Order no.
BHA	7 parts	167896



Screw driver holder

Item	For	Order no.
SDH 6	6 parts	167898
SDH 12	12 parts	167899



Hexagon socket holder

Item	For Ø (mm)	Order no.
ISKH 200	1 - 11	167897



Saw holder

Item	For	Order no.
SAGH	4 saws	167893



Spanner holder

Item	For no. of spanners	Order no.
SSH 8	8	167905
SSH 10	10	167906
RSH 10	10 rings	167907



Pipe holder

Item	Interior Ø (mm)	Order no.
RHT 60	60	167894
RHT 100	100	167895



Round can holder Ø 70 mm

Item	For no. of cans	Order no.
WZHR 1	1	167910
WZHR 3	3	167909



Magnet holder

Item	Ø (mm)	Order no.
MAGH 40	40	167881



Form holder

Item	Format	Order no.
FOH	DIN A4	167911



Tool holder range

Item	Number of parts	Order no.	Item	Number of parts	Order no.
WHS 12	12	194510	WHS 28	28	194512
WHS 18	18	194511	WHS 40	40	194513

"Hexa" team workstations

- For optimum group work
- Ideal for commercial training
- Modular construction
- Other designs available on request



Team workstations and services supply units

on request

Example "Hexa" workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 391 mm wide,
630 mm deep, with 4 drawers,
1 x 100 mm; 3 x 200 mm fascia height,
fully extendable drawer, max. load capacity
60 kg evenly loaded.


Item	Work surface	Order no.
Hexa-01M	Multiplex	168270
Hexa-01U	Plastic-coated	168271
Hexa-01MD	MDF	168272



Example "Hexa" workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 527 mm wide,
630 mm deep, with 5 drawers, 2 x 100 mm;
2 x 150 mm; 1 x 200 mm fascia height,
fully extendable drawer, max. load capacity
60 kg evenly loaded.

Item	Work surface	Order no.
Hexa-02M	Multiplex	168280
Hexa-02U	Plastic-coated	168281
Hexa-02MD	MDF	168282



Example "Hexa" workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 527 mm wide,
630 mm deep, with 1 drawer, 150 mm
fascia height, fully extendable drawer,
max. load capacity 60 kg evenly loaded
and 1550 mm wing door with shelf.

Item	Work surface	Order no.
Hexa-03M	Multiplex	168290
Hexa-03U	Plastic-coated	168291
Hexa-03MD	MDF	168292





“Hexa” team workstations – Accessories



Hexagonal services supply unit

Mounted on the work surface. Fully wired to a connection terminal with cable joints for connection on site.

6 x 2 230 V earthed sockets,
6 x 2 compressed air pipes DN 7.2.

Each side can accommodate an additional module at a later date.

Item	Finish	Order no.
EA6-1M	With multiplex surface	108941
EA6-1L	With laminate surface	108942
EA6-1MD	With MDF surface	108943



Hexagonal services supply unit

Mounted on the work surface. Fully wired to a connection terminal with cable joints for connection on site.

6 x 2 230 V earthed sockets,
2 x 2 compressed air pipes DN 7.2,
2 x 1 CEE socket 400 V, 16 A


The unit can be retrofitted with 3 further modules.

Item	Finish	Order no.
EA6-2M	With multiplex surface	108944
EA6-2L	With laminate surface	108945
EA6-2MD	With MDF surface	108946

Additional modules for services supply unit



2 x 230 V earthed sockets



Emergency stop main switch




1 x CEE 16A 3-phase 400 V



FI safety switch
(2-pol. 25A/0.03A)

Item	Order no.	Item	Order no.	Item	Order no.	Item	Order no.
EM20-04	167681	EM20-09	167731	EM20-06	167701	EM20-12	167761



End panel

Clean end panel between two plinth cabinets. For bolt attachment. Sheet steel, powder-coated, light grey RAL 7035.


Item	For cabinet width (mm)	Order no.
ASB-H3	391	108947
ASB-H5	527	108948



Pistol holder

Compressed air pistols housed cleanly on the workstation. Stable wire construction, bolted to the cover plate.

Item	Surface	Order no.
PHZ-L	Light grey, RAL 7035	108949




Tool units

6-sided pegboard top unit for organizing the workstation. Can be fixed to the services-supply unit or directly to the work surface. Edge length 6 x 450 mm.

Item	Surface	Order no.
WZA-HL	Light grey, RAL 7035	108950
WZA-HB	Gentian blue, RAL 5010	108951

- ▶ **Pedestal frame**
made from angle profile with footplates
- ▶ **Steel body**
stove enamel finish
- ▶ **Beech multiplex work surface**
40 mm thick with upstand
- ▶ **Drawers**
max. load capacity 50 kg/drawer
* central locking



Compact workbenches, length 1500 mm											
Item	Length (mm)	Order no.				Item	Length (mm)	Order no.			
Compact workbench PW 150 2 drawers, height 180 mm. 2 cabinet sections, height 360 mm. 2 shelves.											
PW 150	1500	24401	24400	24402	24403						
Compact workbench PW 151 1 cabinet section, height 540 mm. 2 open storage areas. 2 shelves.											
PW 151	1500	24411	24410	24412	24413						
Compact workbench PW 152 1 drawer, height 180 mm. 1 cabinet section, height 360 mm. 1 shelf.											
PW 152	1500	24421	24420	24422	24423						
Compact workbench PW 153 1 drawer, height 180 mm. 2 cabinet sections, heights 360/540 mm. 2 shelves.											
PW 153	1500	24431	24430	24432	24433						
Compact workbench PW 154 3 drawers, height 180 mm, with CL*. 1 cabinet section, height 540 mm. 1 shelf.											
PW 154	1500	24441	24440	24442	24443						
Compact workbench PW 156 6 drawers, height 180 mm, with CL*.											
PW 156	1500	24451	24450	24452	24453						

H32


Additional colour combinations on request

- **Shelves**
height adjustable in 30 mm pitch
- **Workbench lengths**
1500, 2000 and 3000 mm

Compact workbenches PW series

PW compact workbenches, length 2000 mm


Item	Length (mm)	Order no.				
						
Compact workbench PW 200 2 drawers, height 180 mm. 2 cabinet sections, height 360 mm. 2 open storage areas. 3 shelves.						
PW 200	2000	24461	24460	24462	24463	

Item	Length (mm)	Order no.				
						
Compact workbench PW 201 3 drawers, height 180 mm, with CL*. 1 cabinet section, height 540 mm. 2 open storage areas. 2 shelves.						
PW 201	2000	24471	24470	24472	24473	

						
Compact workbench PW 202 6 drawers, height 180 mm, with CL*. 2 open storage areas. 1 shelf.						
PW 202	2000	24481	24480	24482	24483	

						
Compact workbench PW 203 3 cabinet sections, height 540 mm. 3 shelves.						
PW 203	2000	24491	24490	24492	24493	

						
Compact workbench PW 204 3 drawers, height 180 mm, with CL*. 2 cabinet sections, height 540 mm. 2 shelves.						
PW 204	2000	24501	24500	24502	24503	

						
Compact workbench PW 205 3 drawers, height 180 mm. 3 cabinet sections, height 360 mm. 3 shelves.						
PW 205	2000	24511	24510	24512	24513	

* central locking

PW compact workbenches, length 3000 mm

Item	Length (mm)	Order no.				
						
						
Compact workbench PW 302 6 drawers, height 180 mm, with central locking for each unit. 2 cabinet sections, height 540 mm. 2 open storage areas, 3 shelves.						
PW 302	3000	24521	24520	24522	24523	

Modular 100 table system

Height adjustable



- **Motorised height adjustment**
- **Delivered pre-assembled**
- **Extensive accessories**
- **Powder-coated, anthracite grey**
- **For lightweight loads**
dynamic: **100 kg**, static: **150 kg**
- **Variable work heights**
height adjustable from **720 mm** to **1210 mm**
(incl. work surface thickness)
- **3 table widths: 800, 1200 and 1600 mm**



Motorised table pedestal

Motorised height adjustment. Simple operation at the touch of a button, complete parallel running. Adjustment range 490 mm.


Item	Bench width (mm)	Order no.
ATG10-08	800	195550
ATG10-12	1200	195560
ATG10-16	1600	195570



Multiplex work surface

High quality beech veneer, quality I/II, multi-layer, varnished, waterproof and ground. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis.


Item	L x D x H (mm)	Order no.
MP 0883	800 x 800 x 30	195580
MP 1283	1200 x 800 x 30	195590
MP 1683	1600 x 800 x 30	195600



Synthetic resin-coated board

With 0.8 mm HPL coating, 3 mm edging strip. Easy to clean, good chemical resistance. Resistant to organic solvents.

Item	L x D x H (mm)	Order no.
KH 0883	800 x 800 x 30	195610
KH 1283	1200 x 800 x 30	195620
KH 1683	1600 x 800 x 30	195630




Surface suitable for ESD

Conductive surface. Special laminate surface for safely dissipating electrostatic charges. Resistant to alkalis and weak acids.

Item	L x D x H (mm)	Order no.
ESD 0883	800 x 800 x 30	195640
ESD 1283	1200 x 800 x 30	195650
ESD 1683	1600 x 800 x 30	195660

- **Modular system**
- **Extendable at any time**
- **Extensive accessories**
- **Powder coating RAL 7035**
- **Heavy duty**
dynamic: **300 kg**, static: **400 kg**
- **Variable work heights**
height adjustable from **760 mm** to **1200 mm**
(plus work surface thickness)
- **Bench width 1500 mm**



Modular 400 table system


Height adjustable



Locking table pedestal

Height can be adjusted using double ratchet. Pitch 50 mm.

Item	Adjustable range (mm)	Order no.
ATG40-R	440	108960



Crank table pedestal

Height can be adjusted manually using retractable crank.


Item	Adjustable range (mm)	Order no.
ATG40-K	440	108970



Motorised table pedestal

Motorised height adjustment, with safety limit switch, runs absolutely parallel.


Item	Adjustable range (mm)	Order no.
ATG40-M	440	108980



Multiplex work surface

Quality grade I/II beech veneer, multi-layered, bonded and waterproof with polished edges. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis.


Item	L x D x H (mm)	Order no.
MP 1573	1500 x 750 x 30	108936



Synthetic resin-coated board

With 0.8 mm HPL coating, 3 mm edging strip. Easy to clean, good chemical resistance. Resistant to organic solvents.

Item	L x D x H (mm)	Order no.
KH 1573	1500 x 750 x 30	108937



Surface suitable for ESD

Conductive surface. Special laminate surface for safely dissipating electrostatic charges. Resistant to alkalis and weak acids.

Item	L x D x H (mm)	Order no.
ESD 1573	1500 x 750 x 30	108938

Back panels for modular workbench systems

i Other workbench back panels
Page **H26-H27**



Workstation lamps

2 x 36 W TC-L with light grille, silver and white reflector with assembled fixing set. Low-loss preselector unit, inductive.

Item	Assembly width (mm)	Order no.
AL3-99	994	169961
AL3-128	1283	169971
ALW30	Connecting cable	169980



Swivel arms with shelves

For fixing to the table pedestal. Axis dimensions 2 x 325 mm = 650 mm pivot range. Shelves with Euro dimensions 400 x 300 mm.

Item	Length (mm)	Order no.
ATG-SA	2 x 325	108992
ATG-SAB	Shelf	108993
	400 x 300	



Pivot arm adapter

For fixing to the back panel upright. Height adjustable in increments of 42 mm.


Item	For support	Order no.
SAA	60 x 30	168400



Universal frame with shelf

For pivot arm. Shelf W 400 x D 300 mm. Depth and angle can be adjusted.

Item		Order no.
UVR	Universal frame	168410
ABUV	Shelf	168420



Back panel upright

Enclosed special profile 60 x 31 mm with 53:53 mm lug pitch. Painted silver.

Item	Length (mm)	Order no.
AS3-84	845	169661
AS3-12	1216	169681



Bracket

Galvanised sheet steel. For attaching to the back panel uprights. To fit shelves, lamps or running rails. Load bearing capacity 50 kg.

Item	Length (mm)	Order no.
KK 34050	340	145740
KK 35050	440	145760

Shelves, width 750 mm



Item	W x D (mm)	Order no.
AB7T1	780 x 105	169701
AB7T2	780 x 215	169711
AB7T3	780 x 320	169721
AB7T4	780 x 430	169731
AB7T5	780 x 535	169741

Shelves, width 995 mm

Item	W x D (mm)	Order no.
AB10T1	1024 x 105	169751
AB10T2	1024 x 215	169761
AB10T3	1024 x 320	169771
AB10T4	1024 x 430	169781
AB10T5	1024 x 535	169791

Shelves, width 1283 mm

Item	W x D (mm)	Order no.
AB13T1	1312 x 105	169801
AB13T2	1312 x 215	169811
AB13T3	1312 x 320	169821
AB13T4	1312 x 430	169831
AB13T5	1312 x 535	169841



Laminar shelves can be fixed at 0°, 10°, -5° and -16°

► **Permanent contact back rest**

adjusts permanently to the relevant seat position. This ensures the natural, balanced tensing and relaxation of different muscle groups

► **Permanent contact back rest and seat incline adjustment**

adapts the incline to the relevant seat position supported by springs or can be fixed in any position. Seat incline adjustment for a mainly forward-leaning working position, as this ensures support for the lumbar vertebrae and an optimum body angle

► **Synchro technology**

automatically adjust the seat and back rest positions to the seat position. The dynamic/active seating reduces the one-sided loading of muscles and discs and is especially recommended for a frequently changing working position. The counter pressure from the back rest can be set individually for the body weight using the weight regulation system

Accessories

– Rotating office chairs



Chair with sliders

Seat height adjustment range 430 - 580 mm. With non-abrasive plastic floor sliders.

Item	Finish	Order no.
STEC1-P	PK back rest	193800
STEC1-PS	PK + seat incline	193801
STEC1-SY	Synchro technology	193802



Chair with rollers

Seat height adjustment range 430 - 580 mm. With load-dependent braked safety double track rollers.

Item	Finish	Order no.
STEC2-P	PK back rest	193806
STEC2-PS	PK + seat incline	193807
STEC2-SY	Synchro technology	193808



Chair with access aid and sliders

Seat height adjustment range 580 - 850 mm. Access aid automatically adjusted with seat height adjustment and seat rotation. Height can be infinitely adjusted. Step can be folded upwards 90°.

Item	Finish	Order no.
STEC3-P	PK back rest	193812
STEC3-PS	PK + seat incline	193813
STEC3-SY	Synchro technology	193814



Integrated foam cushion

Can be retrofitted for all STEC chairs. Easy to clean and wipe down.

Item	Colour	Order no.
IPS-B	Blue	193818
IPS-S	Black	193819



Wooden chair with sliders

Seat height adjustment range 430 - 580 mm. Seat and back rest beech veneer, 7-layer varnish. Cross foot rest made from steel.

Item	Finish	Order no.
SOLI1-P	PK back rest	193830
SOLI1-PS	PK + seat incline	193831



Easy-stand

Comfortable luxury with multi-layer cushioning. Stable square steel construction. Seat and back rest height can be infinitely adjusted from 600 - 900 mm.

Item	Cover	Order no.
ERGO-SK	Skai (black)	193836
ERGO-TE	Techno (anthracite)	193837



Transport trolleys



Illustr. with
front side

Platform trolley

With sliding grip or front panel inserted.

Item	W x D (mm)	Order no.
With handrail (no illustr.)		
PFW 107	1000 x 700	168470
PFW 128	1200 x 800	168480
With front		
PFWS 107	1000 x 700	168490
PFWS 128	1200 x 800	168500



Platform trolley

Design with double front.

Item	W x D (mm)	Order no.
PFWDS 107	1000 x 700	168510
PFWDS 128	1200 x 800	168520



Platform trolley

Design with 2 dividing rods.

Item	W x D (mm)	Order no.
PWDRB 107	1000 x 700	168530
PWDRB 128	1200 x 800	168540
Additional dividing rods		
RBR 107	1000 x 700	168550
RBR 128	1200 x 800	168560



Two-wall trolley

With 2 longitudinal walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
2WW107	1000 x 700	169900
2WW128	1200 x 800	169910



Three-wall trolley

With 3 walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
3WW107	1000 x 700	169920
3WW128	1200 x 800	169930



Four-wall trolley

With 4 walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
4WW107	1000 x 700	169940
4WW128	1200 x 800	169950



Mesh trolley

Base made from MDF plate. 1 longitudinal wall can be folded in half.


Item	W x D (mm)	Order no.
GTW 107	1000 x 700	168570
GTW 128	1200 x 800	168580



Service trolley

With 3 plywood shelves and space for another 3 shelves. Height: 1800 mm.

Item	W x D (mm)	Order no.
ETWS 107	1000 x 700	168590
ETWS 128	1200 x 800	168600
Additional shelving		
ZZB107	1000 x 700	168630
ZZB128	1200 x 800	168640



Mesh service trolley

With 3-sided, stable mesh and 3 plywood shelves. Space for 3 further shelves. Height: 1800 mm.

Item	W x D (mm)	Order no.
ETWG 107	1000 x 700	168610
ETWG 128	1200 x 800	168620
Additional shelving		
ZZB107	1000 x 700	168630
ZZB128	1200 x 800	168640

RAL 7035 LIGHT GREY RAL 7035 LIGHT GREY RAL 7035 LIGHT GREY RAL 7035 LIGHT GREY RAL 7035 LIGHT GREY RAL 7035 LIGHT GREY

BLUE-GRAY RAL 5014 SAND RAL 1002 CARMINE RED RAL 3002 ANTHRACITE GREY RAL 7016 PALE GREEN RAL 6021 OCHRE BROWN RAL 8001

Housing

Flap


SILVER RAL 6011 RESEDA GREEN RAL 1004 GOLD RAL 3000 FIRE RED

SILVER RAL 6011 RESEDA GREEN RAL 6011 GOLD RAL 1004 FIRE RED RAL 3000

Housing

Flap

Recyclable materials systems and cleaning waste containers



Recyclable materials system

Manufactured from dip galvanised quality sheet steel. Then powder-coated for long-lasting surface protection. With inner insert made from galvanised sheet steel. To empty, the upper part is simply removed. Body light grey, RAL 7035, the flaps are colour powder-coated for separating recyclable materials. A 7-part set of identification labels is included with each collecting container.

Item	External dim. W x D x H (mm)	Capacity (litre)	Order no.					
WS45	323 x 323 x 780	45	11610	11611	11612	11613	11614	11615
WS76	382 x 382 x 880	76	11620	11621	11622	11623	11624	11625



Refuse container

No insert box. Upper part can be removed with automatically closing rotary lock. Dimensions: W 450 x D 450 x H 870 mm.

Item	Order no.		
ABF 648	10380	10383	10381

Insert boxes

Can be removed upwards, galvanised.

Item	For	Order no.
ABE 648	ABF 648	10390



Refuse container

With galvanised insert box, can be removed frontwards. Not suitable for liquids or outside erection. Upper part can be removed with automatically closing rotary lock. Dimensions: W 450 x D 450 x H 870 mm.

Item	Order no.		
ABF 1648	14100	14103	14101



Cleaning waste container

Self-closing lid with swing rocker to avoid damage from explosions. With 2 side load grips. Weight approx. 10 kg. Dimensions: W 400 x D 400 x H 640 mm.

Item	Order no.		
PWK 644			11430

Insert for cleaning waste containers

Galvanised design.

Item	For	Order no.
PWE 644	PWK 644	11660

Drawer systems overview

With 5 housing models and 11 drawer sizes available in 3 different widths, the impressive selection of tool and machine cabinets in the WS range from SSI SCHAEFER can be configured in countless variations. Apart from the complete cabinets on offer (and you can choose from an extensive range of fittings), you can also fit out empty cabinets and tailor them precisely to your needs. With the comprehensive range of drawer partitioning accessories for tools, NC-tools, files and small parts, the possibilities for individual cabinet set-ups are virtually limitless.

The cabinets, manufactured from high-grade sheet steel, can be combined in three different widths and two different depths (725 mm and 572 mm) to suit the material stored and make the best use of space.

► Useable dimensions of the drawers:



the useable dimensions of the drawers are given in the cabinet model number e.g. WS 78-36:
width = $(78 \times 17 \text{ mm}) = 1326 \text{ mm}$
depth = $(36 \times 17 \text{ mm}) = 612 \text{ mm}$

► Division

the dividers can be individually configured at a standard **spacing of 17 mm (1 partition = 1 T)** for all drawers

► Tip

for **drawers with 78 divisions**, fitted primarily with plastic channels, insert boxes and ribbed inserts, it is advisable to combine them with cross bars and dividers to make optimum use of the space



WS 36-27 range



WS 54-27 range



WS 36-36 range

Applications	Mechanical engineering, tool maintenance, jewellery manufacturing, tool manufacturing, quality assurance, stations, motor vehicle workshops, drafting rooms – wherever small parts need to be stored in a compact					
Exterior dimensions						
Width (mm)	717		1023		717	
Depth (mm)	572		572		725	
Height (mm)	800/1000		800/1000		800/1000/1325/1450/1625	
Useable size						
Width (mm)	612 (36 T)		918 (54 T)		612 (36 T)	
Depth (mm)	459 (27 T)		459 (27 T)		612 (36 T)	
Central locking	✓		✓		✓	
Double drawer lock	✓		✓		✓	
Paint finish						
Housing	3 standard colours		3 standard colours		3 standard colours	
Fronts	6 standard colours		6 standard colours		6 standard colours	
Fully extendable (V)	✓		✓		✓	
Semi-extendable (E)	✓		✓			



Drawer cabinets, 572 mm deep H42

Ordering examples for WS 36-27	H42
Ordering examples for WS 54-27	H44
Housing and drawers	H46
Accessories	H47
Dividers	H48



Drawer cabinets, 725 mm deep H52

Ordering examples for WS 36-36	H52
Ordering examples for WS 54-36	H56
Ordering examples for WS 78-36	H58
Ordering examples for machine cabinets	H59
Housing and drawers	H60
Accessories	H61
Dividers	H62




WS 54-36 range



WS 78-36 range

computer storage cabinets, tool dispensing, two-wheel work and visible way

1023	1431
725	725
800/1000/1450	1000/1450
918 (54 T)	1326 (78 T)
612 (36 T)	612 (36 T)
✓	✓
✓	✓
3 standard colours	3 standard colours
6 standard colours	6 standard colours
✓	✓
✓	✓




WSR Drawer shelving H66

Frame, back panels and cross bracing	H67
Drawer closing system	H68
Drawers	H69
Shelf bases and accessories	H70
Doors and roller shutters	H71



NC storage H72


Vertical extendable cabinets	H72
Accessories for vertical extendable cabinets	H72
NC transport trolley	H73
Tool holder and accessories	H73



WS 36-27 range – heights 800/1020 mm Ordering examples



- **Individually configurable**
using a variety of fittings
- **Central locking**
incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
powder-coated
- **Drawers**
with recessed aluminium grip strips



Drawer cabinets – width 717 mm, height 800 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		V 100 E V 100 E V 200 E V 300 V			V 75 E V 75 E V 150 E V 150 E V 250 V			V 75 E V 75 E V 100 E V 100 E V 150 E V 200 E
With 4 drawers			With 5 drawers			With 6 drawers		
WSK36208-4V	101263 101260 101261		WSK36208-5V	101283 101280 101281		WSK36208-6V	101303 101300 101301	
WSK36208-4E	101273 101270 101271		WSK36208-5E	101293 101290 101291		WSK36208-6E	101313 101310 101311	

i Accessories/drawer dividers on pages H47-H51

	Fully extend. Drawer height (mm) Semi-extend.	E 50 E V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E		Fully extend. Drawer height (mm) Semi-extend.	E 50 E E 50 E V 75 E V 75 E V 100 E V 100 E V 100 E V 150 E
With 7 drawers			With 8 drawers		
WSK36208-7V	102383 102380 102381		WSK36208-8V	101323 101320 101321	
WSK36208-7E	102393 102390 102391		WSK36208-8E	101333 101330 101331	

Drawer cabinets with castors – width 717 mm, height 1020 mm

	Fully extend. Drawer height (mm) Semi-extend.	V 100 E V 100 E V 200 E V 300 V		Fully extend. Drawer height (mm) Semi-extend.	V 75 E V 75 E V 150 E V 150 E V 250 V		Fully extend. Drawer height (mm) Semi-extend.	V 75 E V 75 E V 100 E V 100 E V 150 E V 200 E
With 4 drawers and castors			With 5 drawers and castors			With 6 drawers and castors		
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.		
WSR36208-4V	101343 101340 101341		WSR36208-5V	101363 101360 101361		WSR36208-6V	101383 101380 101381	
WSR36208-4E	101353 101350 101351		WSR36208-5E	101373 101370 101371		WSR36208-6E	101393 101390 101391	


Additional colour combinations
on request

Cabinets with castors

with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks

Technical information

V = Fully extendable drawer with load capacity up to 200 kg
E = Semi-extendable drawer with load capacity up to 100 kg



WS 36-27 range – heights 1000/1220 mm

Ordering examples

Drawer cabinets – width 717 mm, height 1000 mm


Item	Order no.		Item	Order no.		Item	Order no.	
 With 6 drawers WSK36210-6V 101403 101400 101401 WSK36210-6E 101413 101410 101411			 With 7 drawers WSK36210-7V 101423 101420 101421 WSK36210-7E 101433 101430 101431			 With 8 drawers WSK36210-8V 101443 101440 101441 WSK36210-8E 101453 101450 101451		
	Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)
	V 100	E		V 75	E		E 50	E
	V 100	E		V 75	E		E 50	E
	V 100	E		V 100	E		V 75	E
	V 100	E		V 100	E		V 75	E
 With 9 drawers WSK36210-9V 101463 101460 101461 WSK36210-9E 101473 101470 101471			 With 9 drawers WSK36210-9V1 102363 102360 102361 WSK36210-9E1 102373 102370 102371			 With 10 drawers WSK36210-10V 101483 101480 101481 WSK36210-10E 101493 101490 101491		
	Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)
	E 50	E		V 100	E		E 50	E
	E 50	E		V 100	E		E 50	E
	V 75	E		V 100	E		V 75	E
	V 75	E		V 100	E		V 75	E

Drawer cabinets with castors – width 717 mm, height 1220 mm

 With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock. WSR36210-6V 101503 101500 101501 WSR36210-6E 101513 101510 101511			 With 7 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock. WSR36210-7V 101523 101520 101521 WSR36210-7E 101533 101530 101531			 With 8 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock. WSR36210-8V 101543 101540 101541 WSR36210-8E 101553 101550 101551		
	Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)		Fully extend.	Drawer height (mm)
	V 100	E		V 75	E		E 50	E
	V 100	E		V 75	E		E 50	E
	V 100	E		V 100	E		V 75	E
	V 100	E		V 100	E		V 75	E

A blue and white rolling toolbox with multiple drawers and a black top surface. The toolbox is shown from a three-quarter perspective, highlighting its mobility and storage capacity.

- ▶ **Individually configurable**
using a variety of fittings
- ▶ **Central locking**
incl. double drawer lock and cylinder lock
- ▶ **High-grade sheet steel**
stove enamel finish
- ▶ **Cabinets with castors**
with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks
- ▶ **Drawers**
with recessed aluminium grip strips



Item	Order no.	Item	Order no.	Item	Order no.
	Fully extend. Drawer height (mm) Semi-extend. V 100 E V 100 E V 200 V V 300 V		Fully extend. Drawer height (mm) Semi-extend. V 75 E V 75 E V 100 E V 100 E V 150 V V 200 V		Fully extend. Drawer height (mm) Semi-extend. E 50 E E 50 E V 75 E V 75 E V 100 E V 100 E V 100 E V 150 V
With 4 drawers		With 6 drawers		With 8 drawers	
WSK54208-4V 101563 101560 101561		WSK54208-6V 101583 101580 101581		WSK54208-8V 101603 101600 101601	
WSK54208-4E 101573 101570 101571		WSK54208-6E 101593 101590 101591		WSK54208-8E 101613 101610 101611	

	Fully extend.			
	Drawer height (mm)	V 100	E 75	
		V 100	E 75	
		V 200	V 100	
	Semi-extend.	V 300	V 150	
With 4 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-4V	101623	101620	101621	
WSR54208-4E	101633	101630	101631	

	Fully extend.			
	Drawer height (mm)	V 100	E 75	
		V 100	E 75	
		V 150	V 100	
	Semi-extend.	V 150	V 100	
With 5 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-5V	101643	101640	101641	
WSR54208-5E	101653	101650	101651	

	Fully extend.			
	Drawer height (mm)	V 75	E 75	
		V 75	E 75	
		V 100	E 100	
	Semi-extend.	V 100	E 100	
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-6V	101663	101660	101661	
WSR54208-6E	101673	101670	101671	

Additional colour combinations
on request

► Technical information

- V = Fully extendable drawer with
load capacity **up to 200 kg**
E = Semi-extendable drawer with
load capacity **up to 100 kg**

WS 54-27 range – heights 1000/1220 mm

Ordering examples


Drawer cabinets – width 1023 mm, height 1000 mm

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		V 100 E		
		V 100 E		
		V 100 E		
		V 100 E		
		V 200 V		
		V 300 V		
With 6 drawers				
WSK54210-6V	101683	101680	101681	
WSK54210-6E	101693	101690	101691	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 150 V		
		V 250 V		
With 8 drawers				
WSK54210-8V	101703	101700	101701	
WSK54210-8E	101713	101710	101711	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 100 E		
		V 100 E		
		V 200 V		
With 10 drawers				
WSK54210-10V	101723	101720	101721	
WSK54210-10E	101733	101730	101731	

Drawer cabinets with castors – width 1023 mm, height 1220 mm



Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		V 100 E		
		V 100 E		
		V 100 E		
		V 100 E		
		V 200 V		
		V 300 V		
With 6 drawers and castors				
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54210-6V	101743	101740	101741	
WSR54210-6E	101753	101750	101751	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 150 V		
		V 150 V		
		V 250 V		
With 8 drawers and castors				
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54210-8V	101763	101760	101761	
WSR54210-8E	101773	101770	101771	

 **Accessories and drawer dividers**
on pages **H47-H51**



WS 36-27/54-27 range – Drawers and empty housing

► Empty housing with central locking

incl. double drawer lock and cylinder lock



► Drawers

the **useable dimensions** are given by the cabinet model number, e.g. WS 36-27: width = (36 x 17 mm) = 612 mm
depth = (27 x 17 mm) = 459 mm

Standard **dividing spacing** of **17 mm (= 1 T)**

V = 100% Fully extendable drawer with load capacity **up to 200 kg**

E = 85% Semi-extendable drawer with load capacity **up to 100 kg**
(with fascia height 50 mm up to 60 kg,
with fascia height 75 mm up to 75 kg load capacity)



*When ordering, please include the relevant order number with the relevant housing colour code:



0 = SILVER



1 = RESEDA GREEN, RAL 6011



2 = LIGHT GREY, RAL 7035


Empty housing, WS 36-27 range

Item	Height/ Clear height (mm)	Order no.
WSG 36208	800 / 700	7421*
WSG 36210	1000 / 900	7422*
WSG 36214	1450 / 1350	7423*

Empty housing, WS 54-27 range

Item	Height/ Clear height (mm)	Order no.
WSG 54208	800 / 700	7427*
WSG 54210	1000 / 900	7428*
WSG 54214	1450 / 1350	7429*

The total of the drawer fascia height must equal the clear height of the housing



Drawers for housing WS 36-27

Item	Fascia/useable height (mm)	Order no.
WS 36205E	50E / 36	7435*
WS 36207E	75E / 61	7436*
WS 36207V	75V / 54	7437*
WS 36210E	100E / 86	7438*
WS 36210V	100V / 79	7439*
—	—	—
WS 36215E	150E / 136	7440*
WS 36215V	150V / 129	7441*
—	—	—
WS 36220E	200E / 186	7442*
WS 36220V	200V / 179	7443*
WS 36225V	250V / 229	7444*
—	—	—
WS 36230V	300V / 279	7445*
WS 36235V	350V / 336	7446*
WS 36240V	400V / 379	7447*

Drawers for housing WS 54-27

Item	Fascia/useable height (mm)	Order no.
WS 54205E	50E / 36	7449*
WS 54207E	75E / 61	7450*
WS 54207V	75V / 54	7451*
WS 54210E	100E / 86	7452*
WS 54210V	100V / 79	7453*
WS 54212V	125V / 104	7454*
—	—	—
WS 54215V	150V / 129	7455*
WS 54217V	175V / 154	7456*
—	—	—
WS 54220E	200V / 179	7457*
—	—	—
WS 54225V	250V / 229	7458*
WS 54230V	300V / 279	7459*
—	—	—
—	—	—

*When ordering, please include the relevant order number with the relevant drawer colour code:



0 = SILVER



1 = RESEDA GREEN, RAL 6011



2 = LIGHT GREY, RAL 7035




3 = GENTIAN BLUE, RAL 5010



5 = RUBY RED, RAL 3003

Accessories for WS cabinets 36-27/54-27



Top plate

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T3627	WS 36-27	74240
K3T5427	WS 54-27	74300



Ribbed mats

Colour: Black.

Item	For	Order no.
RM3627	WS 36-27	74250
RM5427	WS 54-27	74310



Lifting base

Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS3627	WS 36-27	74260
HSA36	Fascia for HS 36	100330
HS5427	WS 54-27	74330
HSA54	Fascia for HS 54	102330

Top plates for roller cabinets

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K4T3627	WSR 36	74245
K4T5427	WSR 54	74320

Individual drawer interlocks for roller cabinets

For individual assembly of the roller cabinets, the individual drawer interlocks must be ordered separately.

Item	Order no.
EVR	100340



Pair guide handles for roller cabinets

For bolting to the cabinet housing.


Item	Order no.
STG	100360



Castor set for roller cabinets

Ø 160 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 400 kg.


Item	Order no.
RS160	100350



Swing doors

1055 mm wide. Two-section swing doors as counter passage. The profile strips included with the door hinges are bolted to the side panels of the cabinets. Finish: aluminium checker plate with plastic edge, blue.

Item	Order no.
PT-A27	101221



Hinged counter flap

Used in combination with swing doors. Finish: aluminium checker plate with plastic edge, blue.

Item	W x D (mm)	Order no.
TA6-27	1023 x 572	101222


Counter worktops

Finish: aluminium checker plate, 19 mm thick with plastic edge, blue. Secured with Velcro fasteners.

Item	For	Order no.
AAP3627	WS 36-27	101220
AAP5427	WS 54-27	101230

Drawer dividers for WS cabinets 36-27/54-27

Dividers



Fascia height 50 mm

Item	Division/ Width (mm)	Order no.
TRW205	2/230	106900
TRW305	3/247	106901
TRW405	4/264	106902
TRW605	6/298	106903
TRW905	9/149	106904
TRW1205	12/200	106905
TRW1805	18/302	106906

Fascia height 75 mm

Item	Division/ Width (mm)	Order no.
TRW307	3/247	106910
TRW407	4/264	106911
TRW607	6/298	106912
TRW907	9/149	106913
TRW1207	12/200	106914
TRW1807	18/302	106915

Fascia height 100/125 mm

Item	Division/ Width (mm)	Order no.
TRW310	3/247	106920
TRW410	4/264	106921
TRW610	6/298	106922
TRW910	9/149	106923
TRW1210	12/200	106924
TRW1810	18/302	106925

Fascia height 150 mm

Item	Division/ Width (mm)	Order no.
TRW615	6/298	106930
TRW915	9/149	106931
TRW1215	12/200	106932
TRW1815	18/302	106933

Fascia height 200/225 mm

Item	Division/ Width (mm)	Order no.
TRW920	9/149	106940
TRW1220	12/200	106941
TRW1820	18/302	106942

Fascia height 250 mm



Item	Division/ Width (mm)	Order no.
TRW925	9/149	106950
TRW1225	12/200	106951
TRW1825	18/302	106952

Fascia height 300 - 400 mm

Item	Division/ Width (mm)	Order no.
TRW930	9/149	106960
TRW1230	12/200	106961
TRW1830	18/302	106962


Division

the dividers can be individually configured at a standard **spacing of 17 mm (= 1 T)** for all drawers



Label holder

Dividers




Label holder

Including card and transparent cover.

Item	Width (mm)	Order no.
BR 3014	30	106970
BR 5014	50	106971

Cross bars



Cross bars

Item	Cross bars for fascia H (mm)	Drawer type with divisions	Order no.
ZWS2705	150	WS 36/54 T	107550
ZWS2707	175	WS 36/54 T	106801
ZWS2710	100/125	WS 36/54 T	107551
ZWS2715	150	WS 36/54 T	107552
ZWS2720	200/225	WS 36/54 T	107553
ZWS2725	250	WS 36/54 T	107554
ZWS2730	300 - 400	WS 36/54 T	107555

► **Useable dimensions of the drawers:**

36 x 27 divisions = W 612 x D 459 mm

54 x 27 divisions = W 918 x D 459 mm





Drawer dividers for WS cabinets 36-27/54-27

36 x 27 partitions suitable for cabinet range: **WS 36, WSR 36**

WS 36



WSR 36



Cross bars and dividers

Complete set, consisting of:

2 cross bars = 27 T,

6 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK36251	150	108870
ZWK36271	175	108871
ZWK36201	100	108872

Cross bars and dividers

Complete set, consisting of:

4 cross bars = 27 T,

9 dividers = 6 T, 6 dividers = 9 T.



Item	For fascia H (mm)	Order no.
ZWK36252	150	108873
ZWK36272	175	108874
ZWK36202	100	108875

54 x 27 partitions suitable for cabinet range: **WS 54, WSR 54**

WS 54



WSR 54



Cross bars and dividers

Complete set, consisting of:

4 cross bars = 27 T,

2 dividers = 9 T,

3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54251	150	108876
ZWK54271	175	108877
ZWK54201	100/125	108878
ZWK54251	150	108879

Cross bars and dividers

Complete set, consisting of:

6 cross bars = 27 T,


6 dividers = 6 T,

3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54252	150	108880
ZWK54272	175	108881
ZWK54202	100/125	108882



Drawer dividers for WS cabinets 36-27/54-27



Plastic channels – for WS cabinets

Channel block base dimensions L 150 x W 150 mm (equals 9 x 9 divisions).
Material: ABS plastic, colour: red.

Item	Number of channels per block (mm)	For tools Ø max. (mm)	Order no.
KM 2	2 à 75	70	106100
KM 3	3 à 50	45	106101
KM 4	4 à 37	33	106102



Dividers


Fascia height 50 mm.

Item	For channels	Order no.
KMT 2	KM 2	106110
KMT 3	KM 3	106111
KMT 4	KM 4	106112

Label holder

Including card and transparent cover.

Item	Order no.
BR 3014	106970



Divider




Insert boxes for WS cabinets

ABS plastic, colour: red (* with fixed partition).
Conducting insert boxes available on request.

Item	For fascia H (mm)	L x W x H (mm)	Order no.
EK 50/1	50	75 x 75 x 26*	106201
EK 50/2	50	75 x 75 x 26	106211
EK 50/3	50	150 x 75 x 26	106221
EK 50/4	50	150 x 150 x 26	106231
EK 75/1	75	50 x 100 x 46	106241
EK 75/2	75	75 x 75 x 46	106251
EK 75/3	75	150 x 75 x 46	106261
EK 75/4	75	150 x 150 x 46	106271
EK 100/3	100	150 x 75 x 71	106281
EK 100/4	100	150 x 150 x 71	106291

Insert boxes and channel sets for WS cabinets 36-27/54-27


36 x 27 partitions suitable for cabinet range: WS 36, WSR 36



Plastic partitioning channel set

Complete set, consisting of:
6 channel blocks, 4-part, 20 dividers,
6 channel blocks, 3-part, 15 dividers.


Item	For fascia H (mm)	Order no.
KMS 1-27	50 and higher	25340



Plastic partitioning channel set

Complete set, consisting of:
3 channel blocks, 4-part, 20 dividers,
6 channel blocks, 3-part, 15 dividers,
3 channel blocks, 2-part, 8 dividers.


Item	For fascia H (mm)	Order no.
KMS 2-27	50 and higher	25350



Insert boxes

Complete set, consisting of:
16 insert boxes = L 150 x W 150 mm,
4 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 52-27	50	25220
EKS 72-27	75	25230
EKS 102-27	100/125	25240




Insert boxes

Complete set, consisting of:
16 insert boxes = L 75 x W 75 mm,
8 insert boxes = L 150 x W 75 mm,
4 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 51-27	50	25250
EKS 71-27	75	25260


54 x 27 partitions suitable for cabinet range: WS 54, WSR 54



Plastic partitioning channel set

Complete set, consisting of:
12 channel blocks, 4 parts, 30 dividers,
6 channel blocks, 3 parts, 10 dividers.


Item	For fascia H (mm)	Order no.
KMS 3-27	50 and higher	25360



Plastic partitioning channel set

Complete set, consisting of:
3 channel blocks, 4-part, 20 dividers,
6 channel blocks, 6-part, 15 dividers,
3 channel blocks, 2-part, 6 dividers.


Item	For fascia H (mm)	Order no.
KMS 4-27	50 and higher	25370



Insert boxes

Complete set, consisting of:
12 insert boxes L 150 x W 150 mm,
12 insert boxes L 150 x W 75 mm.


Item	For fascia H (mm)	Order no.
EKS 53-27	50	25270
EKS 73-27	75	25280
EKS 103-27	100/125	25290



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
6 insert boxes = L 150 x W 150 mm.


Item	For fascia H (mm)	Order no.
EKS 54-27	50	25300
EKS 74-27	75	25310



WS 36-36 range – heights 800/1020 mm Ordering examples



- **Individually configurable**
using a variety of fittings
- **Central locking**
incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
powder-coated
- **Drawers**
with recessed aluminium grip strips



Drawer cabinets – width 717 mm, height 800 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm) Semi-extend. V 100 E V 100 E V 200 E V 300 V			Fully extend. Drawer height (mm) Semi-extend. V 75 E V 75 E V 150 E V 150 E V 250 V			Fully extend. Drawer height (mm) Semi-extend. V 75 E V 75 E V 100 E V 100 E V 150 E V 200 E
With 4 drawers			With 5 drawers			With 6 drawers		
WSK3608-4V	100403 100400 100401		WSK3608-5V	100423 100420 100421		WSK3608-6V	100443 100440 100441	
WSK3608-4E	100413 100410 100411		WSK3608-5E	100433 100430 100431		WSK3608-6E	100453 100450 100451	

i Accessories/drawer dividers on pages H61-H65

		Fully extend. Drawer height (mm) Semi-extend. E 50 E V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E			Fully extend. Drawer height (mm) Semi-extend. E 50 E E 50 E V 75 E V 75 E V 100 E V 100 E V 100 E V 150 E
With 7 drawers			With 8 drawers		
WSK3608-7V	100463 100460 100461		WSK3608-8V	100483 100480 100481	
WSK3608-7E	100473 100470 100471		WSK3608-8E	100493 100490 100491	

Drawer cabinets with castors – width 717 mm, height 1020 mm

		Fully extend. Drawer height (mm) Semi-extend. V 100 E V 100 E V 200 E V 300 V			Fully extend. Drawer height (mm) Semi-extend. V 75 E V 75 E V 150 E V 150 E V 250 V			Fully extend. Drawer height (mm) Semi-extend. V 75 E V 75 E V 100 E V 100 E V 150 E V 200 E
With 4 drawers and castors			With 5 drawers and castors			With 6 drawers and castors		
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.								
WSR3608-4V	101003 101000 101001		WSR3608-5V	101023 101020 101021		WSR3608-6V	101043 101040 101041	
WSR3608-4E	101013 101010 101011		WSR3608-5E	101033 101030 101031		WSR3608-6E	101053 101050 101051	

Additional colour combinations
on request


Cabinets with castors

with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks

Technical information

V = 100% Fully extendable drawer with load capacity up to 200 kg

E = 85% Semi-extendable drawer with load capacity up to 100 kg



WS 36-36 range – heights 1000/1220 mm


Ordering examples

Drawer cabinets – width 717 mm, height 1000 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		V 100 E V 100 E V 100 E V 100 E V 200 E V 300 V			V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 250 V			E 50 E E 50 E V 75 E V 75 E V 100 E V 150 E V 150 E V 250 V
With 6 drawers			With 7 drawers			With 8 drawers		
WSK3610-6V	100503 100500 100501		WSK3610-7V	100523 100520 100521		WSK3610-8V	100543 100540 100541	
WSK3610-6E	100513 100510 100511		WSK3610-7E	100533 100530 100531		WSK3610-8E	100553 100550 100551	
		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		E 50 E E 50 E V 75 E V 75 E V 100 E V 100 E V 100 E V 100 E V 150 E V 200 E			V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 200 E			E 50 E E 50 E V 75 E V 75 E V 75 E V 75 E V 100 E V 100 E V 100 E V 200 E
With 9 drawers			With 9 drawers			With 10 drawers		
WSK3610-9V	100563 100560 100561		WSK3610-9V1	102343 102340 102341		WSK3610-10V	100583 100580 100581	
WSK3610-9E	100573 100570 100571		WSK3610-9E1	102353 102350 102351		WSK3610-10E	100593 100590 100591	

Drawer cabinets with castors – width 717 mm, height 1220 mm


		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		V 100 E V 100 E V 100 E V 100 E V 200 E V 300 V			V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 250 V			E 50 E E 50 E V 75 E V 75 E V 100 E V 150 E V 150 E V 250 V
With 6 drawers and castors			With 7 drawers and castors			With 8 drawers and castors		
WSR3610-6V	101103 101100 101101		WSR3610-7V	101123 101120 101121		WSR3610-8V	101143 101140 101141	
WSR3610-6E	101113 101110 101111		WSR3610-7E	101133 101130 101131		WSR3610-8E	101153 101150 101151	



WS 36-36 range – heights 1150/1325 mm Ordering examples




- **Individually configurable**
using a variety of fittings
- **Central locking**
incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
powder-coated
- **Drawers**
with recessed aluminium grip strips



Drawer cabinets – width 717 mm, height 1150 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm) Semiextend.			Fully extend. Drawer height (mm) Semiextend.			Fully extend. Drawer height (mm) Semiextend.
		V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 150 E V 250 V			E 50 E E 50 E V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 200 E			E 50 E E 50 E V 75 E V 75 E V 75 E V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 150 E
With 8 drawers			With 10 drawers			With 12 drawers		
WSK3611-8V	100603 100600 100601		WSK3611-10V	100623 100620 100621		WSK3611-12V	100643 100640 100641	
WSK3611-8E	100613 100610 100611		WSK3611-10E	100633 100630 100631		WSK3611-12E	100653 100650 100651	

Drawer cabinets – width 717 mm, height 1325 mm

		Fully extend. Drawer height (mm) Semiextend.			Fully extend. Drawer height (mm) Semiextend.			Fully extend. Drawer height (mm) Semiextend.
		V 75 E V 100 E V 100 E V 100 E V 150 E V 200 E V 250 V V 250 V			E 50 E V 75 E V 75 E V 75 E V 100 E V 100 E V 100 E V 150 E V 150 E V 200 E			E 50 E V 75 E V 75 E V 75 E V 100 E V 100 E V 100 E V 100 E V 100 E V 100 E V 150 E V 150 E
With 8 drawers			With 11 drawers			With 13 drawers		
WSK3613-8V	100703 100700 100701		WSK3613-11V	100723 100720 100721		WSK3613-13V	100743 100740 100741	
WSK3613-8E	100713 100710 100711		WSK3613-11E	100733 100730 100731		WSK3613-13E	100753 100750 100751	

Additional colour combinations
on request


► Cabinets with castors

with guide handle, top plate with ribbed mat,
2 fixed and 2 swivel castors and individual
drawer interlocks

► Technical information

V = Fully extendable drawer with
load capacity **up to 200 kg**

E = Semi-extendable drawer with
load capacity **up to 100 kg**



WS 36-36 range – heights 1450/1625 mm

Ordering examples

i Accessories and drawer dividers
on pages H61-H65


Drawer cabinets – width 717 mm, height 1450 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		V 75 E V 75 E V 100 E V 150 E V 150 E V 200 E V 300 V V 300 V			E 50 E V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 200 E V 200 E V 250 V			E 50 E E 50 E E 50 E V 75 E V 75 E V 75 E V 75 E V 100 E V 100 E V 100 E V 100 E V 150 E V 150 E V 200 E
With 8 drawers			With 10 drawers			With 14 drawers		
WSK3614-8V 100803 100800 100801			WSK3614-10V 100823 100820 100821			WSK3614-14V 100843 100840 100841		
WSK3614-8E 100813 100810 100811			WSK3614-10E 100833 100830 100831			WSK3614-14E 100853 100850 100851		

Drawer cabinets – width 717 mm, height 1625 mm

		Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.			Fully extend. Drawer height (mm) Semi-extend.
		V 100 E V 100 E V 100 E V 100 E V 75 E V 75 E V 150 E V 150 E V 200 E V 250 V V 300 V			V 100 E V 100 E V 100 E V 75 E V 75 E V 75 E V 75 E V 100 E V 100 E V 150 E V 150 E V 200 E V 300 V			V 100 E V 100 E V 75 E V 75 E V 75 E E 50 E E 50 E E 50 E V 100 E V 100 E V 100 E V 100 E V 150 E V 150 E V 150 E
With 10 drawers			With 12 drawers			With 16 drawers		
WSK3616-10V 100903 100900 100901			WSK3616-12V 100923 100920 100921			WSK3616-16V 100943 100940 100941		
WSK3616-10E 100913 100910 100911			WSK3616-12E 100933 100930 100931			WSK3616-16E 100953 100950 100951		

A blue and silver rolling toolbox with multiple drawers and a black top. The toolbox is shown from a three-quarter perspective, highlighting its sturdy construction and mobility. It features a black top surface, a silver frame, and several blue drawers with silver handles. The toolbox is mounted on four black casters for easy movement.



Drawer cabinets – width 1023 mm, height 800 mm

Drawer cabinets with castors – width 1023 mm, height 1020 mm

H56

Additional colour combinations
on request

► Technical information

- V = Fully extendable drawer with
load capacity **up to 200 kg**
E = Semi-extendable drawer with
load capacity **up to 100 kg**

WS 54-36 range – heights 1000/1220/1450 mm

Ordering examples


Drawer cabinets – width 1023 mm, height 1000 mm

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		V 100 E		
		V 100 E		
		V 100 E		
		V 100 E		
		V 200 V		
		V 300 V		
With 6 drawers				
WSK5410-6V	102503	102500	102501	
WSK5410-6E	102513	102510	102511	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 150 V		
		V 250 V		
With 8 drawers				
WSK5410-8V	102523	102520	102521	
WSK5410-8E	102533	102530	102531	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 100 E		
With 10 drawers				
WSK5410-10V	102543	102540	102541	
WSK5410-10E	102553	102550	102551	


Drawer cabinets with castors – width 1023 mm, height 1220 mm



Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		V 100 E		
		V 100 E		
		V 100 E		
		V 100 E		
		V 200 V		
		V 300 V		
With 6 drawers and castors				
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR5410-6V	102803	102800	102801	
WSR5410-6E	102813	102810	102811	


Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		E 50 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 150 V		
		V 250 V		
With 8 drawers and castors				
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR5410-8V	102823	102820	102821	
WSR5410-8E	102833	102830	102831	

Drawer cabinets – width 1023 mm, height 1450 mm




Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		V 75 E		
		V 75 E		
		V 100 E		
		V 150 V		
		V 150 V		
		V 200 V		
		V 300 V		
With 8 drawers				
WSK5414-8V	102603	102600	102601	
WSK5414-8E	102613	102610	102611	

Item	Order no.			
				
		Fully extend.		
		Drawer height (mm)		
		Semi-extend.		
		E 50 E		
		V 75 E		
		V 75 E		
		V 100 E		
		V 100 E		
		V 150 V		
		V 200 V		
With 10 drawers				
WSK5414-10V	102623	102620	102621	
WSK5414-10E	102633	102630	102631	



WS 78-36 range – heights 1000/1450 mm




Ordering examples



- **Individually configurable**
using a variety of fittings
- **Central locking**
incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
stove enamel finish
- **Drawers**
with recessed aluminium grip strips




Drawer cabinets – width 1431 mm, height 1000 mm

Item	Order no.		Item	Order no.		Item	Order no.	
		  			  			  
		Fully extend. Drawer height (mm)			Fully extend. Drawer height (mm)			Fully extend. Drawer height (mm)
		V 100 V 100 V 100 V 100 V 100 V 200 V 300			V 75 V 75 V 100 V 100 V 100 V 150 V 300			V 75 V 75 V 75 V 75 V 100 V 150 V 150 V 200
With 6 drawers			With 7 drawers			With 8 drawers		
WSK7810-6V	103403 103400 103401		WSK7810-7V	103413 103410 103411		WSK7810-8V	103423 103420 103421	


Drawer cabinets – width 1431 mm, height 1450 mm

		Fully extend. Drawer height (mm)			Fully extend. Drawer height (mm)			Fully extend. Drawer height (mm)
		V 75 V 75 V 100 V 150 V 150 V 200 V 300 V 300			V 75 V 75 V 100 V 100 V 150 V 150 V 200 V 200 V 300			V 75 V 75 V 75 V 75 V 100 V 150 V 150 V 200 V 200 V 250
With 8 drawers			With 9 drawers			With 10 drawers		
WSK7814-8V	103503 103500 103501		WSK7814-9V	103513 103510 103511		WSK7814-10V	103523 103520 103521	



Additional colour combinations on request

- ▶ **Wing doors**
with hinged flap
- ▶ **Central locking**
security lock with 2 keys incl. double drawer lock
- ▶ **High-grade sheet steel**
powder-coated
- ▶ **Technical information**
 - V** = Fully extendable drawer with load capacity **up to 200 kg**
 - E** = Semi-extendable drawer with load capacity **up to 100 kg**
 - KT** = Top plate
 - VT** = Adjustable shelves
 - ATV** = Fully extendable shelf
 - ATE** = Semi-extendable pull-out shelf



* Height with top plate 1020 mm
** Depth with recessed door 748 mm

MS 36-36/54-36 range – height 1000 mm

Ordering examples



Drawer cabinets – width 717 mm, height 1000 mm

Item	Order no.
	With 2 drawers, 2 pull-out shelves Full height doors, top plate with ribbed mat. MSK3610/1V 104402 104400 104401 MSK3610/1E 104412 104410 104411

Item	Order no.
	With 3 drawers Full height doors, top plate with ribbed mat. MSK3610/2V 104422 104420 104421 MSK3610/2E 104432 104430 104431

Item	Order no.
	With 2 drawers, 2 adjustable shelves Full height doors, top plate with ribbed mat. MSK3610/3V 104442 104440 104441 MSK3610/3E 104452 104450 104451

Drawer cabinets – width 1023 mm, height 1000 mm

Item	Order no.
	With 2 drawers, 2 pull-out shelves Full height doors, top plate with ribbed mat. MSK5410/1V 104523 104520 104521 MSK5410/1E 104533 104530 104531

Item	Order no.
	With 3 drawers Full height doors, top plate with ribbed mat. MSK5410/2V 104543 104540 104541 MSK5410/2E 104553 104550 104551

Item	Order no.
	With 2 drawers, 2 adjustable shelves Full height doors, top plate with ribbed mat. MSK5410/3V 104563 104560 104561 MSK5410/3E 104573 104570 104571

WS 36-36/54-36/78-36 range – Drawers and empty housing

► Empty housing with central locking

incl. double drawer lock and cylinder lock


► Drawers

the **useable dimensions** are given by the cabinet model number, e.g. WS 78-36: width = (78 x 17 mm) = 1326 mm
depth = (36 x 17 mm) = 612 mm

Standard **dividing spacing** of **17 mm (= 1 T)**


V = 100% Fully extendable drawer with load capacity **up to 200 kg**

E = 85% Semi-extendable drawer with load capacity **up to 100 kg**
(with fascia height 50 mm up to 60 kg,
with fascia height 75 mm up to 75 kg load capacity)




Empty housing, WS 36-36 range

Item	Height/ Clear height (mm)	Order no.
WSG 3608	800 / 700	10001*
WSG 3610	1000 / 900	10002*
WSG 3611	1150 / 1050	10003*
WSG 3613	1325 / 1225	10004*
WSG 3614	1450 / 1350	10005*
WSG 3616	1625 / 1525	10006*



Empty housing, WS 54-36 range

Item	Height/ Clear height (mm)	Order no.
WSG 5408	800 / 700	10200*
WSG 5410	1000 / 900	10201*
—	—	—
—	—	—
WSG 5414	1450 / 1350	10202*
—	—	—



Empty housing, WS 78-36 range

Item	Height/ Clear height (mm)	Order no.
—	—	—
WSG 7810	1000 / 900	10300*
—	—	—
—	—	—
WSG 7814	1450 / 1350	10301*
—	—	—

*When ordering, please include the relevant order number with the relevant housing colour code:



0 = SILVER




1 = RESEDA GREEN, RAL 6011




2 = LIGHT GREY, RAL 7035

The total of the drawer fascia height must equal the clear height of the housing




Drawers for housing WS 36-36

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010*
WS 3607E	75E / 61	10011*
WS 3607V	75V / 54	10012*
WS 3610E	100E / 86	10013*
WS 3610V	100V / 79	10014*
WS 3612E	125E / 111	10015*
WS 3612V	125V / 104	10016*
WS 3615E	150E / 136	10017*
WS 3615V	150V / 129	10018*
WS 3617V	175V / 154	10019*
WS 3620E	200E / 186	10020*
WS 3620V	200V / 179	10021*
WS 3622V	225V / 204	10022*
WS 3625V	250V / 229	10023*
WS 3630V	300V / 279	10024*
WS 3640V	400V / 379	10026*
WS 3645V	450V / 429	10027*



Drawers for housing WS 54-36

Item	Fascia/useable height (mm)	Order no.
WS 5405E	50E / 36	10210*
WS 5407E	75E / 61	10211*
WS 5407V	75V / 54	10212*
WS 5410E	100E / 86	10213*
WS 5410V	100V / 79	10214*
—	—	—
WS 5412V	125V / 104	10215*
—	—	—
WS 5415V	150V / 129	10216*
WS 5417V	175V / 154	10217*
—	—	—
WS 5420V	200V / 179	10218*
—	—	—
WS 5425V	250V / 229	10219*
WS 5430V	300V / 279	10220*
—	—	—
—	—	—



Drawers for housing WS 78-36

Item	Fascia/useable height (mm)	Order no.
—	—	—
—	—	—
WS 7807V	75V / 54	10310*
—	—	—
WS 7810V	100V / 79	10311*
—	—	—
WS 7812V	125V / 104	10312*
—	—	—
WS 7815V	150V / 129	10313*
WS 7817V	175V / 154	10314*
—	—	—
WS 7820V	200V / 179	10315*
—	—	—
WS 7825V	250V / 229	10316*
WS 7830V	300V / 279	10317*
—	—	—
—	—	—

*When ordering, please include the relevant order number with the relevant drawer colour code:



0 = SILVER



1 = RESEDA GREEN, RAL 6011



2 = LIGHT GREY, RAL 7035



3 = GENTIAN BLUE, RAL 5010



5 = RUBY RED, RAL 3003

Accessories for WS cabinets 36-36/54-36/78-36



Wing doors for cabinets 36-36

Sheet steel with rod lock.

Item	W x D x H (mm)	Order no.
MSFT08	717 x 23 x 800	10430*
MSFT10	717 x 23 x 1000	10431*
MSFT14	717 x 23 x 1450	10432*

* Please quote the order no. with the relevant door colour code. The colours can be found at the bottom of page H60.

Wing doors for cabinets 54-36

Item	W x D x H (mm)	Order no.
MSFT5408	1023 x 23 x 800	10427*
MSFT5410	1023 x 23 x 1000	10428*
MSFT5414	1023 x 23 x 1450	10429*



i Workbench back panels
from pages H26-H27



Top plate

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T36	WS 36	100300
K3T54	WS 54	102300
K3T78	WS 78	103200

Top plates for roller cabinets


With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K4T36	WSR 36	100370
K4T54	WSR 54	100380

Ribbed mats

Colour: black or grey.

Item	For	Colour	Order no.
RM3636	WS 36	Black	100310
RM3636G	WS 36	Grey	100311
RM5436	WS 54	Black	102310
RM5436G	WS 54	Grey	102311
RM7836	WS 78	Black	103210
RM7836G	WS 78	Grey	103211



Adjustable shelves

Installation height 25 mm. Height adjustable in spacing of 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	For	Order no.
WS36VT	651 x 619	WS 36	104220
WSR-VT54	920 x 619	WS 54	77110

Individual drawer interlocks

For individual assembly of the roller cabinets, the individual drawer interlocks must be ordered separately.

Item	Order no.
EVR	100340



Pair guide handles for roller cabinets

For bolting to the cabinet housing.

Item	Order no.
STG	100360



Lifting base

Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS36	WS 36	100320
HSA36	Fascia for HS 36	100330
HS54	WS 54	102320
HSA54	Fascia for HS 54	102330
HS78	WS 78	103220
HSA78	Fascia for HS 78	103230




Castor set for roller cabinets

Ø 160 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 400 kg.

Item	Order no.
RS160	100350

Drawer dividers for WS cabinets 36-36/54-36/78-36

Dividers



Fascia height 50 mm

Item	Division/ Width (mm)	Order no.
TRW205	2/230	106900
TRW305	3/247	106901
TRW405	4/264	106902
TRW605	6/298	106903
TRW905	9/149	106904
TRW1205	12/200	106905
TRW1805	18/302	106906

Fascia height 75 mm

Item	Division/ Width (mm)	Order no.
TRW307	3/247	106910
TRW407	4/264	106911
TRW607	6/298	106912
TRW907	9/149	106913
TRW1207	12/200	106914
TRW1807	18/302	106915

Fascia height 100/125 mm

Item	Division/ Width (mm)	Order no.
TRW310	3/247	106920
TRW410	4/264	106921
TRW610	6/298	106922
TRW910	9/149	106923
TRW1210	12/200	106924
TRW1810	18/302	106925

Fascia height 150 mm

Item	Division/ Width (mm)	Order no.
TRW615	6/298	106930
TRW915	9/149	106931
TRW1215	12/200	106932
TRW1815	18/302	106933

Fascia height 200/225 mm


Item	Division/ Width (mm)	Order no.
TRW920	9/149	106940
TRW1220	12/200	106941
TRW1820	18/302	106942

Fascia height 250 mm

Item	Division/ Width (mm)	Order no.
TRW925	9/149	106950
TRW1225	12/200	106951
TRW1825	18/302	106952

Fascia height 300 - 400 mm

Item	Division/ Width (mm)	Order no.
TRW930	9/149	106960
TRW1230	12/200	106961
TRW1830	18/302	106962




Division

the dividers can be individually configured at a standard spacing of 17 mm (= 1 T) for all drawers


Tip

for drawers with 78 divisions, fitted primarily with plastic channels, insert boxes and ribbed inserts, it is advisable to combine them with cross bars and dividers to make optimum use of the space



Label holder

Dividers




Label holder

Including card and transparent cover.

Item	Width (mm)	Order no.
BR 3014	30	106970
BR 5014	50	106971

Cross bars



Cross bars

Item	Cross bars for fascia H (mm)	Drawer type with divisions	Order no.
ZWS3605	150	WS 36/54/78 T	106800
ZWS3607	175	WS 36/54/78 T	106802
ZWS3610	100/125	WS 36/54/78 T	106803
ZWS3615	150	WS 36/54/78 T	106804
ZWS3620	200/225	WS 36/54/78 T	106805
ZWS3625	250	WS 36/54/78 T	106806
ZWS3630	300 - 400	WS 36/54/78 T	106807

► **Useable dimensions of the drawers:**

36 x 36 divisions = W 612 x D 612 mm


54 x 36 divisions = W 918 x D 612 mm

78 x 36 divisions = W 1326 x D 612 mm



Drawer dividers for WS cabinets 36-36/54-36/78-36

36 x 36 partitions suitable for cabinet range: WS 36, WSR 36, MS 36




Cross bars and dividers

Complete set, consisting of:

2 cross bars = 36 T,

8 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK3651	50	107000
ZWK3671	75	107010
ZWK36101	100	107020




Cross bars and dividers

Complete set, consisting of:


4 cross bars = 36 T,

12 dividers = 6 T, 9 dividers = 9 T.

Item	For fascia H (mm)	Order no.
ZWK3652	50	107030
ZWK3672	75	107040
ZWK36102	100	107050



54 x 36 partitions suitable for cabinet range: WS 54, WSR 54




Cross bars and dividers

Complete set, consisting of:

4 cross bars = 36 T,

2 dividers = 9 T, 3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK5451	50	107100
ZWK5471	75	107110
ZWK54101	100/125	107120
ZWK54151	150	107130



Cross bars and dividers

Complete set, consisting of:

6 cross bars = 36 T,


6 dividers = 6 T,

3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK5452	50	107140
ZWK5472	75	107150
ZWK54102	100/125	107160



78 x 36 partitions suitable for cabinet range: WS 78



Cross bars and dividers


Complete set comprising:

5 cross bars = 36 T,

13 dividers = 12 T,

2 dividers = 18 T.

Item	For fascia H (mm)	Order no.
ZWK7871	75	107200
ZWK78101	100/125	107210
ZWK78151	150	107220



Cross bars and dividers


Complete set comprising:

7 cross bars = 36 T,


12 dividers = 6 T, 6 dividers = 9 T,

4 dividers = 12 T, 2 dividers = 18 T.

Item	For fascia H (mm)	Order no.
ZWK7872	75	107230
ZWK78102	100/125	107240



Drawer dividers for WS cabinets 36-36/54-36/78-36



Plastic channels – for WS cabinets

Channel block base dimensions L 150 x W 150 mm (equals 9 x 9 divisions).
Material: ABS plastic, colour: red.

Item	Number of channels per block (mm)	For tools Ø max. (mm)	Order no.
KM 2	2 à 75	70	106100
KM 3	3 à 50	45	106101
KM 4	4 à 37	33	106102



Dividers

Fascia height 50 mm.

Item	For channels	Order no.
KMT 2	KM 2	106110
KMT 3	KM 3	106111
KMT 4	KM 4	106112

Label holder

Including card and transparent cover.

Item	Order no.
BR 3014	106970




Insert boxes for WS cabinets

ABS plastic, colour: red (* with fixed partition).
Conducting insert boxes available on request.

Item	For fascia H (mm)	L x W x H (mm)	Order no.
EK 50/1	50	75 x 75 x 26*	106201
EK 50/2	50	75 x 75 x 26	106211
EK 50/3	50	150 x 75 x 26	106221
EK 50/4	50	150 x 150 x 26	106231
EK 75/1	75	50 x 100 x 46	106241
EK 75/2	75	75 x 75 x 46	106251
EK 75/3	75	150 x 75 x 46	106261
EK 75/4	75	150 x 150 x 46	106271
EK 100/3	100	150 x 75 x 71	106281
EK 100/4	100	150 x 150 x 71	106291

Insert boxes and channel sets for WS cabinets 36-36/54-36/78-36


36 x 36 partitions suitable for cabinet range: **WS 36, WSR 36, MS 36, MS 78**



Plastic partitioning channel set

Complete set, consisting of:
8 channel blocks, 4-part, 24 dividers,
8 channel blocks, 3-part, 18 dividers.



Item	For fascia H (mm)	Order no.
KMS 1	50 and higher	106130



Plastic partitioning channel set

Complete set, consisting of:
4 channel blocks, 4-part, 28 dividers,
8 channel blocks, 3-part, 20 dividers,
4 channel blocks, 2-part, 10 dividers.


Item	For fascia H (mm)	Order no.
KMS 2	50 and higher	106140



Insert boxes

Complete set, consisting of:
16 insert boxes L 150 x W 150 mm,
8 insert boxes L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 52	50	106501
EKS 72	75	106511
EKS 102	100/125	106521




Insert boxes

Complete set, consisting of:
16 insert boxes = L 75 x W 75 mm,
16 insert boxes = L 150 x W 75 mm,
4 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 51	50	106401
EKS 71	75	106411


54 x 36 partitions suitable for cabinet range: **WS 54, WSR 54**



Plastic partitioning channel set

Complete set, consisting of:
16 channel blocks, 4-part, 30 dividers,
8 channel blocks, 3-part, 10 dividers.


Item	For fascia H (mm)	Order no.
KMS 3	50 and higher	106150



Plastic partitioning channel set

Complete set, consisting of:
8 channel blocks, 4-part, 15 dividers,
8 channel blocks, 3-part, 10 dividers,
8 channel blocks, 2-part, 10 dividers.


Item	For fascia H (mm)	Order no.
KMS 4	50 and higher	106160



Insert boxes

Complete set, consisting of:
12 insert boxes = L 150 x W 150 mm,
18 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 53	50	106601
EKS 73	75	106611
EKS 103	100/125	106621



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
12 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 54	50	106701
EKS 74	75	106711

WSR drawer shelving

The WSR drawer shelving combines the advantages of the drawer cabinets with those of modular shelving and therefore also offers a high load capacity unit for perfect organisation.

Drawers, shelving and extendable shelves can be freely combined. It is also easy to add or convert the drawer shelving later on.



► Modular units for heavy tools

► 3 bay widths/2 shelf depths

► 2-tier installation possible


► Drawers

with recessed aluminium grip strips

► 9 drawer heights

► Simple assembly of the shelving system

a bay also consists of two bolted shelf bases along with end or upright frames. For shelving bays without a back panel, cross bracing needs to be used for stability




► Load Capacities

Shelf height (mm)	Quantity shelf bases	Clear height (mm)	Min. - max. installation height of middle shelf from shelf (mm)	Load capacity per shelf bay (kg)
2000	2	1900	—	4500
2000	3	1850	800 - 1200	5500
2200	3	2050	900 - 1300	5500
2500	3	2350	1050 - 1450	5250
3000	3	2850	1300 - 1700	5000




Technical information

on request



Shelf depth 705 mm (36 T)



Shelf depth 553 mm (27 T)



Frame, back panels and cross bracing

Upright frame open

Sheet steel, with 25 mm hole spacing, two-sided, to attach the shelf supports and to house drawer rails. Front and back C profile uprights with horizontal struts welded to a solid frame.

Item	Height (mm)	Depth (mm)	Order no.
			  
WSR2-200	2000	553	76921 76920 76922
WSR2-220	2200	553	76911 76910 76912
WSR2-250	2500	553	76901 76900 76902
WSR2-300	3000	553	76891 76890 76892
WSR 200	2000	705	77001 77000 77002
WSR 220	2200	705	77011 77010 77012
WSR 250	2500	705	77021 77020 77022
WSR 300	3000	705	77031 77030 77032



End frame closed

As a shelf cap. Sheet steel, with 25 mm hole spacing, one-sided, to attach the shelf supports and to house drawer rails. Front and back C profile uprights with horizontal struts welded to a solid frame.

Item	Height (mm)	Depth (mm)	Order no.
			  
WSR2-200	2000	553	76881 76880 76882
WSR2-220	2200	553	76871 76870 76872
WSR2-250	2500	553	76861 76860 76862
WSR2-300	3000	553	76851 76850 76852
WSR 200	2000	705	77041 77040 77042
WSR-220	2200	705	77051 77050 77052
WSR-250	2500	705	77061 77060 77062
WSR-300	3000	705	77071 77070 77072



Solid steel back panels

For covering the back of the shelving. Are bolted to the upright frame. Replaces possible cross bracing.

Item	Height (mm)	Bay width (mm)	Order no.
			  
WSRW36-200	2000	712	77131 77130 77132
WSRW36-220	2200	712	77141 77140 77142
WSRW36-250	2500	712	77151 77150 77152
WSRW36-300	3000	712	77161 77160 77162
WSRW54-200	2000	1018	77171 77170 77172
WSRW54-220	2200	1018	77181 77180 77182
WSRW54-250	2500	1018	77191 77190 77192
WSRW54-300	3000	1018	77201 77200 77202
WSRW78-200	2000	1428	76971 76970 76972
WSRW78-220	2200	1428	76961 76960 76962
WSRW78-250	2500	1428	76951 76950 76952
WSRW78-300	3000	1428	76941 76940 76942



Cross braces

For shelving without back panels, a cross brace must be secured to the back of the first and every third bay thereafter to stabilise the shelving.

Item	For installation heights (mm)	For bay width (mm)	Order no.
KVWSR36	2000 - 3000	712	77210
KVWSR54	2000 - 3000	1018	77220
KVWSR78	2000 - 3000	1428	76930




Single shelf



Shelving bay

Drawer closing system



► Locking system

according to BGR 234 (formerly ZH 1/428), shelves must be secured against tipping over.

Increased security with heavy loads in the drawers and on the extendable shelves is provided by the double drawer lock on the locking systems.

Your stored goods are also protected against unauthorised access by the integrated safety lock.

The closure consists of two special locking bases and a locking rod.

The bottom shelf is not required when using a closure system.

► Three locking heights

700, 900 and 1350 mm



Matching floor anchors

on page **D17**

Closures


Complete with locking base and locking rods.

Item	Clear locking height (mm)	Bay width (mm)	Shelf depth (mm)	Order no.		
						
SV 36207	700	712	553	77921	77920	77922
SV 36209	900	712	553	77931	77930	77932
SV 36213	1350	712	553	77941	77940	77942
SV 54207	700	1018	553	77951	77950	77952
SV 54209	900	1018	553	77961	77960	77962
SV 54213	1350	1018	553	77971	77970	77972
SV 3607	700	712	705	77271	77270	77272
SV 3609	900	712	705	77281	77280	77282
SV 3613	1350	712	705	77291	77290	77292
SV 5407	700	1018	705	77301	77300	77302
SV 5409	900	1018	705	77311	77310	77312
SV 5413	1350	1018	705	77321	77320	77322
SV 7807	700	1428	705	76701	76700	76702
SV 7809	900	1428	705	76691	76690	76692
SV 7813	1350	1428	705	76681	76680	76682

Extendable shelves

Installation height 75 mm. Height can be adjusted in spacing of 25 to 25 mm. Steel plate coating, galvanised. Load capacity 100 kg, semi-extendable, 200 kg for fully extendable. Colour: light grey, RAL 7035.

Item	Bay width (mm)	Shelf depth (mm)	Order no.
			
Semi-extendable			
WS362ATE	712	553	168382
WS542ATE	1018	553	168352
WS36ATE	712	705	104202
WS54ATE	1018	705	168332
Fully extendable			
WS362ATV	712	553	168392
WS542ATV	1018	553	168362
WS36ATV	712	705	104212
WS54ATV	1018	705	168342
WS78ATV	1428	705	168372



Drawers

► Drawers

the **useable dimensions** are given by the cabinet code,

e.g. WS 54-36: width = (54 x 17 mm) = 918 mm

depth = (36 x 17 mm) = 612 mm



Standard **dividing spacing of 17 mm (= 1 T)**

V = 100% Fully extendable drawer with load capacity **up to 200 kg**

E = 85% Semi-extendable drawer with load capacity **up to 100 kg**

(with fascia height 50 mm up to 60 kg,

with fascia height 75 mm up to 75 kg load capacity)



Drawers

for shelf bay 712 x 553 mm




Item	Fascia/useable height (mm)	Order no.
WS 36205E	50E / 36	7435*
WS 36207E	75E / 61	7436*
WS 36207V	75V / 54	7437*
WS 36210E	100E / 86	7438*
WS 36210V	100V / 79	7439*
—	—	—
WS 36215E	150E / 136	7440*
WS 36215V	150V / 129	7441*
—	—	—
WS 36220E	200E / 186	7442*
WS 36220V	200V / 179	7443*
WS 36225V	250V / 229	7444*
—	—	—
WS 36230V	300V / 279	7445*
WS 36235V	350V / 336	7446*
WS 36240V	400V / 379	7447*

Drawers

for shelf bay 1018 x 553 mm

Item	Fascia/useable height (mm)	Order no.
WS 54205E	50E / 36	7449*
WS 54207E	75E / 61	7450*
WS 54207V	75V / 54	7451*
WS 54210E	100E / 86	7452*
WS 54210V	100V / 79	7453*
WS 54212V	125V / 104	7454*
—	—	—
WS 54215V	150V / 129	7455*
WS 54217V	175V / 154	7456*
—	—	—
WS 54220E	200V / 179	7457*
—	—	—
WS 54225V	250V / 229	7458*
WS 54230V	300V / 279	7459*
—	—	—
—	—	—

*When ordering, please include the relevant order number with the relevant drawer colour code:



Drawers

for shelf bay 712 x 705 mm

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010*
WS 3607E	75E / 61	10011*
WS 3607V	75V / 54	10012*
WS 3610E	100E / 86	10013*
WS 3610V	100V / 79	10014*
WS 3612E	125E / 111	10015*
WS 3612V	125V / 104	10016*
WS 3615E	150E / 136	10017*
WS 3615V	150V / 129	10018*
WS 3617V	175V / 154	10019*
WS 3620E	200E / 186	10020*
WS 3620V	200V / 179	10021*
WS 3622V	225V / 204	10022*
WS 3625V	250V / 229	10023*
WS 3630V	300V / 279	10024*
WS 3640V	400V / 379	10026*
WS 3645V	450V / 429	10027*

Drawers

for shelf bay 1018 x 705 mm

Item	Fascia/useable height (mm)	Order no.
WS 5405E	50E / 36	10210*
WS 5407E	75E / 61	10211*
WS 5407V	75V / 54	10212*
WS 5410E	100E / 86	10213*
WS 5410V	100V / 79	10214*
—	—	—
WS 5412V	125V / 104	10215*
—	—	—
WS 5415V	150V / 129	10216*
WS 5417V	175V / 154	10217*
—	—	—
WS 5420V	200V / 179	10218*
—	—	—
WS 5425V	250V / 229	10219*
WS 5430V	300V / 279	10220*
—	—	—
—	—	—

Drawers

for shelf bay 1428 x 705 mm

Item	Fascia/useable height (mm)	Order no.
—	—	—
—	—	—
WS 7807V	75V / 54	10310*
—	—	—
WS 7810V	100V / 79	10311*
—	—	—
WS 7812V	125V / 104	10312*
—	—	—
WS 7815V	150V / 129	10313*
WS 7817V	175V / 154	10314*
—	—	—
WS 7820V	200V / 179	10315*
—	—	—
WS 7825V	250V / 229	10316*
WS 7830V	300V / 279	10317*
—	—	—
—	—	—


Shelf bases and accessories

► Shelf bases

sheet steel. Installation height 50 mm. Load bearing capacity 200 kg. Bolted to the shelf. A shelf bay always consists of at least two shelf bases. If drawers are used in the shelving, the top drawer also has a shelf base above it

► Adjustable shelves


sheet steel. Installation height 25 mm. Load bearing capacity 200 kg. Height adjustable in increments of 25 mm



Adjustable shelves

Hooked on using shelf supports. Four shelf supports are required per base.


Item	For bay width (mm)	Max. shelf depth (mm)	Useable width (mm)	Order no.		
						
WSR2-VT36	712	553	661	76821	76820	76822
WSR2-VT54	1018	553	967	76811	76810	76812
WSR-VT36	712	705	661	77101	77100	77102
WSR-VT54	1018	705	967	77111	77110	77112
WSR-VT78	1418	705	1375	76981	76980	76982
Shelf supports						
TT-WSR						77120



Shelf bases

Are bolted to the upright frame.


Item	For bay width (mm)	Max. shelf depth (mm)	Useable width (mm)	Order no.		
						
WSR2-FT36	712	553	661	76841	76840	76842
WSR2-FT54	1018	553	967	76831	76830	76832
WSR-FT36	712	705	661	77081	77080	77082
WSR-FT54	1018	705	967	77091	77090	77092
WSR-FT78	1418	705	1375	76991	76990	76992



Hook-on side panels

Prevent the stored goods shifting into neighbouring bays.

Item	Shelf depth (mm)	Height (mm)	Order no.		
					
ESW 2710	553	95	76761	76760	76762
ESW 2715	553	145	76751	76750	76752
ESW 2720	553	195	76741	76740	76742
ESW 2725	553	245	76731	76730	76732
ESW 3610	705	95	77361	77360	77362
ESW 3615	705	145	77371	77370	77372
ESW 3620	705	195	77381	77380	77382
ESW 3625	705	245	77391	77390	77392



Free standing dividers

For insertion into adjustable bases.

Item	Height (mm)	Max. shelf depth (mm)	Order no.
TRF2710	95	553	77230
TRF2715	145	553	77240
TRF2720	195	553	77250
TRF2725	245	553	77260
TRF3610	95	705	76800
TRF3615	145	705	76790
TRF3620	195	705	76780
TRF3625	245	705	76770



Bin fronts

For storing small, loose parts. Galvanised. Height 100 mm.

Item	For bay width (mm)	Order no.
WSRVL36	712	77340
WSRVL54	1018	77350
WSRVL78	1428	76710



Base bridges

To bridge the gap between uprights and bases, galvanised.

Item	Shelf depth (mm)	Order no.
WSRTB27	553	76720
WSRTB36	705	77330



Individual advice

on request

Doors and roller shutters



Individual advice

on request

Wing doors

2 wings with rod lock and shell hand grip.
Can also be retrofitted.


Item	Bay width (mm)	Shelf height (mm)	Order no.
			  
WSR-FT3620	712	2000	168701 168700 168702
WSR-FT3622	712	2200	168711 168710 168712
WSR-FT3625	712	2500	168721 168720 168722
WSR-FT5420	1018	2000	168731 168730 168732
WSR-FT5422	1018	2200	168741 168740 168742
WSR-FT5425	1018	2500	168751 168750 168752



Sliding doors

2 shelving bays of the same width are closed using a sliding door attachment.
Can also be retrofitted.


Item	Bay width (mm)	Shelf height (mm)	Order no.
			  
WSR-ST3620	2 x 712	2000	168761 168760 168762
WSR-ST3622	2 x 712	2200	168771 168770 168772
WSR-ST3625	2 x 712	2500	168781 168780 168782
WSR-ST5420	2 x 1018	2000	168791 168790 168792
WSR-ST5422	2 x 1018	2200	168801 168800 168802
WSR-ST5425	2 x 1018	2500	168811 168810 168812
WSR-ST7820	2 x 1428	2000	168821 168820 168822
WSR-ST7822	2 x 1428	2200	168831 168830 168832
WSR-ST7825	2 x 1428	2500	168841 168840 168842




Roller shutters

Pre-assembled roller shutter housing for fixing to a fixed base. Guide profiles for fixing to the frame. Colour: light grey, RAL 7035.

Item	Bay width (mm)	Shelf height (mm)	Order no.
			
WSR-RL3620	712	2000	168850
WSR-RL3622	712	2200	168860
WSR-RL3625	712	2500	168870
WSR-RL5420	1018	2000	168880
WSR-RL5422	1018	2200	168890
WSR-RL5425	1018	2500	168900
WSR-RL7820	1428	2000	168910
WSR-RL7822	1428	2200	168920
WSR-RL7825	1428	2500	168930



NC storage



Technical information

the WSK/NC types with 2 or 3 vertical drawers, which are ideal for housing cylindrical tools, are based on the tool and machine cabinet range in WS36 and MS36 series

Extensive accessories

for storing NC tools

Fully extendable drawers


up to **150 kg** load capacity

No assembly required

Tip

all cabinets in the WSK36 and MSK36 series can be used as base units. This means that the installations can be customised to the individual room heights

Bay heights in mm:




Vertical cabinets

Frame made from T-profile with system perforation, central lock and double drawer lock. Fully extendable with 250 kg load capacity. Tool carrying frame, can be adjusted in 3 ways (can be fitted on the left, centre, or right). Easy to convert at a later date (pre-assembled in the centre by default). Even-closing designs on request.

Item	Dim. W x D x H (mm)	Quantity drawers	Width (mm)	Order no.
WSK3608-2NC	717 x 800 x 725	2	320	125000 125002
WSK3608-3NC	717 x 800 x 725	3	220	125010 125012

NCMTL



Central dividers

Sheet steel, grey. H 615 x W 550 mm


Item	Finish	Order no.
NCMTG	Smooth	125020
NCMTL	Round holes	125030

Perforated panel hooks

Round steel, high-shine galvanised.

Item	Length (mm)	Order no.
MF-H1	90	125040
MF-H2	110	125050
MF-H3	135	125060
MF-H4	150 (no illustr.)	125070

VT 165



Hook-on trays without back panel

Sheet steel, grey. (Only in combination with the central divider, please order separately.)

Item	Dim. W x D x H (mm)	Order no.
VT 90	620 x 90 x 100	125120
VT 165	620 x 165 x 100	125140

Perforated insert strips for shackle

Press profile to house the shackle. Hole spacing 12.5 mm, L 650 mm. To protect tools, neoprene profiles can be inserted into the perforated insert strips.

Item	Order no.
LES	Perforated insert strip 125160
NP	Neoprene profile 125170



Shackle for spacer pins

For insertion into the perforated insert strips. Galvanised round steel with neoprene coating.

Item	Ø (mm)	Order no.
HB15	15	125180
HB27	27	125190
HB35	35	125200
HB48	48	125210
HB60	60	125220
HB73	73	125230
HB85	85	125240
HB98	98	125250
HB110	110	125260
HB123	123	125270
HB135	135	125280




- **Transport trolley for NC tools**
available in two sizes with different load capacities
- **Accessories fully compatible**
with NC cabinets

NC transport trolley and accessories

Transport trolley

To house 3 or 4 tool changing frames on one level. With stop rod, two fixed and two swivel castors. Swivel castors with locking devices. Side panels with vertical slotted track. Division, 25 mm.

Item	Dim. W x D x H (mm)	Load capacity (kg)	Wheel Ø (mm)	Order no.
NCTW 5	765 x 508 x 930	540	160	125340
NCTW 8	1080 x 692 x 970	800	200	125350



Plan pockets


Sheet steel, grey. To house plans, technical documents, etc. Fitted to the front of the transport trolley.

Item	Dim. W x D x H (mm)	Order no.
NCPT	370 x 45 x 180	125400

Adjustable bases with ribbed mat

Sheet steel, light grey RAL 7035, ribbed mat, black. For storing measurement devices and tools. * for NCTW 8 only.

Item	Dim. L x W (mm)	Order no.
NCTM 3	600 x 305	125360
NCTM 4	600 x 465	125370
NCTM 6*	600 x 665	125380



Console tray for NCTW 5

Sheet steel, light grey RAL 7035, with black ribbed mat and bolting material. For storing measurement devices and tools.


Item	Dim. W x H (mm)	Order no.
NCKT	496 x 312	125390



Pair of safety hooks

Sheet steel, yellow/black signal colours. Foldable safety devices for transport trolley incl. bolts.

Item	Dim. W x H (mm)	Order no.
NCSB	600 x 270	125410



Changing frame for tool holder

Galvanised sheet steel. For storing the tool holder and for the rapid replacement of set tools. Storage capacity: 7 x KBA 56 or 4 x KBA 70. Can also be used in drawers in the WSK cabinet range. Holders are required for use on a transport trolley. The holder can be positioned on a system perforation of 0°, 15° and 30°.

Item	Dimensions W x D x H (mm)	Order no.
WWR 58	Changing frame	595 x 120 x 100
WRH	Holder (pair)	125421

Basic storage tool holder

Made from plastic, for screwing into changing frame and for fitting with shelf support hooks. Can be individually fitted with 3-part shelf support hooks for different holder systems. Quick to assemble and change.

Item	Ø basic storage element (mm)	Order no.
KBA 56	56	107543
KBA 70	70	107544

Shelf support hook

Made from plastic. For insertion into basic storage elements.


Item	For tool frame	For tool holder	Colour	Order no.
T-SK 40	SK 40	KBA 56	Blue	107580
T-SK 50	SK 50	KBA 70	White	107581
T-HSK 40	HSK 40	KBA 56	Green	107582
T-HSK 63	HSK 63	KBA 56	Red	107583
T-HSK 100	HSK 100	KBA 70	Green	107584
T-VDI 20	VDI 20	KBA 56	Brown	107585
T-VDI 30	VDI 30	KBA 56	Purple	107586
T-VDI 40	VDI 40	KBA 56	Yellow	107587
T-VDI 60	VDI 60	KBA 70	Orange	107588

Wing-door cabinets – with a versatile, systemised “inner life”

Regardless of whether you want to store large or small objects, keep files or just hang up your coat there is a materials cabinet to suit every purpose.

In workshops, in industry and in offices, SSI SCHAEFER cabinet systems have proved themselves a thousand times over. With their modular design and flexible configurations, in many businesses life without SSI SCHAEFER-cabinet systems would be unimaginable!

The SSI SCHAEFER-cabinet range is rational, versatile and variable. A state of the art design to meet everyday needs. A range with solutions that fit.



Top cabinet height 800 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 8408	800 x 800	400	1	10573*
MSI 8409	950 x 800	400	1	10574*
MSI 8412	1200 x 800	400	1	10575*

Materials cabinet height 1600 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 16408	800 x 1600	400	3	10570*
MSI 16409	950 x 1600	400	3	10571*
MSI 16412	1200 x 1600	400	3	10572*

Materials cabinet height 1950 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 2408	800 x 1950	400	4	10537*
MSI 2409	950 x 1950	400	4	10538*
MSI 2412	1200 x 1950	400	4	10539*
MSI 2509	950 x 1950	500	4	10533*
MSI 2512	1200 x 1950	500	4	10563*



► All-steel construction

high grade sheet steel, high quality, powder-coated, with internal hinges

► Equipment

shelves are designed for a load capacity of up to 50 kg and are height adjustable in increments of 25 mm, colour: light grey, RAL 7035

► Reinforced wing doors

with sound-muffling rubber pads, slide-action lock with rotary handle

► Security cylinder lock

with 2 keys

► Compatible



Internal hinges



Rotary handle with cylinder lock



Folding door cabinets

Strengthened profile, inward-facing doors, 3-point locking with slide action and "Basquille" lock. 4 shelves per cabinet, height adjustable in increments of 25 mm. Loadbearing capacity 50 kg per shelf. Paint finish, all RAL 7035.

Item	External dim. W x H (mm)	Depth (mm)	Order no.
MSFT 2412	1200 x 1950	400	105691

Extra shelves

Incl. 4 shelf supports.

Item	Finish	Cabinet dim. W x D (mm)	Unit	Order no.
MSI-B 800	Painted finish	800 x 400	2	105760
MSI-B 950	Painted finish	950 x 400	2	105770
MSI-B 1200	Painted finish	1200 x 400	2	105780
MS-B 409	Galvanised	950 x 400	1	10350
MS-B 509	Galvanised	950 x 500	1	10370
MS-B 412	Galvanised	1200 x 400	1	23690
MS-B 512	Galvanised	1200 x 500	1	23790

MSI series – Multi-purpose cabinets, wardrobes and folding door cabinets



Multi-purpose cabinets

With horizontal central partition. Cabinet 800: on the left 4 adjustable shelves, on the right 1 adjustable shelf and clothes rail with 3 hooks. Cabinet: 950/1200: on the left 3 adjustable shelves, 1 full-width top shelf.

Item	External dim. W x H (mm)	Depth (mm)	Order no.
MSI-M 2408	800 x 1950	400	10534*
MSI-G 2409	950 x 1950	400	10566*
MSI-M 2412	1200 x 1950	400	10536*
MSI-G 2509	950 x 1950	500	10567*



Wardrobe cabinets

Divided into 2 half-depth wardrobe sections with vertical central partition. 1 shelf and 1 clothes rail with 3 hooks per section.

Item	External dim. W x H (mm)	Depth (mm)	Order no.
MSI 2408 G	800 x 1950	400	10568*

Colour codes for cabinet colour

*Please include the colour code with the order no.:





MSI series – width 950 mm

Options

► MSI series

with interior hinges. Bases galvanised, adjustable height.
Load bearing capacity up to 60 kg on uniformly distributed load

► Polystyrene drawers

with grip strip and labels, load capacity of each drawer 10 kg

External dimensions: W 372 x H 102 x D 465 mm

Interior dimensions: W 347 x H 95 x D 435 mm



Materials cabinet with LF containers

6 shelves, 28 containers LF 322,
2 colour coded.

Item	Depth (mm)	Order no.
MSI 2409/28	400	10591*



Materials cabinet with LF containers

8 shelves, 36 containers LF 321
in one colour.

Item	Depth (mm)	Order no.
MSI 2409/36	400	10592*



Materials cabinet with shelf containers

14 shelves. 30 RK 421 containers and
45 RK 400 containers. With maximum
subdivision up to 600 individual positions
can be created.

Item	Depth (mm)	Order no.
MSI 2509/75	500	10595*



Materials cabinet with lockable comp.

3 height adjustable shelves, internal
compartment with lock und 2 keys.

Item	Depth (mm)	Order no.
MSIT 2409	400	10564*
MSIT 2509	500	10565*



Materials cabinet with LF containers

7 shelves. 20 LF 321 containers and
12 LF 322 containers, colour coded.

Item	Depth (mm)	Order no.
MSI 2409/32	400	10590*



Materials cabinet with shelf containers

11 shelves, 60 RK 421 containers. With
maximum subdivision up to 480 individual
sections can be created.

Item	Depth (mm)	Order no.
MSI 2509/60	500	10596*



► Large capacity cabinets

with exterior hinges. Bases galvanised, adjustable height. Load bearing capacity up to 50 kg on uniformly distributed load

► Tool drawers

on telescopic guides, fully extendable. Maximum load capacity for an even weight distribution 50 kg per drawer

MSI series – width 950 and large capacity cabinets – width 1200 mm



Materials cabinets with drawers and shelves

1 galvanised full-width top shelf. 1 central partition. 3 narrow shelves on the right. 13 polystyrene drawers on the left. No semi-open front + storage containers and no accessories.

Item	Depth (mm)	Order no.
MSI 2509/13	500	10593*



Materials cabinets with drawers

1 galvanised full-width top shelf. 1 central partition. 26 polystyrene drawers. Without semi-open front + storage containers on the top shelf.

Item	Depth (mm)	Order no.
MSI 2509/26	500	10594*



Large capacity cabinets with containers

3 shelves, depth 170 mm, with 33 14/7-5 containers. 4 shelves, depth 220 mm, with 32 14/7-4 containers. 3 shelves, depth 330 mm, with 20 14/7-3 containers. Per door, 5 shelves with 20 containers 14/7-6 and 5 shelves with 20 containers 14/7-5.

Item	Order no.
Depth 500 mm	23762 23760 23761
MS 2512-K	



Large capacity cabinets with containers and pegboards

3 shelves, depth 170 mm, with 33 14/7-5 containers. 4 shelves, depth 220 mm, with 32 14/7-4 containers. 3 shelves, depth 330 mm, with 20 14/7-3 containers. 2 transportable small parts magazines for the inside of the doors, removable, including special mountings, each with 12 LF 211 containers. 2 sheet steel perforated plates, galvanised. 2 ranges of tool holder/hook, sorted.

Item	Order no.
Depth 500 mm	23752 23750 23751
MS 2512-KPL	



Large capacity cabinets with containers and drawers

3 shelves, depth 170 mm, with 33 14/7-5 containers. 3 shelves, depth 220 mm, with 24 14/7-4 containers. 3 shelves, depth 330 mm, with 15 14/7-3 containers. Per door, 5 shelves with 20 containers 14/7-6 and 5 shelves with 20 containers 14/7-5. 3 tool drawers.

Item	Order no.
Depth 500 mm	23782 23780 23781
MS 2512-KS	



Large capacity cabinets with containers, pegboards and drawers

3 shelves, depth 170 mm, with 33 14/7-5 containers. 3 shelves, depth 220 mm, with 24 14/7-4 containers. 3 shelves, depth 330 mm, with 15 14/7-3 containers. 2 transportable small parts magazines for the inside of the doors, removable, including special mountings, each with 12 LF 211 containers. 2 sheet steel perforated plates, galvanised. 2 ranges of tool holder/hook, sorted. 3 tool drawers.

Item	Order no.
Depth 500 mm	23772 23770 23771
MS 2512-KSPL	

Special cabinets



Additional drip trays

Item	External dim. W x D x H (mm)	Order no.
UWS-AW	900 x 430 x 70	194080

Materials cabinets with type 30 safety drawer

With 3 shelves and 1 drip tray. Fire-resistant safety drawer for the correct storage of up to 50 litres of inflammable and highly flammable liquids according to the German law BetrSichV. Type 30 conforming to new DIN EN 14470-1. Interior dimensions of safety drawer: W 805 x D 405 x H 405 mm.

Item	External dim. W x D x H (mm)	Order no.
MS 2509T30	950 x 500 x 1950	10341



conditional



RAL 5010 GENTIAN BLUE RAL 7035 LIGHT GREY



LIGHT GREY
RAL 7035



CRIMSON
RAL 3004

Housing

Fronts

► All-steel construction

high grade sheet steel, high quality, powder-coated, with internal hinges

► Reinforced wing doors

with sound-muffling rubber pads, slide-action lock with rotary handle

► Security cylinder lock

with 2 keys

► Drip trays

for the correct storage of small containers with substances hazardous to water according to WHG. Load capacity 30 kg evenly distributed load, volume 20 l. Height adjustable in increments of 25 mm. Galvanised

► Shelves

height adjustable in increments of 25 mm, load capacity 60 kg evenly distributed load. Galvanised

► Coding according to hazardous substances laws

Environmental cabinets

For the correct storage of small containers with substances hazardous to water according to WHG. Not permissible for storing flammable liquids.

Item	External dim. W x D x H (mm)	Quantity drip trays	Order no.
UWS 1409	950 x 500 x 1400	3	198230
UWS 2509	950 x 500 x 1950	4	199210



Ask for our catalogue on safety engineering


30 Minuten

BRANDKAMMERGETESTET
TYPGEPRÜFT
EN 12732-1 EN 14470-1



Tool cabinets

Ideal for shipping, freight forwarding, workshop supervisors and store managers.



Wing doors

with slide-action lock

High-grade sheet steel


stove enamel finish

Shelves

height adjustable in increments of 25 mm
adjustable, galvanised, load capacity per shelf 50 kg

Door lock

rotary handle with security cylinder lock
and 2 keys



Whether it's materials, tools or writing equipment, the workshop cabinet with desk top means everything is always at hand.

Workshop cabinets

1 wing door with security lock
and 2 keys.
W 500 x H 1000 x D 500 mm.

Item	Order no.
WSCH 1	10022 10020 10021 10023

Writing desk top

High-grade sheet steel. Lid with security
lock and 2 keys.
W 500 x H 80/260 x D 500 mm.

Item	Order no.
SCHP 1	10062 10060 10061

Base unit on castors

Painted black.
With 4 castors.
Dimensions W 500 x D 500 mm.

Item	Order no.
WRU	10220

Drawer dividers

Height 80 mm. Suitable for all drawers
in the WSCH 1 range.

Item	Order no.
SU-Q1	Transverse dividers 10030
SU-L1	Longitudinal dividers 10040
SU-K1	Crosswise dividers 10050

Tool cabinets

Item	Dim. W x D x H (mm)	Order no.
WZS 1409	950 x 400 x 1060	105801 105800
WZS 1509	950 x 500 x 1060	105811 105810
WZS 1412	1200 x 400 x 1060	105821 105820
WZS 1512	1200 x 560 x 1060	105831 105830

Accessories for tool cabinets

Item	Name	Colour	Order no.
MSV 409	Extendable drawer	Light grey	105840
MSV 509	Extendable drawer	Light grey	105850
MSV 412	Extendable drawer	Light grey	105860
MSV 512	Extendable drawer	Light grey	105870
EKS 409	Insert box height 40 mm, 45 part set	Blue	105880
EKS 412	Insert box height 40 mm, 54 part set	Blue	105890



i

RAL 7035 LIGHT GREY		SILVER		RAL 6011 RESEDA GREEN	
Housing					
LIGHT GREY RAL 7035		SILVER		RESEDA GREEN RAL 6011	
Fronts					

Fix-shelf cabinets



- **This system can be individually tailored**
using a wide range of fittings
- **Systematic versatility**
different heights are available and the system can be used without doors as open shelving
- **High-grade sheet steel**
stove enamel finish
- **Shelves**
height adjustable in increments of 25 mm
adjustable, galvanised
- **Door lock**
with recessed rotary handle
and security lock



LSCH/6

With 6 shelves.
Dimensions W 670 x H 780 x D 260 mm.

Item	Order no.
	  
LSCH/6 no doors	9912 9910 9911
LSCH/6 with doors	9952 9950 9951
Semi-open front storage containers	
14/7-5 PP	9991



FSCH/9

With 9 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.
	  
FSCH/9 no doors	9672 9670 9671
FSCH/9 with doors	9712 9710 9711
Semi-open front storage containers	
14/7-4 PP	9992



FSCH/11

With 11 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.
	  
FSCH/11 no doors	9752 9750 9751
FSCH/11 with doors	9792 9790 9791
Semi-open front storage containers	 
14/7-5 PP, 14/7-4 PP	9993



FSCH/14

With 14 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.
	  
FSCH/14 no doors	9832 9830 9831
FSCH/14 with doors	9872 9870 9871
Semi-open front storage containers	
14/7-5 PP	9994

Fix-shelf cabinets, semi-open front storage containers



FSCH/12

With 12 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.
	  
FSCH/12 no doors	9432 9430 9431
FSCH/12 with doors	9472 9470 9471
Semi-open front storage containers	
14/7-4 PP	9995



FSCH/15

With 15 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.
	  
FSCH/15 no doors	9512 9510 9511
FSCH/15 with doors	9552 9550 9551
Semi-open front storage containers	 
14/7-5 PP, 14/7-4 PP	9996



FSCH/18

With 18 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.
	  
FSCH/18 no doors	9592 9590 9591
FSCH/18 with doors	9632 9630 9631
Semi-open front storage containers	
14/7-5 PP	9997

Fix-shelf cabinets can be supplied in the following configurations


Item	Height (mm)	Quantity of shelves	Number of semi-open front storage containers, PP 14/7-5	14/7-4
Semi-open front containers for LSCH/ 6 , complete set	780	6	42, blue	—
Semi-open front containers for FSCH/ 9 , complete set	1575	9	—	40, red
Semi-open front containers for FSCH/11 , complete set	1575	11	36, blue	24, red
Semi-open front containers for FSCH/14 , complete set	1575	14	90, blue	—
Semi-open front containers for FSCH/12 , complete set	2000	12	—	52, red
Semi-open front containers for FSCH/15 , complete set	2000	15	54, blue	28, red
Semi-open front containers for FSCH/18 , complete set	2000	18	114, blue	—



14/7 series plastic semi-open front storage containers

Polypropylene, suitable for storage and workshop cabinets.

Item	Interior dim. when stacked L x W x useable H (mm)	Capacity (litre)	Unit	Order no.
				   
14/7-6 PP	63 x 91 x 43	0,26	50	6981 6982 6983 6984
14/7-5 PP	133 x 88 x 66	0,8	50	6961 6962 6963 6964
14/7-4 PP	191 x 125 x 109	2,6	40	6921 6922 6923 6924
14/7-3 Z PP	291 x 181 x 132	7,2	28	6881 6882 6883 6884



B and TSS sliding door cabinets



SILVER


Housing



SILVER

Fronts


- ▶ **Sliding doors**
move freely on roller bearings, with recessed handle and cylinder lock
- ▶ **High-grade sheet steel**
stove enamel finish
- ▶ **Shelves**
load bearing capacity up to max. 60 kg (for B cabinets) or max. 200 kg (for TSS cabinets), height adjustable in increments of 25 mm
- ▶ **Compatible**
with R 2000 counter cabinet range (only TSS range)



Sliding door cabinets TSS

Fitted with 2 galvanised shelves, height adjustable in increments of 25 mm. Design without base.


Item	W x H x D (mm)	Order no.
TSS 5011	1055 x 1105 x 500	1510
TSS 6311	1055 x 1105 x 630	1530



Sliding door cabinets B 135

As for B 130, but with 2 galvanised shelves. The half height is ideal for forming a counter system.

Item	W x H x D (mm)	Order no.
B 135	1300 x 1085 x 500	23810



Sliding door cabinets B 130

With 4 galvanised shelves. Internal depth 425 mm.

Item	W x H x D (mm)	Order no.
B 130	1300 x 1950 x 500	23800

Shelves for TSS

Item	For	Order no.
SB 5013	TSS 5011	1520
SB 6313	TSS 6311	1540

Flaps

Grey melamine-coated with plastic trim.

Item	For	Order no.
TA 135	B 135	23820

Additional shelves

Galvanised, incl brackets. Unit: 2 items.

Item	For	Order no.
ZB 130/135	B 130 and B 135	23830

Housing

RAL 7035 LIGHT GREY SILVER RAL 6011 RESEDA GREEN

Fronts

CENTIAN BLUE RAL 5010 SILVER RESEDA GREEN RAL 6011

Other colour combinations available on request

► **Sliding doors**
move freely on roller bearings, with recessed handle, with cylinder lock

► **High-grade sheet steel**
powder-coated

► **Technical information**
V = Fully extendable drawer with load capacity up to 200 kg
E = Semi-extendable drawer with load capacity up to 100 kg
VT = Adjustable shelves, load capacity up to 200 kg
ATV = Fully extendable shelf
ATE = Semi-extendable pull-out shelf

MSK sliding door cabinets

Ordering examples and accessories



Sliding door cabinets

With 2 drawers, 6 pull-out shelves
Height with top plate 1020 mm.

Item	Order no.
MSK7810/1V	104702 104700 104701
MSK7810/1E	104712 104710 104711

Fully extend. Drawer height (mm) V 75 E
Semi-extend. ATV ATE
ATV ATE

With 6 drawers
Height with top plate 1020 mm.

Item	Order no.
MSK7810/2V	104722 104720 104721
MSK7810/2E	104732 104730 104731

Fully extend. Drawer height (mm) V 75 E
Semi-extend. V 150 E
V 150 E

With 4 drawers, 4 adjustable shelves
Height with top plate 1020 mm.

Item	Order no.
MSK7810/3V	104742 104740 104741
MSK7810/3E	104752 104750 104751

Fully extend. Drawer height (mm) V 75 E
Semi-extend. V 75 E
VT VT
VT VT

Empty housing with sliding doors
Height 1000 mm, clear height 900 mm.

Item	Order no.
MSG7810	104062 104060 104061

Adjustable shelves
Installation height 25 mm. Height adjustable in increments of 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	Order no.
WS36VT	651 x 619	104220

Top plate
With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T78S	MS 78	104330

Drawers for housing

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010*
WS 3607E	75E / 61	10011*
WS 3607V	75V / 54	10012*
WS 3610E	100E / 86	10013*
WS 3610V	100V / 79	10014*
WS 3615E	150E / 111	10017*
WS 3615V	150V / 104	10018*

* Please quote the order no. with the required door colour code. The colours can be found at the bottom of page H60.

Extendable shelves
Installation height 75 mm. Height can be adjusted in spacing of 25 to 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	Max. load (kg)	Order no.
WS36ATE	612 x 612	100	10420*
WS36ATV	612 x 612	200	10421*

Lifting base
Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS78	WS 78, MS 78	103220
HSA78	Fascia for HS 78	103230

Counter and cabinet combination systems enough margin for all your requirements

The SSI SCHAEFER counter and cabinet combinations in conjunction with the proven bolt free shelving system R 2000 open up new dimensions with regard to storage optimization. The proven, versatile counter cabinet systems leave nothing to be desired when it comes to

equipment. The standardised height, depth and width dimensions enable maximum flexibility and a wealth of configurations can be achieved. The drawers are an important factor in utilizing storage space for small parts or tools and

thus substantially reduce the issue times.


The unlimited combination options of all counter cabinets give you the freedom you need for your requirements.



Counter worktops
Page H89

Shelves
Page H88

Drawer cabinets R 2000 series
Page H90



**Open shelving from
the R 2000 system**
Page H87

**Sliding door
cabinets TSS**
Page H89

Drawer divisions
Page H92 - H93



Wing doors
Page H89

Solid steel back panel
Page H86

Solid steel side panels
Page H86



Drawer cabinets 1100 series
Page H96 - H97

Swing door
Page H89

Counter cabinets
5000 series
Page H94




The bolt-free shelving system

Bolt-free shelving system R 2000

The R 2000 is flexible, extendable, and a variable shelving system which offers high flexibility and extensive equipment and accessories e.g.: lockable wing door elements, drawers, slotted shelves for vertical partitioning by dividers, dividable storage trays and an extensive range of plastic and sheet steel containers.

The principle and design of the R 2000 shelving system is easy: base shelf, intermediate shelf and top shelf are simply connected to the uprights. This way, a complete shelving system develops from just 3 base elements, variable in height, lengths, widths and depths.

- **High-grade sheet steel**
stove enamel finish
- **Extendable bolt free system**
the starter unit can be configured and extended according to individual requirements for small and medium sized goods
- **Bolt-free assembly**
in a matter of minutes
- **Basic bay modular design**
without cross beams, with fixed base, intermediate and top shelves, 1 bay length, 3 shelf depths, different heights
- **Up to 5000 kg bay load**
- **Solid steel side and back panels**
made from sheet steel with a painted finish in silver



Solid steel side panels

Sheet steel, painted silver. Are engaged in the uprights using punched locking tongues. To cover the full height of the R 2000 2 side panels each are necessary. For the base (GR) and intermediate shelving (AR) only one side panel each is necessary.

Item	Solid steel side wall for	For shelf depth (mm)	Order no.
SW 2350	R 2000 GR + AR	350	12720
SW 2500		500	12730
SW 2630		630	12740
SWS 2350	Plinth cabinets	350	13270
SWS 2500		500	13280
SWS 2630		630	13290

Solid steel back panels

Sheet steel, painted silver. The back panel is inserted into the vertical slots in the uprights and held in place by 4 locking springs. To cover the full height of the R 2000 2 back panels each are necessary, for base (GR) and intermediate shelving (AR) only 1 back panel each.


Item	Solid steel rear panel for	L x W (mm)	Order no.
RW 2000	R 2000 GR + AR	1025 x 995	12750
RWS 2000	Plinth cabinets	492 x 995	13260

R 2000 Module components

Full Height unit R 2000

(AR 2000 + GR 2000), H 2170 x L 1055 mm, 1 starter unit, 1 extension unit, 4 base uprights and 4 extension uprights.



Item	Shelf depth (mm)	Loading of base/top shelf max. (kg)	Order no.
R 2352	350	200	12500
R 2502	500	200	12510
R 2504	500	400	12520
R 2632	630	200	12530
R 2634	630	400	12540



Starter unit GR 2000

H 1105 x L 1055 mm, "Half height" frame unit of 1105 mm (counter top height), 1 base shelf, 1 top shelf, 4 base uprights.



Item	Shelf depth (mm)	Loading of base/top shelf max. (kg)	Order no.
GR 2352	350	200	13060
GR 2502	500	200	13070
GR 2504	500	400	13080
GR 2632	630	200	13090
GR 2634	630	400	13100



Extension unit AR 2000

H 1065 x L 1055 mm, from the starter unit GR 2000 (H 1105 mm) to the unit R 2000 (H 2170 mm), 1 top shelf, 4 extension uprights.


Item	Shelf depth (mm)	Loading of base/top shelf max. (kg)	Order no.
AR 2352	350	200	13110
AR 2502	500	200	13120
AR 2504	500	400	13130
AR 2632	630	200	13140
AR 2634	630	400	13150



Base shelves GSR 2000

H 572 x L 1055 mm, 1 base shelf, 1 top shelf, 4 base uprights.


Item	Shelf depth (mm)	Loading of base/top shelf max. (kg)	Order no.
GSR 2352	350	200	13160
GSR 2502	500	200	13170
GSR 2504	500	400	13180
GSR 2632	630	200	13190
GSR 2634	630	400	13200



Extension unit ASR 2000

H 532 x L 1055 mm, 1 top shelf, 4 extension uprights.

Item	Shelf depth (mm)	Loading of base/top shelf max. (kg)	Order no.
ASR 2352	350	200	13210
ASR 2502	500	200	13220
ASR 2504	500	400	13230
ASR 2632	630	200	13240
ASR 2634	630	400	13250





Accessories for R 2000




Dividers

made from galvanised sheet steel

Shelves

sheet steel, stove-enameled silver, height 40 mm. In order to divide the shelving bays into varying heights, the shelves are easily inserted into the lugs of the uprights. The shelves are slotted front and back to accommodate dividers (slot distance 50 mm)

Shelf 40 mm high



Shelves, height 40 mm


Sheet steel, stove-enameled silver, to divide the shelving unit into different compartment heights.

Item	Shelf depth (mm)	Max. load (kg)	Order no.
ZB 2324	350	200	12550
ZB 2524	500	200	12560
ZB 2544	500	400	12570
ZB 2624	630	200	12580
ZB 2644	630	400	12590

Free standing dividers


Are inserted into the slots of the shelves, independent from the compartment heights.

Item	For shelf depth (mm)	Divider height (mm)	Order no.
TRF 2310	350	100	22940
TRF 2317		175	22950
TRF 2327		275	23060
TRF 2510	500	100	22960
TRF 2517		175	22970
TRF 2527		275	23070
TRF 2610	630	100	22980
TRF 2617		175	22990
TRF 2627		275	23080



Full height dividers

Full height dividers can be inserted into the slots of the shelves. Bin fronts can be assembled to full height dividers also.



Item	For shelf depth (mm)	For bay height (mm)	Order no.
TR 2315	350	173	12600
TR 2314		226	12610
TR 2313		315	12620
TR 2312		492	12630
TR 2515	500	173	12640
TR 2514		226	12650
TR 2513		315	12660
TR 2512		492	12670
TR 2615	630	173	12680
TR 2614		226	12690
TR 2613		315	12700
TR 2612		492	12710

Door range and covers



Counter covers

Plastic cover with textured structure. Secured with self adhesive tape.

Item	W x D x H (mm)	Order no.
KA 050	1055 x 495 x 3	620
KA 063	1055 x 625 x 3	630

Counter worktops

19 mm thick wood panel. Plastic-coated on both sides. Top with slate-type decoration. All sides finished with aluminum frame. Secured with Velcro fasteners.

Item	W x D x H (mm)	Order no.
TA 050	1055 x 527 x 19	11970
TA 060	1055 x 657 x 19	13690

Swing doors

1055 mm wide. Two-section swing doors as counter passage. The profile strips included with the door hinges are bolted to the sides panels of the cabinets or corner uprights of the frame.

Item	Order no.
PT	13680

Flaps for swing doors

Hinged flap with continuous trim. Complete with 2 stop profiles, 2 hinges and fixing materials.

Item	W x D x H (mm)	Order no.
TAK 050	1055 x 527 x 19	11900
TAK 060	1055 x 657 x 19	11910

Wing doors

Open shelf cabinets can be retrospectively converted to closed cabinets by fitting four-section doors (for height 1105 mm). The hinges are bolted to the uprights at the top and bottom. The hinge pins are adjustable for a precise fit. Sheet steel, painted silver.



Four-section door range

H 1105 mm, incl. 1 back panel, 2 side panels, 1 four-section door with lock.

Item	For depth (mm)	Order no.
FTR 2350	350	12800
FTR 2500	500	12810
FTR 2630	630	12820



Two-section door range

H 2170 mm, incl. 2 back and 4 side panels, 1 two-section door with lock.

Item	For depth (mm)	Order no.
FTR 2351	350	16380
FTR 2501	500	16390
FTR 2631	630	16400



Sliding door cabinets TSS

Fitted with 2 galvanised shelves, height adjustable in increments of 25 mm. Design without base.

Item	W x H x D (mm)	Order no.
TSS 5011	1055 x 1105 x 500	1510
TSS 6311	1055 x 1105 x 630	1530

Shelves

Item	For	Order no.
SB 5013	TSS 5011	1520
SB 6313	TSS 6311	1540

R 2000 Drawer combinations

i **Drawer dividers**
on page **H92** and **H93**



SILVER

Housing

Fronts



- ▶ **High-grade sheet steel**
stove enamel finish
- ▶ **Drawer load bearing capacity**
max. 70 kg
- ▶ **Useful dimensions**
width: 930 mm, depth: 437/567 mm
- ▶ **Pull-out stop**
allows only one drawer to be opened at a time
- ▶ **Central locking**
in the top drawer
- ▶ **Drawers**
can be pulled out completely and run quietly on ball bearing telescopic guides



Combination 1

2 drawers, fascia 90 mm, tray height 65 mm, 14 drawers, fascia 60 mm, tray height 35 mm. To be build into a GR 2000 shelving bay (please order separately unless the drawers are meant for retrofitting).


Item	For depth (mm)	Order no.
S 2501	500	12830
S 2631	630	12840



Combination 2

10 drawers, fascia 90 mm, tray height 65 mm, 1 drawer, fascia 120 mm, tray height 95 mm. To be build into a GR 2000 shelving bay (please order separately unless the drawers are meant for retrofitting).


Item	For depth (mm)	Order no.
S 2502	500	12850
S 2632	630	12860



Combination 3

2 drawers, fascia 90 mm, tray height 65 mm, 7 drawers, fascia 120 mm, tray height 95 mm. To be build into a GR 2000 shelving bay (please order separately unless the drawers are meant for retrofitting).

Item	For depth (mm)	Order no.
S 2503	500	12870
S 2633	630	12880



Combination 4


4 drawers, fascia 90 mm, tray height 65 mm, 3 drawers, fascia 120 mm, tray height 95 mm, 2 drawers, fascia 150 mm, tray height 95 mm. To be build into a GR 2000 shelving bay (please order separately unless the drawers are meant for retrofitting).

Item	For depth (mm)	Order no.
S 2504	500	12890
S 2634	630	12900

R 2000 Drawer combinations



Drawer dividers for R 2000



Longitudinal drawer dividers

For cabinet depth 500 mm, drawer depth 437 mm. Galvanised sheet steel. Slot pitch 20 mm. Further division using transverse dividers.

Item	H x W (mm)	Order no.
SUW 5043	36 x 146,5	35000
SUW 5046	66 x 146,5	35010
SUW 5093	36 x 193	35020
SUW 5096	66 x 193	35030
SUW 5099	96 x 193	35040
SUW 5133	36 x 139,5	35050
SUW 5136	66 x 139,5	35060
SUW 5139	96 x 139,5	35070
SUW 5183	36 x 186	35080
SUW 5186	66 x 186	35090
SUW 5189	96 x 186	35100

Longitudinal drawer dividers

For cabinet depth 630 mm, drawer depth 567 mm. Galvanised sheet steel. Slot pitch 20 mm. Further division using transverse dividers.

Item	H x W (mm)	Order no.
SUW 6043	36 x 146,5	35110
SUW 6046	66 x 146,5	35120
SUW 6093	36 x 193	35130
SUW 6096	66 x 193	35140
SUW 6099	96 x 193	35150
SUW 6133	36 x 139,5	35160
SUW 6136	66 x 139,5	35170
SUW 6139	96 x 139,5	35180
SUW 6183	36 x 186	35190
SUW 6186	66 x 186	35200
SUW 6189	96 x 186	35210

Transverse dividers

Galvanised sheet steel. For transverse division of longitudinal dividers for cabinet depths of 500 and 630 mm.

Item	H x W (mm)	Order no.
QTW 043	35 x 142	35250
QTW 046	65 x 142	35260
QTW 093	35 x 188	35270
QTW 096	65 x 188	35280
QTW 099	95 x 188	35290
QTW 133	35 x 135	35300
QTW 136	65 x 135	35310
QTW 139	95 x 135	35320
QTW 183	35 x 181	35330
QTW 186	65 x 181	35340
QTW 189	95 x 181	35350



Combination A

12 longitudinal dividers W 46.5 mm and 30 transverse dividers;
4 longitudinal dividers W 93 mm and 10 transverse dividers.


Item	Cabinet D (mm)	Fascia H (mm)	Order no.
SUW 5003 A	500	60	35220
SUW 5006 A	500	From 90	35221
SUW 6303 A	630	60	35223
SUW 6306 A	630	From 90	35224



Combination B

6 longitudinal dividers W 46.5 mm and 24 cross dividers; 3 longitudinal dividers W 93 mm and 12 cross dividers; 2 longitudinal dividers W 186 mm and 4 cross dividers.


Item	Cabinet D (mm)	Fascia H (mm)	Order no.
SUW 5003 B	500	60	35230
SUW 5006 B	500	From 90	35231
SUW 6303 B	630	60	35233
SUW 6306 B	630	From 90	35234



Combination C

10 longitudinal dividers W 93 mm and 20 transverse dividers.

Item	Cabinet D (mm)	Fascia H (mm)	Order no.
SUW 5003 C	500	60	35240
SUW 5006 C	500	From 90	35241
SUW 6303 C	630	60	35245
SUW 6306 C	630	From 90	35246



Drawer pegs

Plastic drawer pegs with integral moulded screw, length 36 mm. For holding various tools without damage including those with holes (e.g. grinding disks). Prevents parts being damaged. The pins are secured using nuts. Unit: 100 items.


Item	Finish	Order no.
UTO 2036	Wedge-shaped	13030
UTV 2036	Square	13790




Divider rails

Aluminum sections to divide drawers. 65 mm drawers can be divided by several dividers bolted to the drawer base. Unit: 10 pieces, incl. 30 bolts.

Item	Height (mm)	Order no.
TS 2030	30	13010
TS 2040	40	13020



Drawer dividers for R 2000



Insert boxes

Polystyrene, blue, with label facility on the grip. Pieces per unit:

EK 1: 58 pieces; EK 2: 80 pieces;
EK 3: 120 pieces; EK 111: 48 pieces;
EK 111-N: 48 pieces

Item	Dimensions L x W x H (mm)	Order no.
EK 1	180 x 96 x 160	1134
EK 2	90 x 96 x 160	1144
EK 3	90 x 48 x 160	1154
EK 111	137 x 87 x 110	22644
EK 111-N	137 x 87 x 196	4364

Complete set of insert boxes

For drawers with fascia height 90 mm.

Set 1: for cabinet depth 500 mm,
10 x EK 1, 20 x EK 2, 10 x EK 3.

Set 2: for cabinet depth 630 mm,
15 x EK 1, 20 x EK 2, 10 x EK 3.

Item		Order no.
SET 2501	Set 1	12910
SET 2631	Set 2	12920



Sorting case

In assembly work, customer service or maintenance services, for repair or servicing work onsite, in a plant or a workshop – sorting cases are the ideal archive for fittings, small parts and much more.


Made from quality sheet steel, blue stove enamel finish. With load grips and 2 tension bracket closures. The lid is fitted with foam to prevent the contents becoming mixed together during transport.



Information on

insert boxes


Page A16



Sorting case S0 6

Fitted with 4 x EK 2, 16 x EK 3.


Item	Dimensions W x D x H (mm)	Order no.
S0 6	375 x 300 x 65	23150



Sorting case S0 5

Fitted with 35 x EK 3.


Item	Dimensions W x D x H (mm)	Order no.
S0 5	465 x 347 x 65	23140



Sorting case S0 4

Fitted with 2 x EK 1, 6 x EK 2, 15 x EK 3.


Item	Dimensions W x D x H (mm)	Order no.
S0 4	465 x 347 x 65	23130



Sorting case S0 1

Fitted with 12 x EK 1, 5 x EK 2, 2 x EK 3.


Item	Dimensions W x D x H (mm)	Order no.
S0 1	590 x 460 x 65	23100



Sorting case S0 2

Fitted with 6 x EK 1, 12 x EK 2, 12 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
S0 2	590 x 460 x 65	23110



Sorting case S0 3

Fitted with 2 x EK 1, 14 x EK 2, 24 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
S0 3	590 x 460 x 65	23120

Counter cabinets 5000 series

The 5000 series is a complete cabinet system with drawers, combinations of drawers and wing doors.

Two elements together are the same module width as our standard tool cabinets, to form a counter (1055 mm).





SILVER




GENTIAN BLUE
RAL 5010

Housing




Fronts



= counter dimensions

- ▶ **High-grade sheet steel**
stove enamel finish
- ▶ **Cabinet housing**
central lock with 2 keys, W 527 x H 1105 x D 500/630 mm
- ▶ **Drawers**
Cabinet depths 500 mm with normal semi-extendable drawers.
Cabinet depths 630 mm with fully extendable drawers.
Aluminum grip with labeling facility.
Useful width 442 mm.
Max. load/drawer 60 kg
- ▶ **Double drawer lock**
prevents several drawers being opened at once
- ▶ **Division**
the dividers can be individually configured at a standard **spacing of 17 mm (= 1 T)** for all drawers
- ▶ **Useable W x D dimensions of the drawers:**
26 x 24 partitioning = 442 x 408 mm
26 x 27 partitioning = 442 x 459 mm





Cabinets with 6 drawers

1 drawer, fascia height 75 mm,
1 drawer, fascia height 150 mm,
4 drawers, fascia height 200 mm.

Item	Depth (mm)	Order no.	
SB 5156	500	76001	76002
SB 5166	630	76011	76012



Cabinets with 8 drawers

1 drawer, fascia height 50 mm,
1 drawer, fascia height 75 mm,
2 drawers, fascia height 100 mm,
2 drawers, fascia height 150 mm,
2 drawers, fascia height 200 mm.

Item	Depth (mm)	Order no.	
SB 5158	500	76021	76022
SB 5168	630	76031	76032



Cabinets with 10 drawers

1 drawer, fascia height 50 mm,
3 drawers, fascia height 75 mm,
3 drawers, fascia height 100 mm,
3 drawers, fascia height 150 mm.

Item	Depth (mm)	Order no.	
SB 51510	500	76041	76042
SB 51610	630	76051	76052




Cabinets with door and 3 drawers

1 drawer, fascia 75 mm,
1 drawer, fascia 100 mm,
1 drawer, fascia 150 mm,
1 door, height 700 mm, with cylinder lock.

Item	Depth (mm)	Order no.	
SB 5153-T	500	76061	76062
SB 5163-T	630	76071	76072

Drawer divider accessories for 5000 series


For cabinet depth 500 mm



Complete set

1 cross bar 24 T,
2 dividers 7 T,
4 insert boxes L 150 x W 75 mm,
12 insert boxes L 75 x W 75 mm.


Item	For fascia H (mm)	Order no.
ZWK2453	150	108130
ZWK2473	175	108131



Complete set

1 cross bar 24 T,
2 dividers 7 T,
4 insert boxes L 150 x W 150 mm,
2 insert boxes L 150 x W 75 mm.


Item	For fascia H (mm)	Order no.
ZWK24103	100	108132



Complete set

2 cross bars 24 T,
4 dividers 9 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2451	50	108120
ZWK2471	75	108121
ZWK24101	100	108122




Complete set

1 cross bar 24 T,
1 divider 18 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2452	50	108123
ZWK2472	75	108124
ZWK24102	100	108125




For cabinet depth 630 mm



Complete set

1 cross bar 27 T, 2 dividers 7 T.
Insert boxes: 2 items L 150 x W 150 mm,
4 items L 150 x W 75 mm,
8 items L 75 x W 75 mm.


Item	For fascia H (mm)	Order no.
ZWK2753	150	108110
ZWK2773	175	108111



Complete set

1 cross bar 27 T, 2 dividers 7 T.
Insert boxes: 3 items L 150 x W 150 mm,
6 items L 150 x W 75 mm.


Item	For fascia H (mm)	Order no.
ZWK27103	100	108112



Complete set

2 cross bars 27 T,
4 dividers 9 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2751	50	108100
ZWK2771	75	108101
ZWK27101	100	108102




Complete set


1 cross bar 27 T,
1 divider 18 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2752	50	108103
ZWK2772	75	108104
ZWK27102	100	108105

Counter cabinets 1100 series



- **High-grade sheet steel**
powder-coated
- **Cabinet housing**
central lock with 2 keys,
W 1055 x H 1105 x D 630 mm
- **Drawers**
can be pulled out completely and run quietly on ball bearing telescopic guides. Aluminum grip with labeling facility. Max. load/drawer: 100 kg for semi-extendable, 200 kg for fully extendable
- **Double drawer lock**
allows only one drawer to be opened at a time
- **Division**
the dividers can be individually configured at a standard **spacing of 17 mm (= 1 T)** for all drawers



- **Useable W x D dimensions of the drawers:**
54 x 27 partitioning = 918 x 459 mm



Cabinets with 6 drawers

1 drawer, fascia height 75 mm,
1 drawer, fascia height 150 mm,
4 drawers, fascia height 200 mm.

Item	Order no.
SB 1166	101900 101901 101902



Cabinets with 7 drawers

1 drawer, fascia height 100 mm,
3 drawers, fascia height 125 mm,
2 drawers, fascia height 150 mm,
1 drawer, fascia height 250 mm.

Item	Order no.
SB11-166	101980 101981 101982



Cabinets with 8 drawers

3 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
4 drawers, fascia height 150 mm.

Item	Order no.
SB11-156	101970 101971 101972



Counter cabinets 1100 series



Cabinets with 8 drawers

7 drawers, fascia height 125 mm,
1 drawer, fascia height 150 mm.

Item	Order no.
SB11-116	101930 101931 101932



Cabinets with 8 drawers

1 drawer, fascia height 50 mm,
1 drawer, fascia height 75 mm,
2 drawers, fascia height 100 mm,
2 drawers, fascia height 150 mm,
2 drawers, fascia height 200 mm.

Item	Order no.
SB 1168	101910 101911 101912



Cabinets with 10 drawers

1 drawer, fascia height 50 mm,
3 drawers, fascia height 75 mm,
3 drawers, fascia height 100 mm,
3 drawers, fascia height 150 mm.

Item	Order no.
SB 11610	101920 101921 101922



Cabinets with 11 drawers

4 drawers, fascia height 50 mm,
4 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
2 drawers, fascia height 150 mm.

Item	Order no.
SB11-126	101940 101941 101942



Cabinets with 13 drawers

7 drawers, fascia height 50 mm,
4 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
1 drawer, fascia height 150 mm.

Item	Order no.
SB11-136	101950 101951 101952



Cabinets with 16 drawers

7 drawers, fascia height 50 mm,
9 drawers, fascia height 75 mm.

Item	Order no.
SB11-146	101960 101961 101962


Drawer divider accessories for 1100 series



54 x 27 partitioning




1100 series



Cross bars and dividers

Complete set, consisting of:
4 cross bars = 27 T,
2 dividers = 9 T, 3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54251	50	108876
ZWK54271	75	108877
ZWK54201	100/125	108878
ZWK54251	150	108879



Cross bars and dividers


Complete set, consisting of:
6 cross bars = 27 T,
6 dividers = 6 T,
3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54252	50	108880
ZWK54272	75	108881
ZWK54202	100/125	108882

54 x 27 partitioning




1100 series



Plastic partitioning channel set

Complete set, consisting of:
12 channel blocks, 4-part, 30 dividers,
6 channel blocks, 3-part, 10 dividers.


Item	For fascia H (mm)	Order no.
KMS 3-27	50 and higher	25360



Plastic partitioning channel set

Complete set, consisting of:
6 channel blocks, 4-part, 15 dividers,
6 channel blocks, 3-part, 10 dividers,
6 channel blocks, 2-part, 6 dividers.


Item	For fascia H (mm)	Order no.
KMS 4-27	50 and higher	25370



Insert boxes

Complete set, consisting of:
12 insert boxes = L 150 x W 150 mm,
12 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 53-27	50	25270
EKS 73-27	75	25280
EKS 103-27	100/125	25290



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
6 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 54-27	50	25300
EKS 74-27	75	25310

► **High-grade sheet steel**

powder-coated

► **Central locking**

incl. double drawer lock and cylinder lock

► **Drawers**

run quietly on ball bearing guides, aluminium fascias with labelling facility.
Cabinet depths 500 mm with semi-extendable drawers.
Cabinet depths 630 mm with semi- and fully extendable drawers.
5000 series: max. load/drawer 60 kg.
1100 series: max. load/drawer 100 kg or 200 kg

► **Division**

the dividers can be individually configured at a standard **spacing of 17 mm (= 1 T)** for all drawers

► **Useable W x D dimensions of the drawers:**


5000 series: 26 x 24 partitioning = 442 x 408 mm
26 x 27 partitioning = 442 x 459 mm
1100 series: 54 x 27 partitioning = 918 x 459 mm

Counter cabinet 5000/1100 series – Empty housing and drawers




The total of the drawer fascia heights

must equal the clear height of the housing




Empty housing, 5000 series

Item	Height/ Clear height (mm)	Order no.
SBLG 5011	1105/1025	10390*
—	—	—



Empty housing, 5000 series

Item	Height/ Clear height (mm)	Order no.
SBG 5007	723 / 625	10393*
SBG 5011	1105/1025	10395*



Empty housing, 1100 series

Item	Height/ Clear height (mm)	Order no.
WSG 54107	723 / 625	10370*
WSG 54111	1105/1025	10371*


*When ordering, please include the relevant order number with the relevant housing colour code:



0 = SILVER




2 = LIGHT GREY, RAL 7035




Drawer for housing, 5000 series

Item	Fascia/useable height (mm)	Order no.
SBL 5050	50E / 36	10488*
—	—	—
SBL 5075	75E / 61	10489*
—	—	—
SBL 5010	100E / 86	10490*
SBL 5012	125E / 111	10491*
SBL 5015	150E / 136	10492*
SBL 5020	200E / 186	10493*
—	—	—
SBL 5025	250E / 229	10494*
SBL 5030	300E / 279	10495*



Drawer for housing, 5000 series

Item	Fascia/useable height (mm)	Order no.
SB 5050	50V / 36	10480*
—	—	—
SB 5075	75V / 54	10481*
—	—	—
SB 5010	100V / 79	10482*
SB 5012	125V / 104	10483*
SB 5015	150V / 129	10484*
SB 5020	200V / 179	10485*
—	—	—
SB 5025	250V / 229	10486*
SB 5030	300V / 279	10487*



Drawer for housing, 1100 series

Item	Fascia/useable height (mm)	Order no.
WS 54105E	50E / 36	10372*
WS 54107E	75E / 61	10373*
WS 54107V	75V / 54	10374*
WS 54110E	100E / 86	10375*
WS 54110V	100V / 79	10376*
WS 54112V	125V / 104	10378*
WS 54115V	150V / 129	10380*
WS 54120V	200V / 179	10382*
WS 54122V	225V / 204	10383*
WS 54125V	250V / 229	10384*
WS 54130V	300V / 279	10385*

*When ordering, please include the relevant order number with the relevant drawer colour code:



0 = SILVER



2 = LIGHT GREY, RAL 7035



3 = GENTIAN BLUE, RAL 5010

Wardrobes and clothes lockers – Equipment for changing rooms

No workshop is complete without well-equipped changing rooms and common rooms. This is where employees can change clothing and safely store their personal belongings.

All SSI SCHAEFER locker columns and wardrobes can be quickly installed without structural alterations and extended as required at any time. Their extraordinary versatility

offers both individuality and enormous space saving effects. For instance, up to 20 lockers take up little more than 1 metre of room length.

Visual appearance is very important in lobby and wardrobe areas. In this respect SSI SCHAEFER offers a wide range of possible designs. The wardrobes and locker cabinets are versatile, extremely functional, easily configurable and carefully

designed right down to the last detail. Lockers are thoughtfully equipped, manufactured from high-grade sheet steel and available in a variety of finishes. An impressive solution to the most demanding requirements in terms of visual appearance, fittings and security.






Equipment for changing rooms

Clothes locker, 300 mm wide compartment	H102
Clothes locker, 400 mm wide compartment	H103
Clothes locker 1/2-compartment, 300/400 mm	H105
Half-height clothes locker 300/400 mm	H105
Multi-purpose lockers	H105
Clothes locker, 600 mm wide compartment	H106
Clothes locker with benches 300/400 mm	H107
Space-saving cabinets, compartment width 200 mm	H108
Compartment cabinets, bay width 300/400 mm	H108
Fire-proof cabinets, compartment width 400 mm	H109
Accessories for clothes lockers	H110
Benches and changing room equipment	H111
Locker columns	H112
Multi-purpose wardrobe and locker cabinets	H114





Clothes locker with 300 mm wide compartment



Two compartment widths 300 mm

2 compartments: W 630 x D 500 mm
3 compartments: W 930 x D 500 mm
4 compartments: W 1230 x D 500 mm

400 mm

2 compartments: W 830 x D 500 mm
3 compartments: W 1230 x D 500 mm

Total height:

1800 mm with plinth (H 100 mm)

1850 mm with feet (H 150 mm)

High-grade sheet steel



stove enamel finish, housing light grey RAL 7035, doors in 7 different RAL shades

Equipment per compartment

1 hat shelf, 1 clothes rail with 2 sliding clothes hooks, 1 hand towel holder on the inside of the door

Doors


with ventilation grilles top and bottom or with central perforations, with rotary catch suitable for a padlock



Clothes locker

Doors with ventilation grilles.

Item	Compartment-ments	Order no.						
With feet								
KL2F	2	115921	115924	115925	115926	115927	115928	115929
KL3F	3	115941	115944	115945	115946	115947	115948	115949
KL4F	4	115961	115964	115965	115966	115967	115968	115969
With plinth								
KL2S	2	115931	115934	115935	115936	115937	115938	115939
KL3S	3	115951	115954	115955	115956	115957	115958	115959
KL4S	4	115971	115974	115975	115976	115977	115978	115979



Clothes locker

Doors with central perforations.

Item	Compartment-ments	Order no.						
With feet								
KLL2F	2	112601	112604	112605	112606	112607	112608	112609
KLL3F	3	112621	112624	112625	112626	112627	112628	112629
KLL4F	4	112641	112644	112645	112646	112647	112648	112649
With plinth								
KLL2S	2	112611	112614	112615	112616	112617	112618	112619
KLL3S	3	112631	112634	112635	112636	112637	112638	112639
KLL4S	4	112651	112654	112655	112656	112657	112658	112659

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
					
SIGNAL YELLOW RAL 1003	CRIMSON RAL 3004	PLATINUM GREY RAL 7036	AQUA BLUE RAL 5021	TURQUOISE GREEN RAL 6016	Fronts



Feet



Solid plinth

Clothes locker with 400 mm wide compartment





i Moveable dividers page **H110**
Benches page **H111**



Clothes locker

Doors with ventilation grilles.



Item	Compartments	Order no.							
With feet									
KL2F-4	2	112561	112564	112565	112566	112567	112568	112569	
KL3F-4	3	112581	112584	112585	112586	112587	112588	112589	
With plinth									
KL2S-4	2	112571	112574	112575	112576	112577	112578	112579	
KL3S-4	3	112591	112594	112595	112596	112597	112598	112599	



Clothes locker

Doors with central perforations.

Item	Compartments	Order no.							
With feet									
KLL2F-4	2	112661	112664	112665	112666	112667	112668	112669	
KLL3F-4	3	112681	112684	112685	112686	112687	112688	112689	
With plinth									
KLL2S-4	2	112671	112674	112675	112676	112677	112678	112679	
KLL3S-4	3	112691	112694	112695	112696	112697	112698	112699	





Clothes locker with 300/400 mm wide compartment and half height doors



Two compartment widths

300 mm

2 compartments: W 630 x D 500 mm
3 compartments: W 930 x D 500 mm
4 compartments: W 1230 x D 500 mm

400 mm


2 compartments: W 830 x D 500 mm
3 compartments: W 1230 x D 500 mm

Total height:

1800 mm with plinth (H 100 mm)



1850 mm with feet (H 150 mm),

or 865 mm with half-height clothes lockers



Feet


Solid plinth



Clothes locker, 300 mm wide compartment

With 2 half-height solid doors with ventilation grilles.

Item	Compartment	Order no.						
With feet								
KLG2F	2	112701	112704	112705	112706	112707	112708	112709
KLG3F	3	112721	112724	112725	112726	112727	112728	112729
KLG4F	4	112741	112744	112745	112746	112747	112748	112749
With plinth								
KLG2S	2	112711	112714	112715	112716	112717	112718	112719
KLG3S	3	112731	112734	112735	112736	112737	112738	112739
KLG4S	4	112751	112754	112755	112756	112757	112758	112759



Clothes locker, 400 mm wide compartment

With 2 half-height solid doors with ventilation grilles.

Item	Compartment	Order no.						
With feet								
KLG2F-4	2	112761	112764	112765	112766	112767	112768	112769
KLG3F-4	3	112781	112784	112785	112786	112787	112788	112789
With plinth								
KLG2S-4	2	112771	112774	112775	112776	112777	112778	112779
KLG3S-4	3	112791	112794	112795	112796	112797	112798	112799



- **High-grade sheet steel**
stove enamel finish,
housing light grey RAL 7035,
doors in 7 different RAL shades
- **Equipment per compartment**
1 clothes rail with 2 sliding clothes hooks
- **Doors**
with ventilation grilles top and bottom,
rotary catch suitable for a padlock


Half-height clothes locker with compartment width 300/400 mm



Half-height clothes locker, 300 mm wide compartment

Doors with ventilation grilles. No plinth or feet.


Item	Compartmentments	Order no.
		      
KL2-1/2	2	168651 168654 168655 168656 168657 168658 168659
KL3-1/2	3	168661 168664 168665 168666 168667 168668 168669
KL4-1/2	4	168671 168674 168675 168676 168677 168678 168679



Half-height clothes locker, 400 mm wide compartment

Doors with ventilation grilles. No plinth or feet.

Item	Compartmentments	Order no.
		      
KL2-1/2-400	2	168681 168684 168685 168686 168687 168688 168689
KL3-1/2-400	3	168691 168694 168695 168696 168697 168698 168699



Multi-purpose locker



- **Two variations**
Variation 1: with 8 solid, galvanised shelves. Right hung doors with rotary catch for padlock. Strengthened door interior with fitting for hand towel
Variation 2: as above, but with only 4 shelves. The left-hand compartment is fitted with hat shelf and clothes rail with 3 sliding clothes hooks
- **One width**
2 compartments: W 630 x D 500 mm
Total height: 1800 mm with plinth (H 100 mm)
1850 mm with feet (H 150 mm)

Multi-purpose lockers

Doors with ventilation grilles.

Item	Variation	Order no.
		      
With feet		
KLW2/8-F	1	114301 114304 114305 114306 114307 114308 114309
KLW2/4-F	2	114321 114324 114325 114326 114327 114328 114329
With plinth		
KLW2/8-S	1	114311 114314 114315 114316 114317 114318 114319
KLW2/4-S	2	114331 114334 114335 114336 114337 114338 114339





Clothes locker with 600 mm wide compartment



Moveable dividers

Page H110

Two widths

1 compartment (2 bays): W 630 x D 500 mm
2 compartments (4 bays): W 1230 x D 500 mm
Total height:
1800 mm with plinth (H 100 mm)
1850 mm with feet (H 150 mm)

Workshop regulations

these stipulate that each employee shall be provided with a clothes locker with 2 compartments 300 mm wide, where it is necessary for work clothing to be separated from normal street wear

High-grade sheet steel

stove enamel finish, housing light grey RAL 7035, doors in 7 different RAL shades

Equipment

1 hat shelf, 1 clothes rail with 2 sliding clothes hooks, 1 hand towel holder on the inside of the door

Doors

with ventilation grilles top and bottom, rotary catch suitable for a padlock



Feet

Solid plinth




No moveable divider



Clothes locker, 600 mm wide compartment

With full-width door and full-width hat shelf. 1 compartment, 600 mm.
Height: 1800 mm with plinth, 1850 mm with feet.


Item	Compartment	Order no.
With feet		
KL1-600F	1	168301 168304 168305 168306 168307 168308 168309
With plinth		
KL1-600S	1	168311 168314 168315 168316 168317 168318 168319



Clothes locker, 600 mm wide compartment

With doors hung on either side.
Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compartment	Order no.
With feet		
KL2/1-SW-F	1	114461 114464 114465 114466 114467 114468 114469
KL4/2-SW-F	2	114481 114484 114485 114486 114487 114488 114489
With plinth		
KL2/1-SW-S	1	114471 114474 114475 114476 114477 114478 114479
KL4/2-SW-S	2	114491 114494 114495 114496 114497 114498 114499



Clothes locker, 600 mm wide compartment

With full-height door.
Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compartment	Order no.
With feet		
KL2/1-F	1	114341 114344 114345 114346 114347 114348 114349
KL4/2-F	2	114361 114364 114365 114366 114367 114368 114369
With plinth		
KL2/1-S	1	114351 114354 114355 114356 114357 114358 114359
KL4/2-S	2	114371 114374 114375 114376 114377 114378 114379

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
					
SIGNAL YELLOW RAL 1003	CRIMSON RAL 3004	PLATINUM GREY RAL 7036	AQUA BLUE RAL 5021	TURQUOISE GREEN RAL 6016	Fronts

Clothes locker with bench, compartment width 300 mm

Clothes locker, 300 mm wide compartment

With **bench** underneath with beech slats (H 420 x D 320 mm).
Height: 2120 mm.

Item	Compartment-ments	Order no.
		    
KLS2-U	2	112921 112924 112925 112926 112927 112928 112929
KLS3-U	3	112931 112934 112935 112936 112937 112938 112939
KLS4-U	4	112941 112944 112945 112946 112947 112948 112949



With bench underneath



Shoe storage

Item	Frame dimensions W x D (mm)	Weight (kg)	Frame colour	Order no.
ESR06	630 x 200	2,8	Black	194470
ESR09	930 x 200	3,2	Black	194490
ESR12	1230 x 200	3,6	Black	194500


Other combinations available

on request

Clothes locker, 300 mm wide compartment

As above, but with **bench** in front.
Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compartment-ments	Order no.
		    
With feet		
KLS2F-H	2	112801 112804 112805 112806 112807 112808 112809
KLS3F-H	3	112841 112844 112845 112846 112847 112848 112849
KLS4F-H	4	112881 112884 112885 112886 112887 112888 112889
With plinth		
KLS2S-H	2	112821 112824 112825 112826 112827 112828 112829
KLS3S-H	3	112861 112864 112865 112866 112867 112868 112869
KLS4S-H	4	112901 112904 112905 112906 112907 112908 112909



With bench in front




Clothes locker with bench, compartment width 400 mm

Clothes locker, 400 mm wide compartment

With **bench** underneath with beech slats (H 420 x D 320 mm).
Height: 2120 mm.

Item	Compartment-ments	Order no.
		    
KLS2-U-4	2	112911 112914 112915 112916 112917 112918 112919
KLS3-U-4	3	112991 112994 112995 112996 112997 112998 112999





Shoe storage

Item	Frame dimensions W x D (mm)	Weight (kg)	Frame colour	Order no.
ESR08	830 x 200	3,0	Black	194480
ESR12	1230 x 200	3,6	Black	194500



Space-saving cabinets with compartment width 200 mm



i

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY
Light Grey RAL 7035	Gentian Blue RAL 5010	Signal Yellow RAL 1003	Crimson RAL 3004	Platinum Grey RAL 7036	Aqua Blue RAL 5021	Turquoise Green RAL 6016

Housing

Three widths
3 compartments: W 630 mm, 4 compartments: W 830 mm,
6 compartments: W 1230 mm.
Depth 500 mm. Total height: 1800 mm with plinth (H 100 mm)

High-grade sheet steel
stove enamel finish

Equipment
1 hat shelf, 1 clothes rail with 2 sliding clothes hooks

Doors
rotary catch suitable for a padlock

Space-saving cabinets, compartment width 200 mm

On solid plinth. Height: 1800 mm.

Item	Compartment	Order no.						
KL2S-2	2	194431	194434	194435	194436	194437	194438	194439
KL3S-2	3	194441	194444	194445	194446	194447	194448	194449
KL4S-2	4	194451	194454	194455	194456	194457	194458	194459
KL6S-2	6	194461	194464	194465	194466	194467	194468	194469

Compartment cabinets with bay width 300 / 400 mm



Two bay widths

Bay width 300/400 mm:

- 1 compartment: W 330 / 430 mm
- 2 compartments: W 630 / 830 mm
- 3 compartments: W 930 / 1230 mm
- 4 compartments: W 1230 / - mm
- Depth 500 mm. Total height: 1800 mm with plinth (H 100 mm)

Three bay heights

- bay height with 3 bays: 520 mm
- bay height with 4 bays: 380 mm
- bay height with 5 bays: 300 mm

High-grade sheet steel

- stove enamel finish, housing light grey
- RAL 7035, doors in 7 different RAL shades

Doors

- with security lock and two keys



Compartment cabinets, bay width 300 mm

With plinth. Height: 1800 mm.

Item	Bays horizontal	Order no.						
3 vertical bays								
KL1/3-300S	1	194201	194204	194205	194206	194207	194208	194209
KL2/3-300S	2	194231	194234	194235	194236	194237	194238	194239
KL3/3-300S	3	194261	194264	194265	194266	194267	194268	194269
KL4/3-300S	4	194291	194294	194295	194296	194297	194298	194299
4 vertical bays								
KL1/4-300S	1	194211	194214	194215	194216	194217	194218	194219
KL2/4-300S	2	194241	194244	194245	194246	194247	194248	194249
KL3/4-300S	3	194271	194274	194275	194276	194277	194278	194279
KL4/4-300S	4	194301	194304	194305	194306	194307	194308	194309
5 vertical bays								
KL1/5-300S	1	194221	194224	194225	194226	194227	194228	194229
KL2/5-300S	2	194251	194254	194255	194256	194257	194258	194259
KL3/5-300S	3	194281	194284	194285	194286	194287	194288	194289
KL4/5-300S	4	194311	194314	194315	194316	194317	194318	194319

Compartment cabinets, bay width 400 mm

With plinth. Height: 1800 mm.

Item	Bays horizontal	Order no.						
3 vertical bays								
KL1/4-400S	1	194321	194324	194325	194326	194327	194328	194329
KL2/4-400S	2	194351	194354	194355	194356	194357	194358	194359
KL3/4-400S	3	194381	194384	194385	194386	194387	194388	194389
4 vertical bays								
KL1/4-400S	1	194331	194334	194335	194336	194337	194338	194339
KL2/4-400S	2	194361	194364	194365	194366	194367	194368	194369
KL3/4-400S	3	194391	194394	194395	194396	194397	194398	194399
5 vertical bays								
KL1/5-400S	1	194341	194344	194345	194346	194347	194348	194349
KL2/5-400S	2	194371	194374	194375	194376	194377	194378	194379
KL3/5-400S	3	194401	194404	194405	194406	194407	194408	194409

► **Two widths**

2 compartments: W 830 x D 500 mm

3 compartments: W 1230 x D 500 mm

Height without substructure: 1700 mm

► **High-grade sheet steel**

stove enamel finish



► **Equipment**

1 open bay, 1 clothes rail with 4 sliding hooks,

1 belt hook on the right-hand side panel

**Fire-proof cabinets without substructure**

Item	Compartments	Order no.
		  
KLF2-400G	2	74601 74602 74603
KLF3-400G	3	74611 74612 74613

**Fire-proof cabinets,
compartment width 400 mm****Accessories****Helmet holder for cabinet roof**

Item	Order no.
HH-KLF	74642

Mesh supports

As shoe shelf underneath, for positioning on the cabinet base. Dip galvanised.

Item	Order no.
GR-KLF	74641


**Safe doors for upper compartment**

For locking up valuable personal objects.


Item	Order no.
	  
With security lock and two keys	
WTF-Z	74621 74622 74623
With number combination lock	
WTF-3K	74631 74632 74633

**Additional coupled holder**

Item	Order no.
KH-KLF	74643

**Feet**Overall height with feet: 1850 mm.
Colour: black.

Item	H (mm)	Unit	Order no.
4F-KL	150	4	114680

**Substructure plinth**Overall height with substructure plinth:
1800 mm. Colour: black.

Item	W x H (mm)	Order no.
S-KL2/400	830 x 100	114670
S-KL3/400	1230 x 100	114660

**Bench substructure**With beech slat support (H 420 x D 320 mm).
Overall height with bench subframe: 2120 mm.
Colour: black.

Item	W x H (mm)	Order no.
SU-KL08	830 x 420	114790
SU-KL12	1230 x 420	114810

Accessories for clothes lockers



Cylinder locks

With 2 keys. Optional for all lockers.
Extra price per lock.
Master key available on request.

Item	Order no.
MZYL1	114390



Cylinder padlocks

Double locked, rust-free interior.
Bolt chromium-plated hardened steel.
Solid brass body. Interior height of clip,
25 mm. Various closures.

Item	Order no.
ZVS25-V	114380

Lock reinforcement

Provides increased security against theft.
Galvanised sheet steel to insert under
the lock.

Item	Order no.
KL-SV	113380



Name cards and film cover


Fit into the holder on the locker door.

Item	Unit	Order no.
PEF-KL	100	113387

Moveable dividers

For lockers with compartment width 400 and
600 mm (pages H103 and H106). For retrofitting
a divider into sub-compartments to create
two bays with widths of 200 and 300 mm.

Item	Order no.
PTRW	113390



Deposit locks

For clothes lockers, incl. locker number.
Operated by coin.


Item	For	Order no.
PFS-KL	KL	10440
PFS-KLG	KLG	10441



Inclined roof sections

Prevents objects being placed on the roofs.
Open at the back. Also suitable for retro-
fitting. Colour: light grey, RAL 7035.

Item	W x H (mm)	Order no.
SDA63	630 x 150	114510
SDA83	830 x 150	114520
SDA63	930 x 150	114530
SDA123	1230 x 150	114540




Locker numbering

Silver adhesive film with black consecutive
numbering.

Item	Numbers	Unit	Order no.
SN-KL1	1 - 50	50	113381
SN-KL2	1 - 100	100	113382

Benches and changing room equipment



Benches

Solid frame in 30 x 30 x 2 mm rectangular tubing, dark brown RAL 8022, powder-coated. Slats in varnished beech laminate, painted, 95 x 25 mm. Delivered flat-packed, easy to assemble. Bench height 415 mm, bench depth 310 mm.

Item	Bench length (mm)	Frame dimensions W x D x H (mm)	Weight (kg)	Order no.
ESB10	995	615 x 285 x 390	10	114400
ESB15	1495	1215 x 285 x 390	16	114410
ESB20	1995	1615 x 285 x 390	18	114420

Shoe storage

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
ESR10	995	615 x 200	3,0	114430
ESR15	1495	1215 x 200	3,6	114440
ESR20	1995	1615 x 200	5,2	114450



Benches with coat hook frame

Solid frame in 30 x 30 x 2 mm rectangular tubing, dark brown RAL 8022, powder-coated. Slats, backboard and hook panel in varnished beech laminate, 95 x 25 mm. Delivered flat-packed, easy to assemble. Bench height 415 mm, bench depth 310 mm.

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
SBH10	995	615 x 285	18	114401
SBH15	1495	1215 x 285	26	114411
SBH20	1995	1615 x 285	30	114421

Shoe storage

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
ESR10	995	615 x 200	3,0	114430
ESR15	1495	1215 x 200	3,6	114440
ESR20	1995	1615 x 200	5,2	114450



Table and chair set

Solid frame in blue painted tubular steel. Beech effect table top, seats and back rests. Table dimensions: 1600 x 800 mm. Stackable chairs to save space. Tables and chairs can also be ordered separately.

Item	Order no.
TSK-01	Table with 6 stacking chairs (as shown) 113386

Locker units



Locker units

With hat shelf, clothes rail, spacer rods and 4, 5, 8 or 10 locker compartments and end panel.

Item		W x H x D (mm)	Order no.		
					
SFG 4	Base unit, 8 bays	1650 x 1950 x 500	10401	10400	10402
SFA 4	Add-on unit, 4 bays	1300 x 1950 x 500	10411	10410	10412
SFG 5	Base unit, 10 bays	1476 x 1950 x 500	10191	10190	10192
SFA 5	Add-on unit, 5 bays	1213 x 1950 x 500	10201	10200	10202
SE5	Add-on unit, 9 bays	1306 x 1950 x 500	24136	24130	24133
SFR	End frame, wall	975 x 1950 x 500	10211	10210	10212



Multi-purpose wardrobe and locker cabinets



i Please order feet or plinths separately

► Two widths

2 compartments: W 600 x D 520 mm

3 compartments: W 900 x D 520 mm

Total height:

1850 mm with solid plinth or frame with feet, all cabinet types can be combined with one another

► High-grade sheet steel

cold-rolled, extra stress-free straightened, electro-plated/hot-dip galvanised frameless folded construction without sharp edges around the opening, housing light grey RAL 7035, doors in 4 different RAL shades, very high resistance powder-coating finish

► Equipment

continuous ventilation system through door and back panel, 1 hat shelf, 1 clothes rail with 2 sliding clothes hooks

► Doors

double-skinned with rounded edges to protect from injury, door opening angle 90°, high corrosion resistance, each door fitted with individual security lock and 2 keys



Double-skinned, fully reinforced doors, 90° opening, with sliding hinges



Rounded, smoothly finished door edges, no risk of injury

Frame with feet, rectangular tubing

For 2-door and 3-door widths, plastic-coated, anthracite, 150 mm high.


Item	For width (mm)	Order no.
GSV15-6	600	170080
GSV15-9	900	170090



Solid plinth

For 2-door and 3-door widths, stove enamel finish, anthracite, 150 mm high.

Item	For width (mm)	Order no.
GSB15-6	600	170100
GSB15-9	900	170110




Multi-purpose wardrobe and locker cabinets

Each with 1 hat rack and 3 sliding hooks, compartment height 1850 mm.

Item	External dimensions W x D x H (mm)	Internal dimensions/compartments W x D x H (mm)	Order no.
HG1-23	600 x 520 x 1850	300 x 485 x 1850	170200 170201 170202 170203
HG1-33	900 x 520 x 1850	300 x 485 x 1850	170210 170211 170212 170213

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
				
LIGHT GREY RAL 7035	GENTIAN BLUE RAL 5010	VIOLET RAL 4004	PLATINUM GREY RAL 7036	Fronts
				

Multi-purpose wardrobe and locker cabinets



Multi-purpose wardrobe and locker cabinets

Each with 1 clothes rail and 3 sliding hooks, 2 compartments, compartment height 880 mm.

Item	External dimensions W x D x H (mm)	Internal dimensions/compartments W x D x H (mm)	Order no.			
						
HG2-23	600 x 520 x 1850	300 x 485 x 880	170220	170221	170222	170223
HG2-33	900 x 520 x 1850	300 x 485 x 880	170230	170231	170232	170233



Multi-purpose wardrobe and locker cabinets

4 bays, one on top of the other, bay height 422 mm.

Item	External dimensions W x D x H (mm)	Internal dimensions/compartments W x D x H (mm)	Order no.			
						
HG4-23	600 x 520 x 1850	300 x 485 x 422	170240	170241	170242	170243
HG4-33	900 x 520 x 1850	300 x 485 x 422	170250	170251	170252	170253